



4004

**ANNUAL REPORT**

OF

Name: GTE NORTH INCORPORATED

---

Principal Office: 100 COMMUNICATIONS DR  
P.O. BOX 49  
SUN PRAIRIE, WI 53590-0049

---

For the Year Ended: DECEMBER 31, 1999

---

TELECOMMUNICATIONS UTILITY  
TO  
PUBLIC SERVICE COMMISSION OF WISCONSIN

P.O. Box 7854  
Madison, WI 53707-7854  
(608) 267-9504

*This form is required under Wis. Stat. § 196.07. Failure to file the form by the statutory filing date can result in the imposition of a penalty under Wis. Stat. § 196.66. The penalty which can be imposed by this section of the statutes is a forfeiture of not less than \$25 nor more than \$5,000 for each violation. Each day subsequent to the filing date constitutes a separate and distinct violation. The filed form is available to the public and personally identifiable information may be used for purposes other than those related to public utility regulation.*

## GENERAL RULES FOR REPORTING

1. Unless otherwise indicated, the information requested in this report should be taken from the accounts and other records in conformity with the Uniform System of Accounts prescribed by the Public Service Commission of Wisconsin in docket 05-US-102. The definitions and instructions contained therein should also apply to the report wherever applicable. A query or response concerning information contained in this report regarding any practice or transaction should not be construed as indicating conformity to accounting or other pertinent regulations.
2. Please follow all instructions and answer each question fully and accurately. Provide additional information as necessary to avoid misunderstandings or misleading responses. Abbreviations listed on page 6 may be used. However, please show the exact name of the respondent in full on the Identification and Ownership page.
3. Wherever information is requested in a "note", please show that information in the space provided, or make reference to the adjacent page or insert where the note may be found. Please also identify each note. Footnote capability is included in the annual report software program. Please use it where necessary to fully explain particulars in the annual report.
4. Numeric items are limited to digits (0-9). A minus sign "-" should be entered in the software program to indicate negative values. Do not use parentheses for numeric values. The program will convert the minus sign to parentheses when a hard copy of the annual report is printed. Negative values may not be allowed for certain entries in the annual report due to restrictions contained in the software program.
5. Please report all dollar amounts to the nearest whole dollar.
6. This annual report should be complete in all respects. Unless otherwise authorized, avoid references to returns of former years or to other reports.
7. Wherever schedules call for data from the previous year and such data were reported in the previous annual report, that previous year's data should be reported without modification. If modified, an appropriate footnote indicator and explanation should be included in the current year's annual report.
8. Where part or all of the report is prepared by other than utility personnel, a disclosure is required in the "Individual or firm, if other than utility employee, preparing this report" portion of the Identification and Ownership schedule, which describes the nature and extent of work performed.
9. Please print a hard copy of the annual report on 20 pound or heavier paper, sign it and compare with the electronic copy before officially filing it with the Public Service Commission of Wisconsin.

**SIGNATURE PAGE**

I NANCY W. HEURING of  
(Person responsible for accounts)

GTE NORTH INCORPORATED, certify that I  
(Utility Name)

am the person responsible for accounts; that I have examined the following report and, to the best of my knowledge, information and belief, it is a correct statement of the business and affairs of said utility for the period covered by the report in respect to each and every matter set forth therein.

NANCY W. HEURING 03/29/2000  
(Person responsible for accounts) (Date)

ASSISTANT CONTROLLER  
(Title)

**TABLE OF CONTENTS**

<b>Schedule Name</b>	<b>Page</b>
Cover Page	1
General Rules for Reporting	2
Signature Page	3
Table of Contents	4
Annual Telecommunications Report Glossary of Terms	5
Abbreviations Used in Annual Reports	6
Identification and Ownership	7
Income Statement - Total Company	8
Notes to Income Statement or Balance Sheet	9
Balance Sheet - Assets (Class B Use Accounts Designated By *)	10
Balance Sheet - Liabilities (Class B Use Accounts Designated By *)	11
Important Changes During the Year	13
Affiliate Abbreviations	14
Affiliated Interest Transactions	15
Affiliated Assets and Liabilities	16
Telecommunications Plant in Service Class A & B	22
Telecommunications Plant in Service Class A & B (Sub-Class Accounts)	24
Accumulated Depreciation Class A & B	26
Accumulated Depreciation Class A & B (Sub-Class Accounts)	28
Retained Earnings (Acct. 4550)	37
Revenues - Class A & B (Class B Use Accounts Designated By *)	40
Expenses - Class A & B	41
Calculation of Assessable Revenues for Remainder and Telephone Relay Assessment Purposes	43
Calculation of Assessable Revenues for Universal Service Fund Assessment Purposes	43
Other Income Accounts	44
Nonregulated Activities	45
Telephone Calls and Minutes of Use Per Month	47
Access Usage	48
Outside Plant Statistics at End of Year	49
Special Access Circuits in Use at End of Year	49
Service Data	50
Service Data - End of Year	52
Equipment Abbreviations	54
Manufacturer Abbreviations	54
Central Office Data - End of Year	55
General, Schedule Level and Schedule Line Footnotes	56

**ANNUAL TELECOMMUNICATIONS REPORT GLOSSARY OF TERMS**

<b>Access Line</b>	Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency transmission, and/or time slot transmission. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice channel or a 64 kilobits per second digital channel.
<b>Analog Signal</b>	A signal that varies in a continuous manner such as voice or music. An analog signal must be contrasted with a digital signal which can assume only discrete values.
<b>Cellular System</b>	A high capacity land mobile radio system in which an assigned frequency spectrum is divided into discrete channels that are assigned to a cellular geographic serving area.
<b>Central Office</b>	A switching unit in a telephone system providing service to the general public, having the necessary equipment and operating arrangements for terminating and interconnecting lines and trunks.
<b>Centrex</b>	A service for customers with many stations that permits station-to-station dialing, one listed directory number for the customer, direct inward dialing to a particular station and station identification on outgoing calls. The switching functions are performed in a central office (stand alone, host or remote).
<b>Channel</b>	An electrical communications path between two or more points. A single pair of wires may provide more than one channel. A channel may also be provided by microwave.
<b>Customer</b>	A person who uses a telephone as a subscriber.
<b>Digital Signal</b>	A signal that has a limited number of discrete states. This may be contrasted with an analog signal that varies in a continuous manner and may have an infinite number of states.
<b>Equal Access</b>	The ability of the subscriber to use any long distance service by dialing the same number of digits.
<b>Exchange</b>	A defined area served by one or more central offices regardless of technical serving arrangements within which the company furnishes service at rates and rules prescribed for that area in the company's filed tariffs. The area is not necessarily marked by political boundaries or the location of host or remote switching units.
<b>Extended Area Service (EAS)</b>	The ability of a customer to call customers in other exchanges at no additional charge or at an additional charge per tariff.
<b>Extended Community Calling (ECC)</b>	The ability of a customer to call customers in other exchanges at rates usually above EAS rates but below toll rates for comparable distances. Rates generally include a duration element.
<b>Feature Group A</b>	Line-side originating and terminating LATA access for which an originating subscriber dials an assigned telephone number that connects to a specific interexchange carrier (IC). The IC returns a tone to signal the caller to input additional generated digits of the called number.

**ANNUAL TELECOMMUNICATIONS REPORT GLOSSARY OF TERMS**

<b>Feature Group B</b>	Trunk-side originating and terminating LATA access for which an originating subscriber dials a 950-WXXX number (where W=0, 1 and XXX is the carrier access code (CAC)), which is translated to a specific XXX carrier trunk group. Optional rotary dial service and ANI may be available.
<b>Feature Group C</b>	Trunk-side LATA access for AT&T-Communications generally on a direct basis between each end office (EO) and an AT&T-C switching system.
<b>Feature Group D</b>	Also referred to as equal access. It is trunk-side LATA access affording call supervision of an interexchange carrier, a uniform access code (10XXXXX), optional calling party identification, recording of access-charge billing details and presubscription to a customer specified interexchange carrier.
<b>FX-IN</b>	A nonswitched service where the customer of the company is connected to and receives switching service through central office equipment located in another exchange area.
<b>FX-OUT</b>	A switched service where facilities are provided from the central office out to the exchange boundary where it meets the line from a foreign exchange subscriber.
<b>Host Switching System</b>	A switching system that provides centralized control over most of the switching functions of one or more remote switching units. The host switching system usually provides trunk access to the operating company intraLATA networks.
<b>Local Access Transport Area (LATA)</b>	A geographic area within which an operating company may offer its telecommunications services.
<b>Mobile Telephone</b>	A service which provides radio telephone communication from a mobile vehicle to another vehicle or to a regular telephone.
<b>Paging</b>	A service which provides one-way signal or voice communication over a radio channel to a miniature receiver carried by the customer.
<b>Pair</b>	Two wires of a single circuit.
<b>Pay Station</b>	A telephone which normally requires all users to deposit one or more coins or use a credit card to complete a call.
<b>Private Line Service</b>	Channel or circuit rented for private use and not intended to be connected to the general distribution system.
<b>Private Branch Exchange (PBX)</b>	A manually, or operator controlled switching system, usually on the customer's premises, which serves that customer's telephones over a common group of lines from the central office.
<b>Radio Common Carrier (RCC)</b>	A company which furnishes public telecommunications service using one or more radio channels.
<b>Remote Switching Unit (RSU)</b>	An electronic switching system that is remote from its host or control office. All of the central control equipment for the RSU is located in the host switching system.

**ANNUAL TELECOMMUNICATIONS REPORT GLOSSARY OF TERMS**

<b>Route Miles</b>	<p>Total number of route miles (to the nearest mile) of operating plant facilities including drop wire in the exchange. One route mile may consist of:</p> <ol style="list-style-type: none"><li>1. One mile of roadway with any combination of outside plant facilities on any number of rights-of-way.</li><li>2. One mile of a cross country route with any combination of outside plant facilities.</li><li>3. One mile of point-to-point microwave or radio link.</li><li>4. One mile of plant on either side of a limited access highway or natural barrier, such as a navigable waterway.</li><li>5. One mile of joint use line where the utility either owns the facility or leases space.</li></ol>
<b>Stand Alone Switch</b>	<p>A central office switch which has no remote switching units (RSUs) subtending it.</p>
<b>Trunk</b>	<p>A communications path connecting two switching systems in the establishment of an end-to-end connection.</p>
<b>Wide Area Telephone Service (WATS)</b>	<p>Customer leased access line or lines connected to the nationwide network over which an unlimited number of calls can be made for a fixed monthly charge.</p>
<b>Wire Center</b>	<p>The location of one or more local switching systems. A point at which customers' loops converge.</p>

**ABBREVIATIONS USED IN ANNUAL REPORTS**

<b>Acct</b>	.....	Account
<b>Accum</b>	.....	Accumulated
<b>Acq</b>	.....	Acquisition
<b>Admin</b>	.....	Administrative
<b>Alloc</b>	.....	Allocation
<b>Amort</b>	.....	Amortization
<b>CO</b>	.....	Central Office
<b>Depr</b>	.....	Depreciation
<b>Equip</b>	.....	Equipment
<b>Exp</b>	.....	Expenses
<b>EOY</b>	.....	End of Year
<b>FOY</b>	.....	First of Year
<b>Info</b>	.....	Information
<b>ITC</b>	.....	Investment Tax Credit
<b>Misc</b>	.....	Miscellaneous
<b>Nonoper</b>	.....	Nonoperating
<b>Nonreg</b>	.....	Nonregulated
<b>Oper</b>	.....	Operating
<b>Opns</b>	.....	Operations
<b>Orig</b>	.....	Originating
<b>Prop</b>	.....	Property
<b>Receiv</b>	.....	Receivable
<b>Reg</b>	.....	Regulated
<b>Rev</b>	.....	Revenues
<b>Svcs</b>	.....	Services
<b>Telecom</b>	.....	Telecommunications
<b>Term</b>	.....	Terminating
<b>TPIS</b>	.....	Telecommunications Plant in Service
<b>TPUC</b>	.....	Telecommunications Plant Under Construction
<b>Uncoll</b>	.....	Uncollectible



---

**IDENTIFICATION AND OWNERSHIP**

---

**Exact Utility Name:** GTE NORTH INCORPORATED  
**Utility Location:** 100 COMMUNICATIONS DR  
P.O. BOX 49  
SUN PRAIRIE, WI 53590-0049

**Utility Web Site Address:**

**When was utility organized?:** 06/18/1992

**Report any change in name and the effective date:**

---

**Officer in charge of correspondence concerning this report**

---

**Name:** NANCY W. HEURING  
**Title:** ASSISTANT CONTROLLER

**Office Address:** 600 HIDDEN RIDGE  
IRVING, TX 75038

**Fax Number:** (972) 718 - 7422  
**Telephone Number:** (972) 718 - 6892  
**Email Address:**

---

**Individual or firm, if other than utility employee, preparing this report**

---

**Name:**  
**Title:**

**Office Address:**

**Fax Number:**  
**Telephone Number:**  
**Email Address:**

---

**Person responsible for financial information contained in report**

---

**Name:** NANCY W. HEURING  
**Title:** ASSISTANT CONTROLLER

**Office Address:** 600 HIDDEN RIDGE  
IRVING, TX 75038

**Fax Number:** (972) 718 - 7422  
**Telephone Number:** (972) 718 - 6892  
**Email Address:**

---

**Person responsible for statistical information contained in report**

---

**Name:** NANCY W. HEURING  
**Title:** ASSISTANT CONTROLLER

**Office Address:** 600 HIDDEN RIDGE  
IRVING, TX 75038

**Fax Number:** (972) 718 - 7422  
**Telephone Number:** (972) 718 - 6892  
**Email Address:**

---

**IDENTIFICATION AND OWNERSHIP**

---

**List names, addresses, and number of shares held by persons owning 5 percent or more of outstanding voting securities. If any stock is held by a nominee, give known particulars as to the beneficial owner (See Wis. Stat. § 196.795(1)(c), for definition of beneficial owner).**

---

**Name:** GTE CORPORATION  
**Address:** 1255 CORPORATE DRIVE  
IRVING, TX 75038

**Number of Shares Held:** 978,350

**Beneficial Owner:** NONE

---

**List companies owned, controlled, or operated and form and extent of such ownership, control or operation.**

---

**Company Name:** GTW TELEPHONE SYSTEMS INCORPORATED  
**Form of Interest:** COMMON STOCK  
**Extent Of Interest:** 100%

**INCOME STATEMENT - TOTAL COMPANY**

<b>Particulars (a)</b>	<b>This Year (b)</b>	<b>Last Year (c)</b>	
Operating Revenues (5000-5300)	350,147,786	328,589,913	<b>1</b>
<b>Operating Expenses</b>			
Plant Specific Operations Expense (6110-6410)	57,368,347	61,528,520	<b>2</b>
Plant Nonspecific Operations Expense	130,096,672	120,520,625	<b>3</b>
Customer Operations Expense (6610-6620)	41,718,185	45,526,631	<b>4</b>
Corporate Operations Expense (6710-6790)	10,494,808	30,148,568	<b>5</b>
Other Operating Income and Expense (7100)	(16,031)	85,483	<b>6</b>
Operating Taxes (7200)	47,694,147	39,941,905	<b>7</b>
<b>Total Operating Expenses</b>	<b>287,388,190</b>	<b>297,580,766</b>	<b>8</b>
<b>Net Operating Income</b>	<b>62,759,596</b>	<b>31,009,147</b>	<b>9</b>
<b>Other Income</b>			
Nonoperating Income and Expense (7300)	(548,991)	1,481,385	<b>10</b>
Nonoperating Taxes (7400)	(261,291)	217,723	<b>11</b>
Interest and Related Items (7500)	17,550,251	16,728,384	<b>12</b>
Extraordinary Items (7600)	0	30,733	<b>13</b>
Nonregulated Net Income (7990)	0	0	<b>14</b>
<b>Total Nonoperating Income</b>	<b>(17,837,951)</b>	<b>(15,433,989)</b>	<b>15</b>
<b>Net Income</b>	<b>44,921,645</b>	<b>15,575,158</b>	<b>16</b>

**NOTES TO INCOME STATEMENT OR BALANCE SHEET**

In the space provided below, disclose all material information not included elsewhere in this report that is necessary to make the financial statements clear and understandable. Included should be:

- 
1. A summary of significant accounting policies. (The summaries should disclose, but not be limited to, the utility's accounting policies with regard to pension cost, unbilled revenues, depreciation, and income taxes.)

**None**

---

2. A summary of significant contingent assets and liabilities existing at year end, including a brief explanation of any action initiated by the Internal Revenue Service, Wisconsin Department of Revenue, or the utility involving a possible assessment or refund of taxes.

**None**

---

3. The notes should include an explicit and precise explanation of any retained earnings restrictions and should state the amount of retained earnings affected by such restrictions.

**None**

**BALANCE SHEET - ASSETS (CLASS B USE ACCOUNTS DESIGNATED BY \*)**

Particulars (a)	Balance--EOY (b)	Balance--FOY (c)	
<b>CURRENT ASSETS</b>			
<b>CASH AND EQUIVALENTS</b>			
Cash and Equivalents (1120)*			1
Cash (1130)	0	0	2
Special Cash Deposits (1140)	0	0	3
Working Cash Advances (1150)	0	0	4
Temporary Investments (1160)	0	0	5
<b>TOTAL CASH AND EQUIVALENTS</b>	<b>0</b>	<b>0</b>	
<b>RECEIVABLES AND ALLOWANCES FOR DOUBTFUL ACCOUNTS</b>			
Telecommunications Accounts Receivable (1180)*	0	0	6
Accounts Receivable Allowance-Telecom (1181)*	0	0	7
<b>Net: Telecommunications Accounts Receivable</b>	<b>0</b>	<b>0</b>	
Other Accounts Receivable (1190)*	0		8
Accounts Receivable Allowance--Other (1191)*	0	0	9
<b>Net: Other Accounts Receivable</b>	<b>0</b>	<b>0</b>	
Notes Receivable (1200)*	0	0	10
Notes Receivable Allowance (1201)*	0	0	11
<b>Net: Notes Receivable</b>	<b>0</b>	<b>0</b>	
Interest and Dividends Receivable (1210)*	0	0	12
<b>TOTAL REC AND ALLOW FOR DOUBTFUL ACCOUNTS</b>	<b>0</b>	<b>0</b>	
<b>SUPPLIES</b>			
Inventories (1220)*	1,638,785	1,653,683	13
<b>TOTAL SUPPLIES</b>	<b>1,638,785</b>	<b>1,653,683</b>	
<b>PREPAYMENTS</b>			
Total Prepayments (1280)*			14
Prepaid Rents (1290)	0	0	15
Prepaid Taxes (1300)	0	0	16
Prepaid Insurance (1310)	0	0	17
Prepaid Directory Expenses (1320)	0	0	18
Other Prepayments (1330)	(835,706)	(1,005,927)	19
<b>TOTAL PREPAYMENTS</b>	<b>(835,706)</b>	<b>(1,005,927)</b>	
<b>OTHER CURRENT ASSETS</b>			
Other Current Assets (1350)*	0	0	20
<b>TOTAL OTHER CURRENT ASSETS</b>	<b>0</b>	<b>0</b>	
<b>TOTAL CURRENT ASSETS</b>	<b>803,079</b>	<b>647,756</b>	
<b>NONCURRENT ASSETS</b>			
<b>INVESTMENTS</b>			
Investment in Affiliated Companies (1401)*	0	0	21
RTB Class B Stock (1402)*	0	0	22
Other Investments in Nonaffiliated Companies (1402)*	0	0	23
Nonregulated Investments (1406)*	0	0	24
Unamortized Debt Issuance Expense (1407)*	0	0	25
Sinking Funds (1408)*	0	0	26

**BALANCE SHEET - ASSETS (CLASS B USE ACCOUNTS DESIGNATED BY \*)**

Particulars (a)	Balance--EOY (b)	Balance--FOY (c)	
<b>NONCURRENT ASSETS</b>			
<b>INVESTMENTS</b>			
Other Noncurrent Assets (1410)*	0	0	27
<b>TOTAL INVESTMENTS</b>	<b>0</b>	<b>0</b>	
<b>DEFERRED CHARGES</b>			
Deferred Tax Regulatory Asset (1437)*	0	0	28
Deferred Maintenance and Retirements (1438)*	0	0	29
Deferred Charges (1439)*	0	0	30
<b>TOTAL DEFERRED CHARGES</b>	<b>0</b>	<b>0</b>	
<b>TOTAL NONCURRENT ASSETS</b>	<b>0</b>	<b>0</b>	
<b>PLANT</b>			
<b>TELECOMMUNICATIONS PLANT IN SERVICE</b>			
Telecommunications Plant in Service (2001)*	1,231,817,426	1,168,201,427	31
Less: Accumulated Depreciation (3100)*	755,727,434	688,688,823	32
Less: Accumulated Amortization--Capitalized Leases (3410)*	0	0	33
Less: Accumulated Amortization--Leasehold Improvements (3420)*	0	0	34
Less: Accumulated Amortization--Intangible (3500)*	0	0	35
<b>NET TELECOMMUNICATIONS PLANT IN SERVICE</b>	<b>476,089,992</b>	<b>479,512,604</b>	
<b>PROPERTY HELD FOR FUTURE USE</b>			
Prop. Held for Future Telecommun. Use (2002)*	0	0	36
Less: Accumulated Depreciation--Held for Future Telecommunications Use (3200)*	0	0	37
<b>NET PROPERTY HELD FOR FUTURE USE</b>	<b>0</b>	<b>0</b>	
<b>NONOPERATING PLANT</b>			
Nonoperating Plant (2006)*	0	0	38
Less: Accumulated Depreciation--Nonoperating (3300)*	0	0	39
<b>NET NONOPERATING PLANT</b>	<b>0</b>	<b>0</b>	
<b>TPUC</b>			
TPUC (2003)*	9,826,487	12,595,420	40
<b>TOTAL TPUC</b>	<b>9,826,487</b>	<b>12,595,420</b>	
<b>TELECOMMUNICATIONS PLANT ADJUSTMENT</b>			
Telecommunications Plant Adjustment (2005)*	0	0	41
Less: Accumulated Amortization--Other (3600)*	0	0	42
<b>NET TELECOMMUNICATIONS PLANT ADJUSTMENT</b>	<b>0</b>	<b>0</b>	
<b>TOTAL PLANT</b>	<b>485,916,479</b>	<b>492,108,024</b>	
<b>TOTAL ASSETS AND OTHER DEBITS</b>	<b>486,719,558</b>	<b>492,755,780</b>	

**BALANCE SHEET - LIABILITIES (CLASS B USE ACCOUNTS DESIGNATED BY \*)**

<b>Particulars (a)</b>	<b>Balance--EOY (b)</b>	<b>Balance--FOY (c)</b>	
<b>CURRENT LIABILITIES</b>			
Accounts Payable (4010)*	0	0	1
Notes Payable (4020)*	0	0	2
Advance Billing and Payments (4030)*	0	0	3
Customer Deposits (4040)*	0	0	4
Current Maturities--Long-Term Debt (4050)*	0	0	5
Current Maturities--Capital Leases (4060)*	0	0	6
Income Taxes--Accrued (4070)*	8,098,418	(11,500,744)	7
Other Taxes--Accrued (4080)*	(4,117,148)	(2,768,986)	8
Net Current Deferred Operating Income Taxes (4100)*	(4,102,708)	(3,231,617)	9
Net Current Deferred Nonoperating Income Taxes (4110)*	0	0	10
Other Accrued Liabilities (4120)*	(47,735)	(46,734)	11
Other Current Liabilities (4130)*	0	0	12
<b>TOTAL CURRENT LIABILITIES</b>	<b>(169,173)</b>	<b>(17,548,081)</b>	
<b>LONG-TERM DEBT</b>			
Funded Debt (4210)*	0	0	13
Premium on Long-Term Debt (4220)*	0	0	14
Discount on Long-Term Debt (4230)*	0	0	15
Reacquired Debt (4240)*	0	0	16
Obligations Under Capital Leases (4250)*	0	0	17
Advances from Affiliated Companies (4260)*	0	0	18
Other Long-Term Debt (4270)*	0	0	19
<b>TOTAL LONG-TERM DEBT</b>	<b>0</b>	<b>0</b>	
<b>OTHER LIABILITIES AND DEFERRED CREDITS</b>			
Other Long-Term Liabilities (4310)*	0	0	20
Unamortized Operating ITC--Net (4320)*	0	0	21
Unamortized Nonoperating ITC--Net (4330)*	0	0	22
Net Noncurrent Deferred Operating Income Taxes (4340)*	100,105,694	92,496,464	23
Net Deferred Tax Liability Adjustments (4341)*	0	821,395	24
Net Noncurrent Deferred Nonoperating Income Taxes (4350)*	0	0	25
Other Deferred Credits (4360)*	(24,311,033)	(22,050,818)	26
Deferred Tax Regulatory Liability (4361)*	0	0	27
<b>TOTAL OTHER LIABILITIES AND DEFERRED CREDITS</b>	<b>75,794,661</b>	<b>71,267,041</b>	
<b>STOCKHOLDERS' EQUITY</b>			
Capital Stock (4510)*	0	0	28
Additional Paid-in Capital (4520)*	0	0	29
Treasury Stock (4530)*	0	0	30
Other Capital (4540)*	0	0	31
Retained Earnings (4550)*	0	0	32
<b>TOTAL STOCKHOLDERS' EQUITY</b>	<b>0</b>	<b>0</b>	
<b>TOTAL LIABILITIES AND OTHER CREDITS</b>	<b>75,625,488</b>	<b>53,718,960</b>	

**IMPORTANT CHANGES DURING THE YEAR**

1. Estimated increase or decrease in annual revenues due to important rate changes, giving bases of estimates.

Date of Change	Description of Change	Effect on Revenues
01/01/1999	Fed Filing - SLC/PICC shifts - II	-1.1 Million
01/01/1999	Mirror - Fed Filing - SLC/PICC Shifts SI	-0.3 Million
01/01/1999	MKT Exp - SI	0.1 Million
02/01/1999	SLC Increase - Fed Filing - II	0.4 Million
07/01/1999	1998 Annual Filing - II	-5.5 Million
07/01/1999	1998 Mirror Annual Filings - SI	-0.3 Million
07/01/1999	1998 Mirror Annual Filings - STLT IXC	-0.1 Million
07/01/1999	PICC Increase - II	4.0 Million
08/06/1999	ARF (Local)	-0.2 Million
10/01/1999	USF Tariff filing - School Funding II	0.05 Million
11/01/1999	USF Tariff Filing - IS Rev - II	-0.2 Million

2. Additional matters of fact (not elsewhere provided for) which respondent may desire to include in its report.

GTE officially adopted the American Institute of Certified Public Accountants, Accounting Standards Executive Committee, Statement of Position 98-1, Accounting for the Costs of Computer Software Developed or Obtained for Internal Use, starting January 1, 1999.



**AFFILIATE ABBREVIATIONS**

In column (b) provide the abbreviation for the name of the affiliate shown in column (a). Limit abbreviations to 10 characters or less. Use these abbreviations when completing the affiliated interest schedules. Insert "Other" in the Abbreviations column if the activity to be reported for a particular record in the Affiliated Interest Transactions or Affiliated Assets and Liabilities schedule represents an aggregation of activity not exceeding the dollar or percentage limits set forth in the header of that schedule.

<b>Name of Affiliate (a)</b>	<b>Abbreviations (b)</b>	
AG Communications Systems (AGCS)	AGCS	1
Contel of Minnesota, Inc.	COTM	2
GTE Arkansas, Inc.	GTE AK	3
GTE California, Inc.	GTE CA	4
GTE Consolidated Services Incorporated	GTE CSI	5 T
GTE Directories Corporation	GTE DIR	6
GTE Florida, Inc.	GTE FL	7
GTE Hawaii, Inc.	GTE HAW	8
GTE Long Distance	GTE LD	9
GTE Leasing Corporation	GTE LEASE	10
GTE Mobilenet, Inc.	GTE MOBNET	11
GTE Midwest, Inc.	GTE MW	12
GTE North, Inc.	GTE NORTH	13
GTE Northwest, Inc.	GTE NW	14
GTE South, Inc.	GTE SOUTH	15
GTE Communication Systems Corporation (Supply)	GTE SUPPLY	16
GTE Service Corporation	GTE SVC	17
GTE Southwest, Inc.	GTE SW	18
GTE Telecom, Inc.	GTE TELCOM	19
GTE Data Services, Inc.	GTEDS	20
Other	OTH	21 s

**AFFILIATED INTEREST TRANSACTIONS**

Provide a summary of transactions under established affiliated interest contracts and arrangements (see Wis. Stat. § 196.52, for "affiliated interest" definitions). Use the space below to report transactions with individual affiliates and multiple affiliated interest agreements or, at the utility's option, with individual affiliates and a single agreement. Activity associated with affiliated contracts or arrangements not in excess of \$25,000 or 5 percent of the equity of the utility, whichever is smaller, may be aggregated in a single record. For utilities whose intrastate gross operating revenues of the previous year exceeded \$100,000,000, individual contracts or arrangements not exceeding \$100,000 may be aggregated in a single record. Where an affiliate is both providing and receiving service use one record to show billings to and a second record for billings from. When billings to or from an affiliate are recorded on the books of the utility, the records underlying such billings shall be sufficient to show all the detail maintained to identify the associated accounts related to the billing.

<b>Particulars</b> <b>(a)</b>	<b>(b)</b>	<b>(c)</b>	<b>(d)</b>	<b>(e)</b>	
Docket	Various	2180AT000111	2180AT000111	2180AT000111	
Name of Affiliate	AGCS	COTM	GTE AK	GTE CA	<b>1</b>
Designate whether billed to or from:	FROM	FROM	FROM	FROM	<b>2</b>
Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O)	P	M	M	M	<b>3</b>
Total Dollar Activity	11,061,162	0	0	0	<b>4</b>
Percent of affiliate's business billed to all affiliated regulated utilities	77.30	0.00	0.00	0.00	<b>5</b>
If cost based, rate of return on equity or markup incorporated in billings					<b>6</b>
Footnotes	<b>D,1</b>	<b>3</b>	<b>3</b>	<b>3</b>	

<b>Particulars</b> <b>(a)</b>	<b>(b)</b>	<b>(c)</b>	<b>(d)</b>	<b>(e)</b>	
Docket	2180AT000112	2180AT000111	2180AT000111	Various	
Name of Affiliate	GTE DIR	GTE FL	GTE HAW	GTE LD	<b>1</b>
Designate whether billed to or from:	FROM	FROM	FROM	FROM	<b>2</b>
Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O)	P	M	M	P	<b>3</b>
Total Dollar Activity	1,049,421	42,314	26,588	149,535	<b>4</b>
Percent of affiliate's business billed to all affiliated regulated utilities	6.54	21.85	16.16	1.19	<b>5</b>
If cost based, rate of return on equity or markup incorporated in billings					<b>6</b>
Footnotes					

**AFFILIATED INTEREST TRANSACTIONS**

Provide a summary of transactions under established affiliated interest contracts and arrangements (see Wis. Stat. § 196.52, for "affiliated interest" definitions). Use the space below to report transactions with individual affiliates and multiple affiliated interest agreements or, at the utility's option, with individual affiliates and a single agreement. Activity associated with affiliated contracts or arrangements not in excess of \$25,000 or 5 percent of the equity of the utility, whichever is smaller, may be aggregated in a single record. For utilities whose intrastate gross operating revenues of the previous year exceeded \$100,000,000, individual contracts or arrangements not exceeding \$100,000 may be aggregated in a single record. Where an affiliate is both providing and receiving service use one record to show billings to and a second record for billings from. When billings to or from an affiliate are recorded on the books of the utility, the records underlying such billings shall be sufficient to show all the detail maintained to identify the associated accounts related to the billing.

<b>Particulars</b> <b>(a)</b>	<b>(b)</b>	<b>(c)</b>	<b>(d)</b>	<b>(e)</b>	
Docket	Various	2180AT000121	2180AT000111	2180AT000111	
Name of Affiliate	GTE LEASE	GTE MOBNET	GTE MW	GTE NORTH	<b>1</b>
Designate whether billed to or from:	FROM	FROM	FROM	FROM	<b>2</b>
Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O)	P	P	M	M	<b>3</b>
Total Dollar Activity	0	0	32,984	58,096	<b>4</b>
Percent of affiliate's business billed to all affiliated regulated utilities	0.00	0.00	20.88	56.51	<b>5</b>
If cost based, rate of return on equity or markup incorporated in billings					<b>6</b>
Footnotes	<b>3</b>	<b>3</b>			

<b>Particulars</b> <b>(a)</b>	<b>(b)</b>	<b>(c)</b>	<b>(d)</b>	<b>(e)</b>	
Docket	2180AT000111	2180AT000111	2180AT000105	None	
Name of Affiliate	GTE NW	GTE SOUTH	GTE SUPPLY	GTE SUPPLY	<b>1</b>
Designate whether billed to or from:	FROM	FROM	FROM	TO	<b>2</b>
Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O)	M	M	C	T	<b>3</b>
Total Dollar Activity	0	0	24,940,322	0	<b>4</b>
Percent of affiliate's business billed to all affiliated regulated utilities	0.00	0.00			<b>5</b>
If cost based, rate of return on equity or markup incorporated in billings			10.73		<b>6</b>
Footnotes	<b>3</b>	<b>3</b>		<b>3</b>	

**AFFILIATED INTEREST TRANSACTIONS**

Provide a summary of transactions under established affiliated interest contracts and arrangements (see Wis. Stat. § 196.52, for "affiliated interest" definitions). Use the space below to report transactions with individual affiliates and multiple affiliated interest agreements or, at the utility's option, with individual affiliates and a single agreement. Activity associated with affiliated contracts or arrangements not in excess of \$25,000 or 5 percent of the equity of the utility, whichever is smaller, may be aggregated in a single record. For utilities whose intrastate gross operating revenues of the previous year exceeded \$100,000,000, individual contracts or arrangements not exceeding \$100,000 may be aggregated in a single record. Where an affiliate is both providing and receiving service use one record to show billings to and a second record for billings from. When billings to or from an affiliate are recorded on the books of the utility, the records underlying such billings shall be sufficient to show all the detail maintained to identify the associated accounts related to the billing.

<b>Particulars</b> <b>(a)</b>	<b>(b)</b>	<b>(c)</b>	<b>(d)</b>	<b>(e)</b>	
Docket	Nonstandard	2180AT000111	Various	None	
Name of Affiliate	GTE SVC	GTE SW	GTE TELCOM	GTE TELCOM	<b>1</b>
Designate whether billed to or from:	FROM	FROM	FROM	TO	<b>2</b>
Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O)	O	M	P	T	<b>3</b>
Total Dollar Activity	20,927,987	411,060	0	0	<b>4</b>
Percent of affiliate's business billed to all affiliated regulated utilities	61.27	21.56	0.00		<b>5</b>
If cost based, rate of return on equity or markup incorporated in billings					<b>6</b>
Footnotes	<b>2</b>		<b>3</b>	<b>3</b>	

<b>Particulars</b> <b>(a)</b>	<b>(b)</b>	<b>(c)</b>	<b>(d)</b>	<b>(e)</b>	
Docket	Various				
Name of Affiliate	GTEDS				<b>1</b>
Designate whether billed to or from:	FROM				<b>2</b>
Cost Based (C), Market Price (M), Prevailing Price (P), Tariff (T), Other (O)	C				<b>3</b>
Total Dollar Activity	4,204,321				<b>4</b>
Percent of affiliate's business billed to all affiliated regulated utilities					<b>5</b>
If cost based, rate of return on equity or markup incorporated in billings	11.25				<b>6</b>
Footnotes					

**TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B**

<b>Plant Account (a)</b>	<b>Account (b)</b>	<b>Balance FOY (c)</b>	<b>Additions (d)</b>	
<b>GENERAL SUPPORT ASSETS</b>				
Land	2111	2,657,881	1,382	1 c
Motor Vehicles	2112	13,476,978	441,523	2 c
Aircraft	2113	0	0	3
Special Purpose Vehicles	2114	0	0	4
Garage Work Equipment	2115	385,385	8,710	5 c
Other Work Equipment	2116	15,085,159	528,780	6 c
Buildings	2121	54,504,570	705,724	7 c
Furniture	2122	476,622	0	8
Office Equipment	2123	9,150,654	435,665	9 c
General Purpose Computers	2124	8,768,851	75,699	10
<b>TOTAL--GENERAL SUPPORT ASSETS:</b>		<b>104,506,100</b>	<b>2,197,483</b>	
<b>CENTRAL OFFICE ASSETS</b>				
Analog Electronic Switching	2211	0	0	11 c
Digital Electronic Switching	2212	230,968,924	10,821,627	12 c
Electro-Mechanical Switching	2215	2	0	13 c
Operator Systems	2220	246,118	115,427	14 c
Radio Systems	2231	2,547,191	28,061	15 c
Circuit Equipment	2232	189,599,979	26,258,040	16 c
<b>TOTAL--CENTRAL OFFICE ASSETS:</b>		<b>423,362,214</b>	<b>37,223,155</b>	
<b>INFORMATION ORIGATION/TERMINATION ASSETS</b>				
Station Apparatus	2311	1,517,170	0	17 c
Customer Premises Wiring	2321	0	0	18
Large Private Branch Exchanges	2341	248,891	0	19
Public Telephone Terminal Equipment	2351	1,182,017	0	20
Other Terminal Equipment	2362	14,473,466	2,810,959	21
<b>TOTAL--INFORMATION ORIG/TERM ASSETS:</b>		<b>17,421,544</b>	<b>2,810,959</b>	
<b>CABLE WIRE FACILITIES ASSETS</b>				
Poles	2411	12,720,279	298,011	22 c
Aerial Cable	2421	62,883,221	2,884,787	23 c
Underground Cable	2422	24,623,567	1,522,334	24 c
Buried Cable	2423	495,108,898	37,673,000	25 c
Submarine Cable	2424	126,759	2,160	26 c
Deep Sea Cable	2425	0	0	27
Intrabuilding Network Cable	2426	808,461	0	28
Aerial Wire	2431	4,955,179	208,684	29 c
Conduit Systems	2441	21,406,810	1,710,999	30 c
<b>TOTAL--CABLE WIRE FACILITIES ASSETS:</b>		<b>622,633,174</b>	<b>44,299,975</b>	
<b>AMORTIZABLE ASSETS</b>				
Capital Leases	2681	0	0	31

**TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (cont.)**

<b>Account (e)</b>	<b>Retirements (f)</b>	<b>Transfers / Adjustments (g)</b>	<b>Balance EOY (h)</b>	
2111	0	(91,962)	2,567,301	1 c
2112	709,442	(84,947)	13,124,112	2 c
2113	0	0	0	3
2114	0	0	0	4
2115	69,317	(1)	324,777	5 c
2116	1,251,238	(106,048)	14,256,653	6 c
2121	798,662	(74,252)	54,337,380	7 c
2122	0	0	476,622	8
2123	982,876	253,486	8,856,929	9 c
2124	55,766	0	8,788,784	10
	<b>3,867,301</b>	<b>(103,724)</b>	<b>102,732,558</b>	
2211	0	5,312	5,312	11 c
2212	6,075,442	(741,829)	234,973,280	12 c
2215	4	2	0	13 c
2220	0	(134,359)	227,186	14 c
2231	334,118	9,158	2,250,292	15 c
2232	7,211,519	1,055,988	209,702,488	16 c
	<b>13,621,083</b>	<b>194,272</b>	<b>447,158,558</b>	
2311	1,051,545	(1)	465,624	17 c
2321	0	0	0	18
2341	248,891	0	0	19
2351	631,405	0	550,612	20
2362	3,346,711	0	13,937,714	21
	<b>5,278,552</b>	<b>(1)</b>	<b>14,953,950</b>	
2411	268,980	(430)	12,748,880	22 c
2421	2,152,053	10,255	63,626,210	23 c
2422	294,558	(7,104)	25,844,239	24 c
2423	7,300,381	(15,325)	525,466,192	25 c
2424	1,472	(4,527)	122,920	26 c
2425	0	0	0	27
2426	8,484	0	799,977	28
2431	55,987	(95)	5,107,781	29 c
2441	251,380	(1,819)	22,864,610	30 c
	<b>10,333,295</b>	<b>(19,045)</b>	<b>656,580,809</b>	
2681	0	0	0	31

**TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B**

<b>Plant Account (a)</b>	<b>Account (b)</b>	<b>Balance FOY (c)</b>	<b>Additions (d)</b>	
<b>AMORTIZABLE ASSETS</b>				
Leasehold Improvements	2682	278,395	0	<b>32 c</b>
Intangibles	2690	0	10,118,900	<b>33</b>
<b>TOTAL--AMORTIZABLE ASSETS:</b>		<b>278,395</b>	<b>10,118,900</b>	
<b>TOTAL TELECOM. PLANT IN SERVICE</b>	<b>2001</b>	<b>1,168,201,427</b>	<b>96,650,472</b>	
Less: Allocation to Nonregulated Activity - EOY	2001			<b>34</b>
<b>NET REG. TOTAL TELE. PLANT IN SERV. - EOY</b>	<b>2001</b>			

Explain all amounts shown in column (g).

**TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (cont.)**

<b>Account (e)</b>	<b>Retirements (f)</b>	<b>Transfers / Adjustments (g)</b>	<b>Balance EOY (h)</b>	
2682	22,558	16,814	<b>272,651</b>	<b>32 c</b>
2690	0	0	<b>10,118,900</b>	<b>33</b>
	<b>22,558</b>	<b>16,814</b>	<b>10,391,551</b>	
	<b>33,122,789</b>	<b>88,316</b>	<b>1,231,817,426</b>	
2001			2,358,088	<b>34</b>
			<b>1,229,459,338</b>	



**TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (SUB-CLASS ACCOUNTS)**

Report telecommunications plant data for each subaccount where primary plant accounts have subclassifications. Amounts pertaining to subaccount 2212.4, Test Equipment, should be reported in account 2212.2, Digital Switching - Central Office; amounts for subaccounts 2231.3, Microwave, 2231.4, Cellular, 2231.5, Mobile Radio, and 2231.6, Paging, should be included in 2231.2, Other Radio Facilities; amounts pertaining to subaccounts 2232.4, Digital Data Services, 2232.5, Digital Circuit - Subscriber, 2232.6, Digital Circuit - Trunk - Toll, and 2232.7, Concentrators, should be reported in 2232.1, Digital Circuit Equipment. Any other separate accounting for telephone plant at an individual telephone company should be consolidated and reported in the primary accounts as defined in the uniform system of accounts.

<b>Plant Subaccount (a)</b>	<b>Subaccount (b)</b>	<b>Balance FOY (c)</b>	<b>Additions (d)</b>	
Office Support Equipment	2123.1	495,265	3,731	<b>1</b>
Company Communications Equipment	2123.2	8,655,389	431,934	<b>2 H</b>
Software	2212.1	230,968,924	10,821,627	<b>3 H</b>
Digital Switching - Central Office	2212.2	0	0	<b>4</b>
Digital Switching - Remote	2212.3	0	0	<b>5</b>
Step by Step Switching	2215.1	2	0	<b>6 H</b>
Crossbar Switching	2215.2	0	0	<b>7</b>
Satellite and Earth Station Facilities	2231.1	0	0	<b>8</b>
Other Radio Facilities	2231.2	2,547,191	28,061	<b>9 H</b>
Digital Circuit Equipment	2232.1	26,387,577	145,938	<b>10 H</b>
Analog Circuit Equipment	2232.2	163,212,402	26,112,101	<b>11 H</b>
Light Wave Circuit Equipment	2232.3	0	0	<b>12</b>
Aerial Cable - Nonmetallic	2421.1	59,063,678	2,541,776	<b>13 H</b>
Aerial Cable - Metallic	2421.2	3,819,543	343,011	<b>14 H</b>
Underground Cable - Nonmetallic	2422.1	21,936,718	1,402,321	<b>15 H</b>
Underground Cable - Metallic	2422.2	2,686,849	120,013	<b>16</b>
Buried Cable - Nonmetallic	2423.1	455,834,706	34,017,793	<b>17 H</b>
Buried Cable - Metallic	2423.2	39,274,192	3,655,205	<b>18 H</b>
Submarine Cable - Nonmetallic	2424.1	122,231	2,160	<b>19 H</b>
Submarine Cable - Metallic	2424.2	4,528	0	<b>20 H</b>
Intrabuilding Cable - Nonmetallic	2426.1	800,402	0	<b>21</b>
Intrabuilding Cable - Metallic	2426.2	8,059	0	<b>22</b>

Explain all amounts shown in column (g).

**TELECOMMUNICATIONS PLANT IN SERVICE CLASS A & B (SUB-CLASS ACCOUNTS)**  
**(cont.)**

<b>Subaccount (e)</b>	<b>Retirements (f)</b>	<b>Transfers / Adjustments (g)</b>	<b>Balance EOY (h)</b>	
2123.1	77,112	0	421,884	1
2123.2	905,764	253,486	8,435,045	2 H
2212.1	6,075,442	(741,829)	234,973,280	3 H
2212.2	0	0	0	4
2212.3	0	0	0	5
2215.1	4	2	0	6 H
2215.2	0	0	0	7
2231.1	0	0	0	8
2231.2	334,118	9,158	2,250,292	9 H
2232.1	1,293,474	(118,792)	25,121,249	10 H
2232.2	5,918,045	1,174,780	184,581,238	11 H
2232.3	0	0	0	12
2421.1	2,047,383	12,887	59,570,958	13 H
2421.2	104,670	(2,632)	4,055,252	14 H
2422.1	272,334	(7,104)	23,059,601	15 H
2422.2	22,224	0	2,784,638	16
2423.1	7,012,795	(25,561)	482,814,143	17 H
2423.2	287,586	10,236	42,652,047	18 H
2424.1	1,472	1	122,920	19 H
2424.2	0	(4,528)	0	20 H
2426.1	8,484	0	791,918	21
2426.2	0	0	8,059	22

**ACCUMULATED DEPRECIATION CLASS A & B**

<b>Primary Plant Account (a)</b>	<b>Acct (b)</b>	<b>Balance FOY (c)</b>	<b>Depr Rate (d)</b>	<b>Annual Accrual (e)</b>	<b>Additional Accrual (f)</b>	
<b>GENERAL SUPPORT ASSETS</b>						
Motor Vehicles	2112	10,709,890	11.3	1,505,329	0	1c
Aircraft	2113	0	.0	0	0	2
Special Purpose Vehicles	2114	0	.0	0	0	3
Garage Work Equipment	2115	316,131	10.0	31,813	0	4
Other Work Equipment	2116	9,874,691	10.0	1,456,314	0	5c
Buildings	2121	18,194,363	3.3	1,787,163	0	6c
Furniture	2122	330,598	10.0	39,344	0	7
Office Equipment	2123	8,376,716	10.0	381,649	0	8c
General Purpose Computers	2124	3,952,254	20.0	1,731,682	0	9c
<b>Total-- GENERAL SUPPORT ASSETS</b>		<b>51,754,643</b>		<b>6,933,294</b>	<b>0</b>	
<b>CENTRAL OFFICE ASSETS</b>						
Analog Electronic Switching	2211	0	.0	0	0	10
Digital Electronic Switching	2212	134,388,888	10.0	23,245,750	0	11c
Electro-Mechanical Switching	2215	(3,685)	.0	0	0	12c
Operator Systems	2220	118,519	10.0	24,986	0	13c
Radio Systems	2231	2,586,944	10.0	13,248	0	14c
Circuit Equipment	2232	98,537,525	12.5	24,636,071	0	15c
<b>Total-- CENTRAL OFFICE ASSETS</b>		<b>235,628,191</b>		<b>47,920,055</b>	<b>0</b>	
<b>INFORMATION ORIG/TERM ASSETS</b>						
Station Apparatus	2311	1,171,065	.0	248,678	0	16
Customer Premises Wiring	2321	0	.0	0	0	17
Large Private Branch Exchanges	2341	248,891	.0	0	0	18
Public Telephone Terminal Equipment	2351	946,250	.0	148,857	0	19
Other Terminal Equipment	2362	8,945,135	20.0	2,839,689	0	20c
<b>Total-- INFORMATION ORIG/TERM ASSETS</b>		<b>11,311,341</b>		<b>3,237,224</b>	<b>0</b>	
<b>CABLE WIRE FACILITIES ASSETS</b>						
Poles	2411	11,010,522	6.0	764,091	0	21c
Aerial Cable	2421	53,411,470	7.11	4,548,575	0	22c
Underground Cable	2422	13,816,341	7.1	1,786,404	0	23c
Buried Cable	2423	296,177,292	7.16	36,416,309	0	24c
Submarine Cable	2424	107,604	7.3	9,080	0	25c
Deep Sea Cable	2425	0	.0	0	0	26
Intrabuilding Network Cable	2426	708,451	7.3	58,768	0	27c
Aerial Wire	2431	8,936,733	7.3	35	0	28

**ACCUMULATED DEPRECIATION CLASS A & B**

<b>Primary Plant Account (a)</b>	<b>Acct (b)</b>	<b>Balance FOY (c)</b>	<b>Depr Rate (d)</b>	<b>Annual Accrual (e)</b>	<b>Additional Accrual (f)</b>
<b>CABLE WIRE FACILITIES ASSETS</b>					
Conduit Systems	2441	5,826,235	2.8	625,088	0 29c
<b>Total-- CABLE WIRE FACILITIES ASSETS</b>		<b>389,994,648</b>		<b>44,208,350</b>	<b>0</b>
<b>Total Accumulated Depreciation</b>	<b>3100</b>	<b>688,688,823</b>		<b>102,298,923</b>	<b>0</b>
Less: Allocation to Nonregulated Activity - Columns e, f and I	3100				30
<b>Net Regulated Total Accum Depreciation - 3100</b>					
<b>Columns e, f and I</b>					

**ACCUMULATED DEPRECIATION CLASS A & B (cont.)**

<b>Acct (g)</b>	<b>Retired (h)</b>	<b>Cost of Removal (i)</b>	<b>Salvage (j)</b>	<b>Other (k)</b>	<b>Balance EOY (l)</b>	
2112	709,442	0	52,942	1,386	<b>11,560,105</b>	<b>1 c</b>
2113	0	0	0	0	<b>0</b>	<b>2</b>
2114	0	0	0	0	<b>0</b>	<b>3</b>
2115	69,317	0	0	0	<b>278,627</b>	<b>4</b>
2116	1,251,238	0	2,030	(74,435)	<b>10,007,362</b>	<b>5 c</b>
2121	798,662	139,443	0	111,547	<b>19,154,968</b>	<b>6 c</b>
2122	0	0	0	0	<b>369,942</b>	<b>7</b>
2123	982,876	0	580	(1,932)	<b>7,774,137</b>	<b>8 c</b>
2124	55,766	0	0	(159)	<b>5,628,011</b>	<b>9 c</b>
	<b>3,867,301</b>	<b>139,443</b>	<b>55,552</b>	<b>36,407</b>	<b>54,773,152</b>	
2211	0	0	0	0	<b>0</b>	<b>10</b>
2212	6,075,442	64,432	3,893	(291,191)	<b>151,207,466</b>	<b>11 c</b>
2215	4	0	0	3,689	<b>0</b>	<b>12 c</b>
2220	0	0	0	(34)	<b>143,471</b>	<b>13 c</b>
2231	334,118	7,187	0	8,752	<b>2,267,639</b>	<b>14 c</b>
2232	7,211,519	1,737,541	1,182,228	(365,740)	<b>115,041,024</b>	<b>15 c</b>
	<b>13,621,083</b>	<b>1,809,160</b>	<b>1,186,121</b>	<b>(644,524)</b>	<b>268,659,600</b>	
2311	1,051,545	0	0	0	<b>368,198</b>	<b>16</b>
2321	0	0	0	0	<b>0</b>	<b>17</b>
2341	248,891	0	0	0	<b>0</b>	<b>18</b>
2351	631,405	0	0	0	<b>463,702</b>	<b>19</b>
2362	3,346,711	4,728	0	(160,200)	<b>8,273,185</b>	<b>20 c</b>
	<b>5,278,552</b>	<b>4,728</b>	<b>0</b>	<b>(160,200)</b>	<b>9,105,085</b>	
2411	268,980	85,120	4,470	(236)	<b>11,424,747</b>	<b>21 c</b>
2421	2,152,053	253,366	25,647	(1,782)	<b>55,578,491</b>	<b>22 c</b>
2422	294,558	26,744	0	(4,896)	<b>15,276,547</b>	<b>23 c</b>
2423	7,300,381	277,026	5,348	(2,059)	<b>325,019,483</b>	<b>24 c</b>
2424	1,472	45	0	(3,958)	<b>111,209</b>	<b>25 c</b>
2425	0	0	0	0	<b>0</b>	<b>26</b>
2426	8,484	0	0	(28)	<b>758,707</b>	<b>27 c</b>
2431	55,987	60,001	0	0	<b>8,820,780</b>	<b>28</b>

**ACCUMULATED DEPRECIATION CLASS A & B (cont.)**

<b>Acct (g)</b>	<b>Retired (h)</b>	<b>Cost of Removal (i)</b>	<b>Salvage (j)</b>	<b>Other (k)</b>	<b>Balance EOY (l)</b>	
2441	251,380	311	0	1	6,199,633	29 c
	<b>10,333,295</b>	<b>702,613</b>	<b>35,465</b>	<b>(12,958)</b>	<b>423,189,597</b>	
<b>3100</b>	<b>33,100,231</b>	<b>2,655,944</b>	<b>1,277,138</b>	<b>(781,275)</b>	<b>755,727,434</b>	
3100						30
<b>3100</b>						

**ACCUMULATED DEPRECIATION CLASS A & B (SUB-CLASS ACCOUNTS)**

Where subclassifications of primary plant accounts are used, report below the accumulated depreciation details for each subaccount. Amounts pertaining to subaccount 2212.4, Test Equipment, should be reported in account 2212.2, Digital Switching - Central Office; amounts for subaccounts 2231.3, Microwave, 2231.4, Cellular, 2231.5, Mobile Radio, and 2231.6, Paging, should be included in 2231.2, Other Radio Facilities; amounts pertaining to subaccounts 2232.4, Digital Data Services, 2232.5, Digital Circuit - Subscriber, 2232.6, Digital Circuit - Trunk - Toll, and 2232.7, Concentrators, should be reported in 2232.1, Digital Circuit Equipment. Any other separate accounting for telephone accumulated depreciation at an individual telephone company should be consolidated and reported in the primary accounts as defined in the uniform system of accounts.

<b>Plant Subaccount (a)</b>	<b>Subacct (b)</b>	<b>Balance FOY (c)</b>	<b>Depr Rate (d)</b>	<b>Annual Accrual (e)</b>	<b>Additional Accrual (f)</b>	
Office Support Equipment	2123.1	78,044	10.0	51,868	0	<b>1 G</b>
Company Communications Equipment	2123.2	8,298,672	10.0	329,781	0	<b>2 G</b>
Software	2212.1	134,388,888	10.0	23,245,750	0	<b>3 G</b>
Digital Switching - Central Office	2212.2	0	.0	0	0	<b>4</b>
Digital Switching - Remote	2212.3	0	.0	0	0	<b>5</b>
Step by Step Switching	2215.1	(3,685)	.0	0	0	<b>6 G</b>
Crossbar Switching	2215.2	0	.0	0	0	<b>7</b>
Satellite and Earth Station Facilities	2231.1	0	.0	0	0	<b>8</b>
Other Radio Facilities	2231.2	2,586,944	10.0	13,248	0	<b>9 G</b>
Digital Circuit Equipment	2232.1	14,770,593	12.5	3,198,232	0	<b>10 G</b>
Analog Circuit Equipment	2232.2	83,766,932	12.5	21,437,839	0	<b>11 G</b>
Light Wave Circuit Equipment	2232.3	0	.0	0	0	<b>12</b>
Aerial Cable - Nonmetallic	2421.1	52,533,476	7.3	4,333,382	0	<b>13 G</b>
Aerial Cable - Metallic	2421.2	877,994	5.5	215,193	0	<b>14</b>
Underground Cable - Nonmetallic	2422.1	13,226,251	7.3	1,635,885	0	<b>15 G</b>
Underground Cable - Metallic	2422.2	590,090	5.5	150,519	0	<b>16 G</b>
Buried Cable - Nonmetallic	2423.1	284,836,484	7.3	34,175,766	0	<b>17 G</b>
Buried Cable - Metallic	2423.2	11,340,808	5.5	2,240,543	0	<b>18 G</b>
Submarine Cable - Nonmetallic	2424.1	103,631	7.3	8,938	0	<b>19 G</b>
Submarine Cable - Metallic	2424.2	3,973	7.3	142	0	<b>20 G</b>
Intrabuilding Cable - Nonmetallic	2426.1	698,064	7.3	58,180	0	<b>21 G</b>
Intrabuilding Cable - Metallic	2426.2	10,387	7.3	588	0	<b>22</b>

**ACCUMULATED DEPRECIATION CLASS A & B (SUB-CLASS ACCOUNTS) (cont.)**

<b>Subacct (g)</b>	<b>Retired (h)</b>	<b>Cost of Removal (i)</b>	<b>Salvage (j)</b>	<b>Other (k)</b>	<b>Balance EOY (l)</b>	
2123.1	77,112	0	580	1,732	<b>55,112</b>	<b>1 G</b>
2123.2	905,764	0	0	(3,664)	<b>7,719,025</b>	<b>2 G</b>
2212.1	6,075,442	64,432	3,893	(291,191)	<b>151,207,466</b>	<b>3 G</b>
2212.2	0	0	0	0	<b>0</b>	<b>4</b>
2212.3	0	0	0	0	<b>0</b>	<b>5</b>
2215.1	4	0	0	3,689	<b>0</b>	<b>6 G</b>
2215.2	0	0	0	0	<b>0</b>	<b>7</b>
2231.1	0	0	0	0	<b>0</b>	<b>8</b>
2231.2	334,118	7,187	0	8,752	<b>2,267,639</b>	<b>9 G</b>
2232.1	1,293,474	1,540,209	999,150	(58,838)	<b>16,075,454</b>	<b>10 G</b>
2232.2	5,918,045	197,332	183,078	(306,902)	<b>98,965,570</b>	<b>11 G</b>
2232.3	0	0	0	0	<b>0</b>	<b>12</b>
2421.1	2,047,383	251,894	25,647	(1,782)	<b>54,591,446</b>	<b>13 G</b>
2421.2	104,670	1,472	0	0	<b>987,045</b>	<b>14</b>
2422.1	272,334	26,392	0	(2,275)	<b>14,561,135</b>	<b>15 G</b>
2422.2	22,224	352	0	(2,621)	<b>715,412</b>	<b>16 G</b>
2423.1	7,012,795	271,480	5,348	(10,310)	<b>311,723,013</b>	<b>17 G</b>
2423.2	287,586	5,546	0	8,251	<b>13,296,470</b>	<b>18 G</b>
2424.1	1,472	45	0	46	<b>111,098</b>	<b>19 G</b>
2424.2	0	0	0	(4,004)	<b>111</b>	<b>20 G</b>
2426.1	8,484	0	0	(28)	<b>747,732</b>	<b>21 G</b>
2426.2	0	0	0	0	<b>10,975</b>	<b>22</b>



**RETAINED EARNINGS (ACCT. 4550)**

<b>Particulars (a)</b>	<b>This Year (b)</b>	<b>Last Year (c)</b>	
Balance-First of Year	0	0	<b>1</b> q
<b>Changes:</b>			
Balance Transferred from Income	44,921,645	15,575,158	<b>2</b>
<b>Dividends Declared:</b>			
Common		0	<b>3</b>
Preferred		0	<b>4</b>
<b>Total Dividends Declared</b>	<b>0</b>	<b>0</b>	
Miscellaneous Debits to Retained Earnings	44,921,645	15,575,158	<b>5</b>
Miscellaneous Credits to Retained Earnings		0	<b>6</b>
<b>Balance--End of Year</b>	<b>0</b>	<b>0</b>	

**REVENUES - CLASS A & B (CLASS B USE ACCOUNTS DESIGNATED BY \*)**

<b>Particulars (a)</b>	<b>This Year (b)</b>	<b>Last Year (c)</b>	
<b>LOCAL NETWORK SERVICES REVENUES</b>			
Basic Local Service Revenue (5000)*			<b>1</b>
Basic Area Revenue (5001)	135,304,823	126,354,564	<b>2</b>
Optional Extended Area Revenue (5002)	17,601	(6,410)	<b>3</b>
Cellular Mobile Revenue (5003)	0	0	<b>4</b>
Other Mobile Services Revenue (5004)	(5,558)	(13)	<b>5</b>
Public Telephone Revenue (5010)	0	0	<b>6</b>
Local Private Line Revenue (5040)	746,262	726,783	<b>7</b>
Customer Premises Revenue (5050)	6,332	0	<b>8</b>
Other Local Exchange Revenue (5060)	20,318,404	17,335,625	<b>9</b>
Other Local Exchange Revenue Settlements (5069)	0	0	<b>10</b>
<b>TOTAL BASIC LOCAL SERVICE REVENUE (5000)</b>	<b>156,387,864</b>	<b>144,410,549</b>	
<b>NETWORK INTERSTATE ACCESS SERVICES REV.</b>			
End User Revenue (5081)*	27,147,966	24,938,406	<b>11</b>
Switched Access Revenue (5082)*	39,334,541	43,662,474	<b>12</b>
Special Access Revenue (5083)*	14,912,726	11,216,615	<b>13 A</b>
<b>TOTAL INTERSTATE ACCESS REVENUES (5080)</b>	<b>81,395,233</b>	<b>79,817,495</b>	
<b>NETWORK INTRASTATE ACCESS SERVICES REV.</b>			
End User Revenue (5084.1)*	(459)	(1,206)	<b>14</b>
Switched Access Revenue (5084.2)*	20,182,276	20,620,916	<b>15</b>
Special Access Revenue (5084.3)*	23,447,129	14,276,561	<b>16 A</b>
<b>TOTAL INTRASTATE ACCESS REVENUES (5084)</b>	<b>43,628,946</b>	<b>34,896,271</b>	
<b>LONG DISTANCE NETWORK SERVICES MESSAGE REV.</b>			
Long Distance Message Revenue (5100)*	14,707,212	17,943,542	<b>17</b>
Long Distance Inward-Only Revenue (5111)	15,684	121,490	<b>18 A</b>
Long Distance Outward-Only Revenue (5112)	43,670	56,276	<b>19</b>
<b>Unidirectional Long Distance Revenue (5110)</b>	<b>59,354</b>	<b>177,766</b>	
<b>Long Distance Private Network Revenues</b>			
Subvoice Grade Revenue (5121)	0	0	<b>20</b>
Voice Grade Revenue (5122)	8,298	3,479	<b>21</b>
Audio Program Grade Revenue (5123)	0	0	<b>22</b>
Video Program Grade Revenue (5124)	0	0	<b>23</b>
Digital Transmission Revenue (5125)	0	3,955	<b>24</b>
Switching Revenue (5126)	0	0	<b>25</b>
Other Revenue (5128)	708	0	<b>26</b>
Other Revenue Settlements (5129)	(111)	(75)	<b>27</b>
<b>Total Long Distance Private Network Revenue</b>	<b>8,895</b>	<b>7,359</b>	
Other Long Distance Revenue (5160)	707,645	643,089	<b>28</b>
Other Long Distance Revenue Settlements (5169)	0	0	<b>29</b>
<b>TOTAL LONG DISTANCE NET. SERVICES MESSAGE REV.</b>	<b>15,483,106</b>	<b>18,771,756</b>	

**REVENUES - CLASS A & B (CLASS B USE ACCOUNTS DESIGNATED BY \*)**

<b>Particulars (a)</b>	<b>This Year (b)</b>	<b>Last Year (c)</b>	
<b>MISCELLANEOUS REVENUES</b>			
Directory Revenue (5230)*	22,912,039	24,775,090	<b>30</b>
Rent Revenue (5240)*	1,588,890	2,354,344	<b>31 A</b>
Corporate Operations Revenue (5250)*	389	2,113	<b>32</b>
<b>Miscellaneous:</b>			
Miscellaneous Revenue (5260)*			<b>33</b>
Special Billing Arrangements Revenue (5261)	20,717	22,343	<b>34</b>
Customer Operations Revenue (5262)	1,520,772	1,216,525	<b>35 A</b>
Plant Operations Revenue (5263)	3,730	41,108	<b>36</b>
Other Incidental Regulated Revenue (5264)	208,671	187,434	<b>37</b>
Other Revenue Settlements (5269)	113	113	<b>38</b>
<b>Total Miscellaneous Revenue (5260)</b>	<b>1,754,003</b>	<b>1,467,523</b>	
Interstate Billing and Collection Revenue*	3,178,741	2,204,586	<b>39 A</b>
Intrastate Billing and Collection Revenue*	2,794,171	3,059,948	<b>40</b>
<b>Total Carrier Billing and Collection Revenue (5270)*</b>	<b>5,972,912</b>	<b>5,264,534</b>	
Nonregulated Operating Revenue (5280)**	24,509,751	20,768,332	<b>41</b>
<b>TOTAL MISCELLANEOUS REVENUES</b>	<b>56,737,984</b>	<b>54,631,936</b>	
<b>GROSS OPERATING REVENUES</b>	<b>353,633,133</b>	<b>332,528,007</b>	
<b>UNCOLLECTIBLE REVENUES</b>			
Uncollectible Revenue (5300)*			<b>42</b>
Uncollectible Revenue--Telecommunications (5301)	3,080,921	3,585,403	<b>43</b>
Uncollectible Revenue--Other (5302)	404,426	352,691	<b>44</b>
<b>TOTAL UNCOLLECTIBLE REVENUE (5300)</b>	<b>3,485,347</b>	<b>3,938,094</b>	
<b>TOTAL OPERATING REVENUES</b>	<b>350,147,786</b>	<b>328,589,913</b>	

\*\* Account 5280 is to be used only by those companies subject to dual jurisdiction.

**EXPENSES - CLASS A & B**

<b>Particulars (a)</b>	<b>Total This Year (b)</b>	<b>Total Last Year (c)</b>	
<b>PLANT SPECIFIC OPERATIONS EXPENSE</b>			
Total Network Support Expense ( 6110 )	1,347,707	1,190,374	1
Less: Nonregulated	133,543	101,961	2
<b>Net Regulated</b>	<b>1,214,164</b>	<b>1,088,413</b>	<b>3</b>
Total General Support Expense ( 6120 )	16,587,309	18,444,301	4
Less: Nonregulated	1,441,512	1,171,694	5 B
<b>Net Regulated</b>	<b>15,145,797</b>	<b>17,272,607</b>	<b>6</b>
Total Central Office Switching Expense ( 6210 )	7,299,621	11,721,692	7
Less: Nonregulated	1,012	206,855	8 B
<b>Net Regulated</b>	<b>7,298,609</b>	<b>11,514,837</b>	<b>9</b>
Total Operator Systems Expense ( 6220 )	47,052	67,305	10
Less: Nonregulated	0	0	11
<b>Net Regulated</b>	<b>47,052</b>	<b>67,305</b>	<b>12</b>
Total Central Office Transmission Expenses ( 6230 )	2,184,428	1,958,023	13
Less: Nonregulated	1,082	539	14
<b>Net Regulated</b>	<b>2,183,346</b>	<b>1,957,484</b>	<b>15</b>
Total Information Orig. / Term. Expense ( 6310 )	13,265,291	10,777,392	16
Less: Nonregulated	11,592,123	9,607,658	17 B
<b>Net Regulated</b>	<b>1,673,168</b>	<b>1,169,734</b>	<b>18</b>
Total Cable and Wire Fac. Expense ( 6410 )	16,636,939	17,369,433	19
Less: Nonregulated	462,789	911,794	20 B
<b>Net Regulated</b>	<b>16,174,150</b>	<b>16,457,639</b>	<b>21</b>
<b>TOTAL PLANT SPECIFIC OPERATIONS EXPENSE</b>	<b>57,368,347</b>	<b>61,528,520</b>	
<b>Less: Nonregulated</b>	<b>13,632,061</b>	<b>12,000,501</b>	
<b>Net Regulated</b>	<b>43,736,286</b>	<b>49,528,019</b>	
<b>PLANT NONSPECIFIC OPERATIONS EXPENSE</b>			
Total Other Property, Plant and Equip. Exp. ( 6510 )	412,418	408,806	22
Less: Nonregulated	51,043	48,641	23
<b>Net Regulated</b>	<b>361,375</b>	<b>360,165</b>	<b>24</b>
Total Network Operations Expense ( 6530 )	13,939,844	16,173,520	25
Less: Nonregulated	1,301,946	1,418,055	26
<b>Net Regulated</b>	<b>12,637,898</b>	<b>14,755,465</b>	<b>27</b>
Access Expense ( 6540 )	11,282,095	9,526,474	28
Less: Nonregulated	0	0	29
<b>Net Regulated</b>	<b>11,282,095</b>	<b>9,526,474</b>	<b>30</b>
Total Depreciation and Amortization Expense ( 6560 )	104,462,315	94,411,825	31
Less: Nonregulated	618,170	848,204	32 B
<b>Net Regulated</b>	<b>103,844,145</b>	<b>93,563,621</b>	<b>33</b>
<b>TOTAL PLANT NONSPECIFIC OPERATIONS EXP.</b>	<b>130,096,672</b>	<b>120,520,625</b>	
<b>Less: Nonregulated</b>	<b>1,971,159</b>	<b>2,314,900</b>	
<b>Net Regulated</b>	<b>128,125,513</b>	<b>118,205,725</b>	

**EXPENSES - CLASS A & B**

<b>Particulars (a)</b>	<b>Total This Year (b)</b>	<b>Total Last Year (c)</b>	
<b>CUSTOMER OPERATIONS EXPENSE</b>			
Total Marketing ( 6610 )	11,027,952	14,665,930	<b>34</b>
Less: Nonregulated	1,838,312	3,713,961	<b>35 B</b>
<b>Net Regulated</b>	<b>9,189,640</b>	<b>10,951,969</b>	<b>36</b>
Total Services ( 6620 )	30,690,233	30,860,701	<b>37</b>
Less: Nonregulated	1,532,522	1,479,708	<b>38</b>
<b>Net Regulated</b>	<b>29,157,711</b>	<b>29,380,993</b>	<b>39</b>
<b>TOTAL CUSTOMER OPERATIONS EXPENSE</b>	<b>41,718,185</b>	<b>45,526,631</b>	
<b>Less: Nonregulated</b>	<b>3,370,834</b>	<b>5,193,669</b>	
<b>Net Regulated</b>	<b>38,347,351</b>	<b>40,332,962</b>	
<b>CORPORATE OPERATIONS EXPENSE</b>			
Total Exec. and Planning ( 6710 )	890,142	1,465,119	<b>40</b>
Less: Nonregulated	53,819	56,996	<b>41 B</b>
<b>Net Regulated</b>	<b>836,323</b>	<b>1,408,123</b>	<b>42</b>
Total General and Administrative ( 6720 )	9,600,999	28,682,749	<b>43</b>
Less: Nonregulated	563,569	1,850,005	<b>44 B</b>
<b>Net Regulated</b>	<b>9,037,430</b>	<b>26,832,744</b>	<b>45</b>
Provision for Uncollectible Notes Receiv. ( 6790 )	3,667	700	<b>46</b>
Less: Nonregulated	0	0	<b>47</b>
<b>Net Regulated</b>	<b>3,667</b>	<b>700</b>	<b>48</b>
<b>TOTAL CORPORATE OPERATIONS EXPENSE</b>	<b>10,494,808</b>	<b>30,148,568</b>	
<b>Less: Nonregulated</b>	<b>617,388</b>	<b>1,907,001</b>	
<b>Net Regulated</b>	<b>9,877,420</b>	<b>28,241,567</b>	
<b>TOTAL EXPENSES</b>	<b>239,678,012</b>	<b>257,724,344</b>	
<b>Less: Nonregulated</b>	<b>19,591,442</b>	<b>21,416,071</b>	
<b>Net Regulated</b>	<b>220,086,570</b>	<b>236,308,273</b>	

**EXPENSES - CLASS A & B (DETAIL)**

<b>Particulars (a)</b>	<b>Total This Year (b)</b>	<b>Total Last Year (c)</b>	
Property Held for Future Tele. Use Exp. ( 6511 )	0	0	<b>1</b>
Provisioning Expense ( 6512 )	412,418	408,806	<b>2</b>
<b>Total: Reported in Account 6510</b>	<b>412,418</b>	<b>408,806</b>	
Depreciat. Exp.--Tele. Plant in Service ( 6561 )	102,298,923	94,172,310	<b>3 B</b>
Depreciat. Exp.--Prop. Held for Future Tele. Use ( 6562 )	0	0	<b>4</b>
Amortization Expense--Tangible ( 6563 )	305,595	239,515	<b>5</b>
Amortization Expense--Intangible ( 6564 )	1,857,770	0	<b>6 B</b>
Amortization Expense--Other ( 6565 )	27	0	<b>7</b>
<b>Total: Reported in Account 6560</b>	<b>104,462,315</b>	<b>94,411,825</b>	

## CALCULATION OF ASSESSABLE REVENUES FOR REMAINDER AND TELEPHONE RELAY ASSESSMENT PURPOSES

**Currently, cooperatives are not billed for remainder assessment, but are subject to the telephone relay assessment.**

Description (a)	This Year (b)	
Gross Operating Revenues	353,633,133	1
Plus: Collection of amounts previously written off	1,879,836	2
Less: Uncollectibles written off during the year	7,901,213	3
Plus: Total Other Operating Income and (Expense) (7100)	(16,031)	4
Less: Nonregulated Operating Revenue (included in Gross Oper. Rev. on Line 1)	24,509,751	5
Plus: Nonregulated Net Write Off Amount (included on lines 2 and 3)	175,456	6
Less: Out-of-State Operating Revenues (included in Gross Oper. Rev. on Line 1)		7
Plus (or Less) Other (please specify):		
Plus 1998 Nonregulated Net Writeoff Amount	112,632	8 K
<b>Assessable Revenues for Remainder and Telephone Relay Assessment Purposes</b>	<b><u>323,374,062</u></b>	

## CALCULATION OF ASSESSABLE REVENUES FOR UNIVERSAL SERVICE FUND ASSESSMENT PURPOSES

Description (a)	This Year (b)	
Total Basic Local Service Revenue (5000)	156,387,864	1
Plus: Total Intrastate Access Revenues (5084)	43,628,946	2
Plus: Total Long Distance Network Services Revenue	15,483,106	3 o
Less: Out-of-State Operating Revenues (included in the above lines)		4
Plus: Intrastate Payphone Revenues	2,217,036	5 o
Plus (or Less) Other (please specify):		
None	0	6
<b>Assessable Revenues for Universal Service Fund Assessment Purposes</b>	<b><u>217,716,952</u></b>	

## CALCULATION OF ASSESSABLE REVENUES FOR REMAINDER AND TELEPHONE RELAY ASSESSMENT PURPOSES

**Currently, cooperatives are not billed for remainder assessment, but are subject to the telephone relay assessment.**

Description (a)	This Year (b)	
Gross Operating Revenues	353,633,133	1
Plus: Collection of amounts previously written off	1,879,836	2
Less: Uncollectibles written off during the year	7,901,213	3
Plus: Total Other Operating Income and (Expense) (7100)	(16,031)	4
Less: Nonregulated Operating Revenue (included in Gross Oper. Rev. on Line 1)	24,509,751	5
Plus: Nonregulated Net Write Off Amount (included on lines 2 and 3)	175,456	6
Less: Out-of-State Operating Revenues (included in Gross Oper. Rev. on Line 1)		7
Plus (or Less) Other (please specify):		
Plus 1998 Nonregulated Net Writeoff Amount	112,632	8 K
<b>Assessable Revenues for Remainder and Telephone Relay Assessment Purposes</b>	<b>323,374,062</b>	

## CALCULATION OF ASSESSABLE REVENUES FOR UNIVERSAL SERVICE FUND ASSESSMENT PURPOSES

Description (a)	This Year (b)	
Total Basic Local Service Revenue (5000)	156,387,864	1
Plus: Total Intrastate Access Revenues (5084)	43,628,946	2
Plus: Total Long Distance Network Services Revenue	15,483,106	3 o
Less: Out-of-State Operating Revenues (included in the above lines)		4
Plus: Intrastate Payphone Revenues	2,217,036	5 o
Plus (or Less) Other (please specify):		
None	0	6
<b>Assessable Revenues for Universal Service Fund Assessment Purposes</b>	<b>217,716,952</b>	



**OTHER INCOME ACCOUNTS**

<b>Particulars (a)</b>	<b>This Year (b)</b>	<b>Last Year (c)</b>	
<b>OTHER OPERATING INCOME AND EXPENSE</b>			
Total Other Oper. Income and (Expense) (7100)	(16,031)	85,483	1
<b>OPERATING TAXES</b>			
Operating Investment Tax Credits--Net (7210)	(254,532)	(702,778)	2
Operating Federal Income Taxes (7220)	17,331,847	31,937,327	3
Operating State and Local Income Taxes (7230)	4,877,916	9,492,906	4
Operating Other Taxes (7240)	16,281,708	16,129,289	5
Provision for Deferred Operating Income Taxes--Net (7250)	9,457,208	(16,914,839)	6
<b>TOTAL OPERATING TAXES (7200)</b>	<b>47,694,147</b>	<b>39,941,905</b>	
<b>NONOPERATING INCOME AND EXPENSE</b>			
Dividend Income (7310)	0	0	7
Interest Income (7320)	25,871	44,186	8
Income from Sinking and Other Funds (7330)	0	0	9
Allowance for Funds Used During Construction (7340)	461,535	521,685	10
Gains or (Losses) from the Disposition of Certain Property (7350)	(4,133)	569	11
Other Nonoperating Income (7360)	(282,629)	93,613	12
Special Charges (7370)	749,635	(821,332)	13
<b>TOTAL NONOPERATING INCOME AND EXPENSE (7300)</b>	<b>(548,991)</b>	<b>1,481,385</b>	
<b>NONOPERATING TAXES</b>			
Total Nonoperating Taxes (7400)	(261,291)	217,723	14
<b>INTEREST AND RELATED ITEMS</b>			
Total Interest and Related Items (7500)	17,550,251	16,728,384	15
<b>EXTRAORDINARY ITEMS</b>			
Extraordinary Items (7600)	0	30,733	16
<b>NONREGULATED NET INCOME</b>			
Nonregulated Net Income (7990)	0	0	17

**NONREGULATED ACTIVITIES**

List the type of nonregulated activities that the company is involved in.

<b>Nonregulated Activity (a)</b>	
800 Data Base Services	1
Advanced Services Test Bed	2
Customer Premises Equipment	3
Educational Services	4
Enhanced Services	5
Equipment Services	6
Inside Wire Services	7
Network Services	8
Pay Phone Services	9
Sale of Central Office Products	10
Telemarketing	11

**TELEPHONE CALLS AND MINUTES OF USE PER MONTH**

Enter average number, in thousands, of calls and minutes of use per month. The averages may be based on actual counts taken periodically during the year. Please provide level of detail available.

Item (a)	Telephone Calls (000's) (b)	Minutes of Use (000's) (c)	
<b>LOCAL</b>			
Intra-Exchange			1
Extended Area Service			2
Extended Community Calling			3
Other Local-Undefined	98,284	334,165	4
<b>Total Local</b>	<b>98,284</b>	<b>334,165</b>	
<b>TOLL</b>			
Toll	1,719	7,923	5
<b>Total Toll</b>	<b>1,719</b>	<b>7,923</b>	
<b>Total Local &amp; Toll</b>	<b>100,003</b>	<b>342,088</b>	

**ACCESS USAGE**

Enter number, in thousands, of Billed Minutes.

<b>Description (a)</b>	<b>Billed Minutes (000's)</b>				
	<b>Interstate InterLATA (b)</b>	<b>Intrastate InterLATA (c)</b>	<b>Intrastate IntraLATA (d)</b>	<b>Interstate IntraLATA (e)</b>	
Feature Group A -- Orig.	0	0	0	0	<b>1</b>
Feature Group A -- Term.	5,368	46	0	0	<b>2</b>
Feature Group B -- Orig.	1,046	44	4	1	<b>3</b>
Feature Group B -- Term.	2,564	1,042	118	29	<b>4</b>
Feature Group C -- Orig.	0	0	0	3	<b>5</b>
Feature Group C -- Term.	0	0	299,999	2	<b>6</b>
Feature Group D -- Orig.	661,642	352,847	223,348	345	<b>7</b>
Feature Group D -- Term.	510,557	330,149	162,825	429	<b>8</b>

**OUTSIDE PLANT STATISTICS AT END OF YEAR**

<b>Description of Item (a)</b>	<b>Amount (b)</b>	
Sheath miles of plant - fiber optics	2,983	<b>1</b>
Strand miles of plant - fiber optics	47,350	<b>2</b>
Route miles of plant - microwave	227	<b>3</b>

**SPECIAL ACCESS CIRCUITS IN USE AT END OF YEAR**

<b>Circuit Type (a)</b>	<b>InterLATA Chan. Terms. (b)</b>	<b>IntraLATA Chan. Terms. (c)</b>	
Voice grade	530	14,109	<b>1</b>
56 kbps	1,544	2,577	<b>2</b>
64 kbps (DS0)	0	0	<b>3 P</b>
1.54 Mbps (DS-1)	1,455	640	<b>4</b>
45 Mbps (DS-3)	14	28	<b>5</b>
SONET OC-1	0	0	<b>6</b>
SONET OC-3	1	3	<b>7</b>
SONET OC-12	0	0	<b>8</b>
SONET OC-48	0	0	<b>9</b>
SONET OC-192	0	0	<b>10</b>

**OUTSIDE PLANT STATISTICS AT END OF YEAR**

<b>Description of Item (a)</b>	<b>Amount (b)</b>	
Sheath miles of plant - fiber optics	2,983	<b>1</b>
Strand miles of plant - fiber optics	47,350	<b>2</b>
Route miles of plant - microwave	227	<b>3</b>

**SPECIAL ACCESS CIRCUITS IN USE AT END OF YEAR**

<b>Circuit Type (a)</b>	<b>InterLATA Chan. Terms. (b)</b>	<b>IntraLATA Chan. Terms. (c)</b>	
Voice grade	530	14,109	<b>1</b>
56 kbps	1,544	2,577	<b>2</b>
64 kbps (DS0)	0	0	<b>3 P</b>
1.54 Mbps (DS-1)	1,455	640	<b>4</b>
45 Mbps (DS-3)	14	28	<b>5</b>
SONET OC-1	0	0	<b>6</b>
SONET OC-3	1	3	<b>7</b>
SONET OC-12	0	0	<b>8</b>
SONET OC-48	0	0	<b>9</b>
SONET OC-192	0	0	<b>10</b>

**SERVICE DATA**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	FOY (b)	EOY (c)	
<b>Business</b>			
1 Party	57,739	61,300	3
2 Party	0	0	4
4 Party	0	0	5
PBX Trunks/System Trunks	7,153	7,082	6
Centrex Trunks	0	0	7
Centrex Lines	12,744	13,218	8
Key System Trunks	22,633	22,287	9
Mobile (Utility Provided Service)	0	0	10
Paging (Utility Provided Service)	0	0	11
FX-Out (Switched)	295	295	12
Pay Telephone	2,255	2,251	13
Coin-Operated Pay Telephone	273	249	14
Independent Pay Telephone Provider	1,840	1,924	15
Pay Stations - Public	0	0	16
- Semi-Public	0	0	17
- Cust. Owned	0	0	18
Other	10,474	19,935	19
<b>Total Business Lines</b>	<b>115,406</b>	<b>128,541</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>			
1 Party	385,100	396,555	22
2 Party	0	0	23
4 Party	0	0	24
FX-Out (Switched)	0	0	25
Other	14	14	26
<b>Total Residential Lines</b>	<b>385,114</b>	<b>396,569</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>500,520</b>	<b>525,110</b>	<b>28</b>
Company Used Lines	10,108	11,635	29
<b>Total Lines Used</b>	<b>510,628</b>	<b>536,745</b>	<b>30</b>

**SERVICE DATA (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	FOY (b)	EOY (c)	
<b>Miscellaneous</b>			
WATS Lines - OutWATS	222	210	3
WATS Lines - 800 Service	0	0	4
FX-In-intraLATA	0	0	5
Special Access-intraLATA			6
(expressed in equiv. access lines)	44,344	56,910	7
Special Access-interLATA			8
(expressed in equiv. access lines)	32,535	48,418	9
Feature Group A Lines	17	12	10
Feature Group B Trunks	235	196	11
Feature Group C Trunks	25,993	27,414	12
Feature Group D Trunks	15,110	16,466	13
TSPS - Trunks	1,489	1,352	14
EAS - Trunks	9,253	13,233	15
Cellular Trunks (Pub. Sw. Net.)	687	1,026	16
Video Distance Learning			17
- discounted (special tariff)	104	118	18
<b>Customers</b>			
Business - 2 Party Customers	0	0	20
Business - 4 Party Customers	0	0	21
Residential - 2 Party Customers	0	0	22
Residential - 4 Party Customers	0	0	23
<b>Other</b>			
Total Central Office, Info. Orig./Term., & Cable			25
Wire Fac. Assets (based on physical			26
location of plant)	1,063,416,928	1,118,693,317	27
Total Company Square Miles	18,964	18,994	28
Total Company Route Miles	10,607	10,607	29
Footnotes		L	30



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0020	0050	0070	0130	1
<b>Business</b>					2
1 Party	604	307	63	1,301	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	88	11	0	80	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	219	114	19	688	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	3	0	1	12
Pay Telephone	26	6	3	39	13
Coin-Operated Pay Telephone	1	0	0	0	14
Independent Pay Telephone Provider	26	4	1	35	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	264	0	24	186	19
<b>Total Business Lines</b>	<b>1,229</b>	<b>445</b>	<b>110</b>	<b>2,330</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	4,373	1,939	772	6,607	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>4,373</b>	<b>1,939</b>	<b>772</b>	<b>6,607</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>5,602</b>	<b>2,384</b>	<b>882</b>	<b>8,937</b>	<b>28</b>
Company Used Lines	63	26	20	152	29
<b>Total Lines Used</b>	<b>5,665</b>	<b>2,410</b>	<b>902</b>	<b>9,089</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0160	0170	0190	0220	1
<b>Business</b>					2
1 Party	331	83	114	108	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	41	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	71	8
Key System Trunks	157	20	33	22	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	0	4	12
Pay Telephone	22	0	0	2	13
Coin-Operated Pay Telephone	0	0	2	0	14
Independent Pay Telephone Provider	12	3	1	2	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	32	0	0	0	19
<b>Total Business Lines</b>	<b>595</b>	<b>107</b>	<b>150</b>	<b>209</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,753	627	691	1,331	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,753</b>	<b>627</b>	<b>691</b>	<b>1,331</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>2,348</b>	<b>734</b>	<b>841</b>	<b>1,540</b>	<b>28</b>
Company Used Lines	37	10	9	21	29
<b>Total Lines Used</b>	<b>2,385</b>	<b>744</b>	<b>850</b>	<b>1,561</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0240	0280	0300	0310	1
<b>Business</b>					2
1 Party	153	156	129	162	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	19	6	2	2	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	23	0	8
Key System Trunks	56	52	48	60	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	0	0	0	6	13
Coin-Operated Pay Telephone	1	3	2	0	14
Independent Pay Telephone Provider	6	8	9	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	24	48	27	19
<b>Total Business Lines</b>	<b>235</b>	<b>249</b>	<b>261</b>	<b>258</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	1,434	1,184	866	1,414	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,434</b>	<b>1,184</b>	<b>866</b>	<b>1,414</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>1,669</b>	<b>1,433</b>	<b>1,127</b>	<b>1,672</b>	28
Company Used Lines	42	39	25	26	29
<b>Total Lines Used</b>	<b>1,711</b>	<b>1,472</b>	<b>1,152</b>	<b>1,698</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0340	0400	0410	0460	1
<b>Business</b>					2
1 Party	128	181	225	50	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	84	5	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	48	0	0	22	8
Key System Trunks	51	52	69	13	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	7	1	0	12
Pay Telephone	29	6	0	0	13
Coin-Operated Pay Telephone	0	0	2	2	14
Independent Pay Telephone Provider	8	13	4	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	35	0	0	0	19
<b>Total Business Lines</b>	<b>383</b>	<b>264</b>	<b>301</b>	<b>88</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	363	1,130	1,634	516	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>363</b>	<b>1,130</b>	<b>1,634</b>	<b>516</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>746</b>	<b>1,394</b>	<b>1,935</b>	<b>604</b>	<b>28</b>
Company Used Lines	15	25	13	19	29
<b>Total Lines Used</b>	<b>761</b>	<b>1,419</b>	<b>1,948</b>	<b>623</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0500	0510	0520	0540	1
<b>Business</b>					2
1 Party	152	128	124	1,058	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	4	5	177	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	15	48	0	0	8
Key System Trunks	22	34	44	376	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	15	0	12
Pay Telephone	16	0	2	56	13
Coin-Operated Pay Telephone	0	1	0	0	14
Independent Pay Telephone Provider	3	4	3	60	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	2	384	19
<b>Total Business Lines</b>	<b>208</b>	<b>220</b>	<b>195</b>	<b>2,111</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,626	1,304	867	3,637	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,626</b>	<b>1,304</b>	<b>867</b>	<b>3,637</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,834</b>	<b>1,524</b>	<b>1,062</b>	<b>5,748</b>	<b>28</b>
Company Used Lines	37	27	22	187	29
<b>Total Lines Used</b>	<b>1,871</b>	<b>1,551</b>	<b>1,084</b>	<b>5,935</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0550	0570	0670	0710	1
<b>Business</b>					2
1 Party	117	2	144	33	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	7	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	11	8
Key System Trunks	39	0	72	2	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	5	0	0	4	13
Coin-Operated Pay Telephone	0	0	2	0	14
Independent Pay Telephone Provider	0	0	6	4	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	24	0	0	48	19
<b>Total Business Lines</b>	<b>192</b>	<b>2</b>	<b>224</b>	<b>102</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	837	161	1,010	544	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>837</b>	<b>161</b>	<b>1,010</b>	<b>544</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,029</b>	<b>163</b>	<b>1,234</b>	<b>646</b>	<b>28</b>
Company Used Lines	13	8	21	8	29
<b>Total Lines Used</b>	<b>1,042</b>	<b>171</b>	<b>1,255</b>	<b>654</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0720	0730	0740	0750	1
<b>Business</b>					2
1 Party	252	1,068	289	99	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	6	190	31	1	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	37	0	161	0	8
Key System Trunks	71	367	65	9	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	0	0	12
Pay Telephone	12	54	0	1	13
Coin-Operated Pay Telephone	1	0	6	0	14
Independent Pay Telephone Provider	5	72	8	2	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	118	744	72	0	19
<b>Total Business Lines</b>	<b>502</b>	<b>2,496</b>	<b>632</b>	<b>112</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,588	2,390	2,336	1,110	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,588</b>	<b>2,390</b>	<b>2,336</b>	<b>1,110</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>2,090</b>	<b>4,886</b>	<b>2,968</b>	<b>1,222</b>	<b>28</b>
Company Used Lines	17	132	16	19	29
<b>Total Lines Used</b>	<b>2,107</b>	<b>5,018</b>	<b>2,984</b>	<b>1,241</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0830	0880	0900	0930	1
<b>Business</b>					2
1 Party	70	416	314	114	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	2	4	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	9	135	102	17	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	5	6	0	12
Pay Telephone	0	10	10	4	13
Coin-Operated Pay Telephone	1	0	0	0	14
Independent Pay Telephone Provider	3	3	8	2	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	72	72	0	0	19
<b>Total Business Lines</b>	<b>155</b>	<b>643</b>	<b>444</b>	<b>137</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	593	2,134	2,568	1,393	<b>22</b>
2 Party	0	0	0	0	<b>23</b>
4 Party	0	0	0	0	<b>24</b>
FX-Out (Switched)	0	0	0	0	<b>25</b>
Other	0	0	0	0	<b>26</b>
<b>Total Residential Lines</b>	<b>593</b>	<b>2,134</b>	<b>2,568</b>	<b>1,393</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>748</b>	<b>2,777</b>	<b>3,012</b>	<b>1,530</b>	<b>28</b>
Company Used Lines	10	7	60	14	<b>29</b>
<b>Total Lines Used</b>	<b>758</b>	<b>2,784</b>	<b>3,072</b>	<b>1,544</b>	<b>30</b>



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1010	1020	1030	1070	1
<b>Business</b>					2
1 Party	137	63	61	526	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	1	64	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	2	91	8
Key System Trunks	60	8	19	259	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	2	0	1	12
Pay Telephone	4	1	0	33	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	2	0	1	8	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	11	24	19
<b>Total Business Lines</b>	<b>204</b>	<b>74</b>	<b>95</b>	<b>1,006</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,228	451	689	2,826	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	1	26
<b>Total Residential Lines</b>	<b>1,228</b>	<b>451</b>	<b>689</b>	<b>2,827</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,432</b>	<b>525</b>	<b>784</b>	<b>3,833</b>	<b>28</b>
Company Used Lines	19	10	19	43	29
<b>Total Lines Used</b>	<b>1,451</b>	<b>535</b>	<b>803</b>	<b>3,876</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1120	1140	1160	1170	1
<b>Business</b>					2
1 Party	67	193	51	75	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	7	12	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	106	0	20	8
Key System Trunks	6	64	1	13	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	5	0	0	12
Pay Telephone	0	10	0	5	13
Coin-Operated Pay Telephone	0	0	3	0	14
Independent Pay Telephone Provider	1	7	0	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	0	0	19
<b>Total Business Lines</b>	<b>75</b>	<b>392</b>	<b>67</b>	<b>114</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,062	1,471	367	774	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,062</b>	<b>1,471</b>	<b>367</b>	<b>774</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,137</b>	<b>1,863</b>	<b>434</b>	<b>888</b>	<b>28</b>
Company Used Lines	34	24	19	39	29
<b>Total Lines Used</b>	<b>1,171</b>	<b>1,887</b>	<b>453</b>	<b>927</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1190	1210	1280	1390	1
<b>Business</b>					2
1 Party	452	163	389	167	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	24	0	32	11	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	322	0	0	79	8
Key System Trunks	166	47	93	35	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	0	1	0	12
Pay Telephone	21	0	8	15	13
Coin-Operated Pay Telephone	0	2	0	0	14
Independent Pay Telephone Provider	16	6	5	7	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	48	0	0	0	19
<b>Total Business Lines</b>	<b>1,050</b>	<b>218</b>	<b>528</b>	<b>314</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	3,045	1,450	2,798	991	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	1	0	0	0	26
<b>Total Residential Lines</b>	<b>3,046</b>	<b>1,450</b>	<b>2,798</b>	<b>991</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>4,096</b>	<b>1,668</b>	<b>3,326</b>	<b>1,305</b>	<b>28</b>
Company Used Lines	37	36	81	71	29
<b>Total Lines Used</b>	<b>4,133</b>	<b>1,704</b>	<b>3,407</b>	<b>1,376</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1400	1410	1460	1500	1
<b>Business</b>					2
1 Party	257	238	532	570	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	23	20	33	94	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	205	0	0	412	8
Key System Trunks	42	126	165	168	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	4	9	4	2	12
Pay Telephone	0	2	29	42	13
Coin-Operated Pay Telephone	2	0	0	0	14
Independent Pay Telephone Provider	18	2	17	19	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	93	0	864	400	19
<b>Total Business Lines</b>	<b>644</b>	<b>397</b>	<b>1,644</b>	<b>1,707</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	1,765	1,487	3,404	2,713	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	1	0	1	0	26
<b>Total Residential Lines</b>	<b>1,766</b>	<b>1,487</b>	<b>3,405</b>	<b>2,713</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>2,410</b>	<b>1,884</b>	<b>5,049</b>	<b>4,420</b>	28
Company Used Lines	42	22	81	195	29
<b>Total Lines Used</b>	<b>2,452</b>	<b>1,906</b>	<b>5,130</b>	<b>4,615</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1590	1610	1650	1660	1
<b>Business</b>					2
1 Party	1,327	44	162	116	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	79	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	66	8
Key System Trunks	507	0	59	20	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	1	3	12
Pay Telephone	0	2	7	4	13
Coin-Operated Pay Telephone	12	0	0	0	14
Independent Pay Telephone Provider	81	0	0	5	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	257	0	0	0	19
<b>Total Business Lines</b>	<b>2,263</b>	<b>46</b>	<b>229</b>	<b>214</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	6,990	574	898	1,223	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>6,990</b>	<b>574</b>	<b>898</b>	<b>1,223</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>9,253</b>	<b>620</b>	<b>1,127</b>	<b>1,437</b>	<b>28</b>
Company Used Lines	174	35	12	15	29
<b>Total Lines Used</b>	<b>9,427</b>	<b>655</b>	<b>1,139</b>	<b>1,452</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1670	1680	1720	1750	1
<b>Business</b>					2
1 Party	489	501	214	106	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	51	29	32	2	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	162	0	6	0	8
Key System Trunks	141	128	80	38	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	0	3	12
Pay Telephone	15	0	23	0	13
Coin-Operated Pay Telephone	0	13	0	3	14
Independent Pay Telephone Provider	28	20	0	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	456	114	0	0	19
<b>Total Business Lines</b>	<b>1,342</b>	<b>806</b>	<b>355</b>	<b>152</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	4,560	1,878	1,417	812	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	1	0	0	0	26
<b>Total Residential Lines</b>	<b>4,561</b>	<b>1,878</b>	<b>1,417</b>	<b>812</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>5,903</b>	<b>2,684</b>	<b>1,772</b>	<b>964</b>	28
Company Used Lines	44	49	9	12	29
<b>Total Lines Used</b>	<b>5,947</b>	<b>2,733</b>	<b>1,781</b>	<b>976</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1770	1800	1830	1840	1
<b>Business</b>					2
1 Party	132	90	70	146	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	31	28	5	46	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	2	12
Pay Telephone	0	2	0	0	13
Coin-Operated Pay Telephone	1	0	0	4	14
Independent Pay Telephone Provider	2	0	3	2	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	0	0	19
<b>Total Business Lines</b>	<b>166</b>	<b>120</b>	<b>78</b>	<b>200</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	690	804	486	1,290	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>690</b>	<b>804</b>	<b>486</b>	<b>1,290</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>856</b>	<b>924</b>	<b>564</b>	<b>1,490</b>	28
Company Used Lines	20	20	30	34	29
<b>Total Lines Used</b>	<b>876</b>	<b>944</b>	<b>594</b>	<b>1,524</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1930	1980	2030	2080	1
<b>Business</b>					2
1 Party	137	230	195	184	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	2	8	19	7	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	54	90	74	83	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	0	0	12
Pay Telephone	4	7	0	0	13
Coin-Operated Pay Telephone	0	0	2	4	14
Independent Pay Telephone Provider	4	4	4	3	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	72	0	0	19
<b>Total Business Lines</b>	<b>201</b>	<b>412</b>	<b>294</b>	<b>281</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	1,110	1,377	1,535	1,362	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,110</b>	<b>1,377</b>	<b>1,535</b>	<b>1,362</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>1,311</b>	<b>1,789</b>	<b>1,829</b>	<b>1,643</b>	28
Company Used Lines	16	36	198	32	29
<b>Total Lines Used</b>	<b>1,327</b>	<b>1,825</b>	<b>2,027</b>	<b>1,675</b>	30



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2090	2150	2170	2280	1
<b>Business</b>					2
1 Party	69	30	72	116	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	15	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	3	40	8
Key System Trunks	22	9	28	10	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	0	0	4	0	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	3	1	2	3	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	0	0	19
<b>Total Business Lines</b>	<b>94</b>	<b>40</b>	<b>124</b>	<b>169</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	585	262	600	1,558	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>585</b>	<b>262</b>	<b>600</b>	<b>1,558</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>679</b>	<b>302</b>	<b>724</b>	<b>1,727</b>	<b>28</b>
Company Used Lines	16	15	15	24	29
<b>Total Lines Used</b>	<b>695</b>	<b>317</b>	<b>739</b>	<b>1,751</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2310	2360	2380	2400	1
<b>Business</b>					2
1 Party	1,264	136	61	41	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	115	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	7	0	2	8
Key System Trunks	546	41	19	5	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	4	0	0	12
Pay Telephone	52	3	4	0	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	28	1	0	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	216	24	0	0	19
<b>Total Business Lines</b>	<b>2,222</b>	<b>216</b>	<b>84</b>	<b>48</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	4,660	885	500	339	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>4,660</b>	<b>885</b>	<b>500</b>	<b>339</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>6,882</b>	<b>1,101</b>	<b>584</b>	<b>387</b>	28
Company Used Lines	142	7	19	31	29
<b>Total Lines Used</b>	<b>7,024</b>	<b>1,108</b>	<b>603</b>	<b>418</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2410	2490	2530	2550	1
<b>Business</b>					2
1 Party	492	164	19	33	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	12	19	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	170	65	9	2	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	0	0	0	12
Pay Telephone	9	0	2	0	13
Coin-Operated Pay Telephone	0	4	0	1	14
Independent Pay Telephone Provider	3	5	0	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	1,056	48	0	0	19
<b>Total Business Lines</b>	<b>1,743</b>	<b>305</b>	<b>30</b>	<b>37</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	3,378	1,242	336	547	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>3,378</b>	<b>1,242</b>	<b>336</b>	<b>547</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>5,121</b>	<b>1,547</b>	<b>366</b>	<b>584</b>	28
Company Used Lines	90	25	6	17	29
<b>Total Lines Used</b>	<b>5,211</b>	<b>1,572</b>	<b>372</b>	<b>601</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2590	2700	2720	2730	1
<b>Business</b>					2
1 Party	65	336	364	82	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	32	38	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	1	0	36	0	8
Key System Trunks	19	106	154	18	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	3	25	1	0	12
Pay Telephone	1	22	15	0	13
Coin-Operated Pay Telephone	0	0	0	1	14
Independent Pay Telephone Provider	2	5	6	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	22	42	0	19
<b>Total Business Lines</b>	<b>91</b>	<b>548</b>	<b>656</b>	<b>102</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	730	2,480	2,770	906	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>730</b>	<b>2,480</b>	<b>2,770</b>	<b>906</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>821</b>	<b>3,028</b>	<b>3,426</b>	<b>1,008</b>	<b>28</b>
Company Used Lines	24	28	36	15	29
<b>Total Lines Used</b>	<b>845</b>	<b>3,056</b>	<b>3,462</b>	<b>1,023</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2740	2760	2810	2840	1
<b>Business</b>					2
1 Party	48	323	554	330	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	38	67	4	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	26	80	279	55	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	0	0	35	0	13
Coin-Operated Pay Telephone	0	5	0	6	14
Independent Pay Telephone Provider	0	21	11	18	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	168	0	19
<b>Total Business Lines</b>	<b>74</b>	<b>467</b>	<b>1,114</b>	<b>413</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	397	2,338	3,587	3,394	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>397</b>	<b>2,338</b>	<b>3,587</b>	<b>3,394</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>471</b>	<b>2,805</b>	<b>4,701</b>	<b>3,807</b>	<b>28</b>
Company Used Lines	11	30	72	110	29
<b>Total Lines Used</b>	<b>482</b>	<b>2,835</b>	<b>4,773</b>	<b>3,917</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2860	2870	2910	2950	1
<b>Business</b>					2
1 Party	197	200	36	46	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	8	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	52	43	15	12	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	3	0	12
Pay Telephone	0	0	0	1	13
Coin-Operated Pay Telephone	2	3	0	0	14
Independent Pay Telephone Provider	11	14	0	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	24	0	0	19
<b>Total Business Lines</b>	<b>262</b>	<b>292</b>	<b>54</b>	<b>59</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	1,217	1,119	370	437	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,217</b>	<b>1,119</b>	<b>370</b>	<b>437</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>1,479</b>	<b>1,411</b>	<b>424</b>	<b>496</b>	28
Company Used Lines	28	43	21	15	29
<b>Total Lines Used</b>	<b>1,507</b>	<b>1,454</b>	<b>445</b>	<b>511</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2990	3000	3010	3020	1
<b>Business</b>					2
1 Party	376	58	361	120	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	28	0	29	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	99	0	0	0	8
Key System Trunks	106	19	146	24	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	2	0	5	0	12
Pay Telephone	14	2	23	5	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	8	1	8	2	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	24	0	64	0	19
<b>Total Business Lines</b>	<b>657</b>	<b>80</b>	<b>636</b>	<b>151</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	3,544	426	1,157	1,195	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	1	0	0	0	26
<b>Total Residential Lines</b>	<b>3,545</b>	<b>426</b>	<b>1,157</b>	<b>1,195</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>4,202</b>	<b>506</b>	<b>1,793</b>	<b>1,346</b>	28
Company Used Lines	59	11	17	16	29
<b>Total Lines Used</b>	<b>4,261</b>	<b>517</b>	<b>1,810</b>	<b>1,362</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3040	3060	3070	3090	1
<b>Business</b>					2
1 Party	146	258	83	45	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	50	0	0	0	8
Key System Trunks	47	132	24	27	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	8	0	0	12
Pay Telephone	1	9	7	0	13
Coin-Operated Pay Telephone	2	0	0	0	14
Independent Pay Telephone Provider	0	0	1	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	0	0	19
<b>Total Business Lines</b>	<b>246</b>	<b>407</b>	<b>115</b>	<b>72</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,166	1,853	635	418	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,166</b>	<b>1,853</b>	<b>635</b>	<b>418</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,412</b>	<b>2,260</b>	<b>750</b>	<b>490</b>	<b>28</b>
Company Used Lines	21	19	11	7	29
<b>Total Lines Used</b>	<b>1,433</b>	<b>2,279</b>	<b>761</b>	<b>497</b>	<b>30</b>



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3140	3150	3190	3200	1
<b>Business</b>					2
1 Party	190	156	259	155	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	25	17	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	109	0	113	8
Key System Trunks	46	60	82	32	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	3	0	12	12
Pay Telephone	0	11	0	3	13
Coin-Operated Pay Telephone	6	0	6	0	14
Independent Pay Telephone Provider	0	1	3	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	134	0	19
<b>Total Business Lines</b>	<b>243</b>	<b>365</b>	<b>501</b>	<b>316</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,701	1,554	1,763	1,884	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,701</b>	<b>1,554</b>	<b>1,763</b>	<b>1,884</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,944</b>	<b>1,919</b>	<b>2,264</b>	<b>2,200</b>	<b>28</b>
Company Used Lines	26	20	48	31	29
<b>Total Lines Used</b>	<b>1,970</b>	<b>1,939</b>	<b>2,312</b>	<b>2,231</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3210	3230	3240	3270	1
<b>Business</b>					2
1 Party	1,801	57	727	758	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	704	0	129	23	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	1,034	0	0	0	8
Key System Trunks	646	13	357	342	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	3	12
Pay Telephone	86	0	107	17	13
Coin-Operated Pay Telephone	0	1	0	0	14
Independent Pay Telephone Provider	30	3	58	8	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	1,056	0	88	24	19
<b>Total Business Lines</b>	<b>5,357</b>	<b>74</b>	<b>1,466</b>	<b>1,175</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	11,154	522	3,659	4,187	<b>22</b>
2 Party	0	0	0	0	<b>23</b>
4 Party	0	0	0	0	<b>24</b>
FX-Out (Switched)	0	0	0	0	<b>25</b>
Other	1	0	0	0	<b>26</b>
<b>Total Residential Lines</b>	<b>11,155</b>	<b>522</b>	<b>3,659</b>	<b>4,187</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>16,512</b>	<b>596</b>	<b>5,125</b>	<b>5,362</b>	<b>28</b>
Company Used Lines	190	15	66	49	<b>29</b>
<b>Total Lines Used</b>	<b>16,702</b>	<b>611</b>	<b>5,191</b>	<b>5,411</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3290	3300	3340	3350	1
<b>Business</b>					2
1 Party	110	67	1,262	72	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	211	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	41	24	611	12	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	3	0	12
Pay Telephone	0	3	39	10	13
Coin-Operated Pay Telephone	1	0	0	0	14
Independent Pay Telephone Provider	8	0	49	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	55	0	19
<b>Total Business Lines</b>	<b>160</b>	<b>94</b>	<b>2,230</b>	<b>95</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	788	677	8,135	759	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	2	0	26
<b>Total Residential Lines</b>	<b>788</b>	<b>677</b>	<b>8,137</b>	<b>759</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>948</b>	<b>771</b>	<b>10,367</b>	<b>854</b>	<b>28</b>
Company Used Lines	16	13	110	24	29
<b>Total Lines Used</b>	<b>964</b>	<b>784</b>	<b>10,477</b>	<b>878</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3360	3430	3440	3450	1
<b>Business</b>					2
1 Party	78	48	239	1,669	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	31	0	24	189	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	27	0	159	0	8
Key System Trunks	4	4	46	617	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	5	1	1	0	13
Coin-Operated Pay Telephone	0	0	2	17	14
Independent Pay Telephone Provider	9	0	5	71	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	168	0	0	204	19
<b>Total Business Lines</b>	<b>322</b>	<b>53</b>	<b>476</b>	<b>2,767</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	803	605	1,708	7,395	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	1	0	26
<b>Total Residential Lines</b>	<b>803</b>	<b>605</b>	<b>1,709</b>	<b>7,395</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,125</b>	<b>658</b>	<b>2,185</b>	<b>10,162</b>	<b>28</b>
Company Used Lines	20	6	33	222	29
<b>Total Lines Used</b>	<b>1,145</b>	<b>664</b>	<b>2,218</b>	<b>10,384</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3470	3500	3510	3520	1
<b>Business</b>					2
1 Party	257	82	253	158	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	59	0	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	230	30	8
Key System Trunks	66	2	59	27	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	2	0	0	0	12
Pay Telephone	6	0	18	5	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	6	5	11	2	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	32	0	19
<b>Total Business Lines</b>	<b>396</b>	<b>89</b>	<b>603</b>	<b>222</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,583	1,484	2,147	1,341	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,583</b>	<b>1,484</b>	<b>2,147</b>	<b>1,341</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,979</b>	<b>1,573</b>	<b>2,750</b>	<b>1,563</b>	<b>28</b>
Company Used Lines	23	13	39	30	29
<b>Total Lines Used</b>	<b>2,002</b>	<b>1,586</b>	<b>2,789</b>	<b>1,593</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3550	3610	3710	3750	1
<b>Business</b>					2
1 Party	78	139	129	268	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	10	1	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	8	54	0	0	8
Key System Trunks	24	51	24	57	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	3	1	12
Pay Telephone	10	4	0	4	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	0	4	1	8	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	0	0	19
<b>Total Business Lines</b>	<b>130</b>	<b>253</b>	<b>157</b>	<b>338</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	490	1,137	1,049	2,253	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>490</b>	<b>1,137</b>	<b>1,049</b>	<b>2,253</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>620</b>	<b>1,390</b>	<b>1,206</b>	<b>2,591</b>	<b>28</b>
Company Used Lines	19	28	22	34	29
<b>Total Lines Used</b>	<b>639</b>	<b>1,418</b>	<b>1,228</b>	<b>2,625</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3770	3840	3900	3990	1
<b>Business</b>					2
1 Party	287	34	250	247	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	27	0	22	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	111	0	0	0	8
Key System Trunks	131	7	51	93	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	3	4	12
Pay Telephone	14	0	7	1	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	2	0	3	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	288	0	429	0	19
<b>Total Business Lines</b>	<b>860</b>	<b>41</b>	<b>765</b>	<b>345</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,869	464	1,498	2,276	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,869</b>	<b>464</b>	<b>1,498</b>	<b>2,276</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>2,729</b>	<b>505</b>	<b>2,263</b>	<b>2,621</b>	<b>28</b>
Company Used Lines	51	20	73	25	29
<b>Total Lines Used</b>	<b>2,780</b>	<b>525</b>	<b>2,336</b>	<b>2,646</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4000	4010	4040	4050	1
<b>Business</b>					2
1 Party	650	143	321	219	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	43	17	22	6	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	22	0	42	8
Key System Trunks	260	21	153	48	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	4	4	0	12
Pay Telephone	19	0	13	0	13
Coin-Operated Pay Telephone	0	0	0	4	14
Independent Pay Telephone Provider	7	4	29	3	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	48	0	24	0	19
<b>Total Business Lines</b>	<b>1,027</b>	<b>211</b>	<b>566</b>	<b>322</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	5,328	1,371	1,467	1,411	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>5,328</b>	<b>1,371</b>	<b>1,467</b>	<b>1,411</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>6,355</b>	<b>1,582</b>	<b>2,033</b>	<b>1,733</b>	<b>28</b>
Company Used Lines	129	18	162	25	29
<b>Total Lines Used</b>	<b>6,484</b>	<b>1,600</b>	<b>2,195</b>	<b>1,758</b>	<b>30</b>



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4090	4100	4140	4170	1
<b>Business</b>					2
1 Party	279	528	117	119	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	26	53	0	7	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	49	0	0	0	8
Key System Trunks	52	185	25	15	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	1	0	0	12
Pay Telephone	4	0	0	0	13
Coin-Operated Pay Telephone	0	8	1	6	14
Independent Pay Telephone Provider	8	21	3	5	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	48	39	0	0	19
<b>Total Business Lines</b>	<b>467</b>	<b>835</b>	<b>146</b>	<b>152</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	2,351	2,785	822	1,078	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>2,351</b>	<b>2,785</b>	<b>822</b>	<b>1,078</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>2,818</b>	<b>3,620</b>	<b>968</b>	<b>1,230</b>	<b>28</b>
Company Used Lines	21	91	8	35	29
<b>Total Lines Used</b>	<b>2,839</b>	<b>3,711</b>	<b>976</b>	<b>1,265</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4190	4200	4230	4270	1
<b>Business</b>					2
1 Party	81	62	114	82	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	9	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	6	19	50	30	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	4	0	0	12
Pay Telephone	0	0	3	0	13
Coin-Operated Pay Telephone	2	2	0	1	14
Independent Pay Telephone Provider	4	1	2	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	0	0	19
<b>Total Business Lines</b>	<b>93</b>	<b>88</b>	<b>178</b>	<b>114</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,080	670	681	607	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,080</b>	<b>670</b>	<b>681</b>	<b>607</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,173</b>	<b>758</b>	<b>859</b>	<b>721</b>	<b>28</b>
Company Used Lines	25	21	10	8	29
<b>Total Lines Used</b>	<b>1,198</b>	<b>779</b>	<b>869</b>	<b>729</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4280	4310	4380	4410	1
<b>Business</b>					2
1 Party	997	1,152	842	287	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	139	273	137	25	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	154	784	0	0	8
Key System Trunks	432	328	371	147	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	4	1	0	0	12
Pay Telephone	56	99	61	0	13
Coin-Operated Pay Telephone	0	0	0	3	14
Independent Pay Telephone Provider	8	61	15	8	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	804	295	250	0	19
<b>Total Business Lines</b>	<b>2,594</b>	<b>2,993</b>	<b>1,676</b>	<b>470</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	5,244	6,156	3,318	2,225	<b>22</b>
2 Party	0	0	0	0	<b>23</b>
4 Party	0	0	0	0	<b>24</b>
FX-Out (Switched)	0	0	0	0	<b>25</b>
Other	1	0	0	0	<b>26</b>
<b>Total Residential Lines</b>	<b>5,245</b>	<b>6,156</b>	<b>3,318</b>	<b>2,225</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>7,839</b>	<b>9,149</b>	<b>4,994</b>	<b>2,695</b>	<b>28</b>
Company Used Lines	521	248	137	47	<b>29</b>
<b>Total Lines Used</b>	<b>8,360</b>	<b>9,397</b>	<b>5,131</b>	<b>2,742</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4480	4520	4530	4570	1
<b>Business</b>					2
1 Party	367	875	85	844	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	70	0	113	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	429	8
Key System Trunks	147	548	27	331	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	3	3	0	0	12
Pay Telephone	13	47	3	52	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	4	15	2	13	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	576	225	0	189	19
<b>Total Business Lines</b>	<b>1,110</b>	<b>1,783</b>	<b>117</b>	<b>1,971</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	2,154	4,790	681	4,814	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	1	26
<b>Total Residential Lines</b>	<b>2,154</b>	<b>4,790</b>	<b>681</b>	<b>4,815</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>3,264</b>	<b>6,573</b>	<b>798</b>	<b>6,786</b>	28
Company Used Lines	55	72	11	366	29
<b>Total Lines Used</b>	<b>3,319</b>	<b>6,645</b>	<b>809</b>	<b>7,152</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4580	4610	4670	4710	1
<b>Business</b>					2
1 Party	648	142	113	43	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	91	0	13	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	592	52	0	0	8
Key System Trunks	166	24	19	18	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	1	3	1	2	12
Pay Telephone	53	4	2	1	13
Coin-Operated Pay Telephone	0	0	2	0	14
Independent Pay Telephone Provider	14	10	5	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	48	0	0	0	19
<b>Total Business Lines</b>	<b>1,613</b>	<b>235</b>	<b>155</b>	<b>64</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	3,941	1,175	936	375	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>3,941</b>	<b>1,175</b>	<b>936</b>	<b>375</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>5,554</b>	<b>1,410</b>	<b>1,091</b>	<b>439</b>	<b>28</b>
Company Used Lines	82	29	18	20	29
<b>Total Lines Used</b>	<b>5,636</b>	<b>1,439</b>	<b>1,109</b>	<b>459</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4720	4740	4770	4780	1
<b>Business</b>					2
1 Party	420	370	733	220	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	62	8	155	7	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	217	0	296	0	8
Key System Trunks	134	142	272	34	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	4	8	12
Pay Telephone	3	7	30	0	13
Coin-Operated Pay Telephone	3	0	0	9	14
Independent Pay Telephone Provider	20	21	8	13	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	189	0	19
<b>Total Business Lines</b>	<b>859</b>	<b>549</b>	<b>1,687</b>	<b>291</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	2,062	2,471	4,681	1,637	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>2,062</b>	<b>2,471</b>	<b>4,681</b>	<b>1,637</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>2,921</b>	<b>3,020</b>	<b>6,368</b>	<b>1,928</b>	28
Company Used Lines	38	17	151	29	29
<b>Total Lines Used</b>	<b>2,959</b>	<b>3,037</b>	<b>6,519</b>	<b>1,957</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4800	4810	4890	4900	1
<b>Business</b>					2
1 Party	72	407	71	106	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	29	0	7	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	35	8
Key System Trunks	9	198	19	13	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	1	3	0	12
Pay Telephone	5	2	0	0	13
Coin-Operated Pay Telephone	0	6	2	2	14
Independent Pay Telephone Provider	1	7	3	6	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	216	0	0	19
<b>Total Business Lines</b>	<b>87</b>	<b>866</b>	<b>98</b>	<b>169</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	807	2,831	823	854	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>807</b>	<b>2,831</b>	<b>823</b>	<b>854</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>894</b>	<b>3,697</b>	<b>921</b>	<b>1,023</b>	<b>28</b>
Company Used Lines	26	76	18	20	29
<b>Total Lines Used</b>	<b>920</b>	<b>3,773</b>	<b>939</b>	<b>1,043</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4910	4930	4940	5010	1
<b>Business</b>					2
1 Party	149	693	632	156	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	4	36	18	10	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	72	8
Key System Trunks	53	230	243	53	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	7	0	12
Pay Telephone	5	0	19	8	13
Coin-Operated Pay Telephone	0	25	0	0	14
Independent Pay Telephone Provider	5	16	14	3	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	24	659	48	19
<b>Total Business Lines</b>	<b>216</b>	<b>1,024</b>	<b>1,592</b>	<b>350</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	1,488	3,320	4,322	1,300	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,488</b>	<b>3,320</b>	<b>4,322</b>	<b>1,300</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>1,704</b>	<b>4,344</b>	<b>5,914</b>	<b>1,650</b>	28
Company Used Lines	23	107	102	18	29
<b>Total Lines Used</b>	<b>1,727</b>	<b>4,451</b>	<b>6,016</b>	<b>1,668</b>	30



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5020	5050	5060	5180	1
<b>Business</b>					2
1 Party	211	25	410	127	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	91	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	22	0	227	30	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	2	3	0	12
Pay Telephone	18	2	24	1	13
Coin-Operated Pay Telephone	0	0	0	0	14
Independent Pay Telephone Provider	3	0	7	4	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	192	0	19
<b>Total Business Lines</b>	<b>254</b>	<b>29</b>	<b>954</b>	<b>162</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,826	402	1,501	1,488	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,826</b>	<b>402</b>	<b>1,501</b>	<b>1,488</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>2,080</b>	<b>431</b>	<b>2,455</b>	<b>1,650</b>	<b>28</b>
Company Used Lines	30	8	49	20	29
<b>Total Lines Used</b>	<b>2,110</b>	<b>439</b>	<b>2,504</b>	<b>1,670</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5200	5250	5270	5290	1
<b>Business</b>					2
1 Party	146	1,476	189	52	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	2	235	14	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	82	944	0	0	8
Key System Trunks	56	480	37	6	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	8	12	0	0	12
Pay Telephone	4	62	0	0	13
Coin-Operated Pay Telephone	0	0	2	0	14
Independent Pay Telephone Provider	5	16	3	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	16	2,056	96	0	19
<b>Total Business Lines</b>	<b>319</b>	<b>5,281</b>	<b>341</b>	<b>59</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	1,514	11,440	1,409	389	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,514</b>	<b>11,440</b>	<b>1,409</b>	<b>389</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>1,833</b>	<b>16,721</b>	<b>1,750</b>	<b>448</b>	28
Company Used Lines	18	1,449	18	17	29
<b>Total Lines Used</b>	<b>1,851</b>	<b>18,170</b>	<b>1,768</b>	<b>465</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5300	5330	5370	5390	1
<b>Business</b>					2
1 Party	81	244	792	91	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	70	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	24	82	309	29	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	1	0	0	1	13
Coin-Operated Pay Telephone	0	2	19	0	14
Independent Pay Telephone Provider	0	7	41	4	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	0	164	0	19
<b>Total Business Lines</b>	<b>106</b>	<b>335</b>	<b>1,395</b>	<b>125</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	822	1,939	5,833	1,009	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>822</b>	<b>1,939</b>	<b>5,833</b>	<b>1,009</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>928</b>	<b>2,274</b>	<b>7,228</b>	<b>1,134</b>	<b>28</b>
Company Used Lines	19	34	129	13	29
<b>Total Lines Used</b>	<b>947</b>	<b>2,308</b>	<b>7,357</b>	<b>1,147</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5400	5440	5450	5540	1
<b>Business</b>					2
1 Party	290	348	728	140	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	47	0	213	10	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	70	155	317	30	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	0	12
Pay Telephone	23	10	24	0	13
Coin-Operated Pay Telephone	0	0	0	1	14
Independent Pay Telephone Provider	11	5	5	15	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	72	264	312	0	19
<b>Total Business Lines</b>	<b>513</b>	<b>782</b>	<b>1,599</b>	<b>196</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	2,642	3,244	5,930	868	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>2,642</b>	<b>3,244</b>	<b>5,930</b>	<b>868</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>3,155</b>	<b>4,026</b>	<b>7,529</b>	<b>1,064</b>	<b>28</b>
Company Used Lines	13	21	103	17	29
<b>Total Lines Used</b>	<b>3,168</b>	<b>4,047</b>	<b>7,632</b>	<b>1,081</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	5560	5600	5620	5640	1
<b>Business</b>					2
1 Party	743	94	317	267	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	82	0	55	11	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	294	18	130	82	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	1	12
Pay Telephone	53	0	11	12	13
Coin-Operated Pay Telephone	0	3	0	0	14
Independent Pay Telephone Provider	11	4	8	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	23	0	75	15	19
<b>Total Business Lines</b>	<b>1,206</b>	<b>119</b>	<b>596</b>	<b>389</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	4,274	723	1,930	2,411	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>4,274</b>	<b>723</b>	<b>1,930</b>	<b>2,411</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>5,480</b>	<b>842</b>	<b>2,526</b>	<b>2,800</b>	<b>28</b>
Company Used Lines	52	14	29	31	29
<b>Total Lines Used</b>	<b>5,532</b>	<b>856</b>	<b>2,555</b>	<b>2,831</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5700	5720	5730	5790	1
<b>Business</b>					2
1 Party	5,604	598	45	212	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	1,240	21	0	28	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	5,065	0	0	101	8
Key System Trunks	2,499	300	10	44	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	30	0	0	1	12
Pay Telephone	226	0	2	19	13
Coin-Operated Pay Telephone	0	9	0	0	14
Independent Pay Telephone Provider	148	35	0	12	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	3,377	276	0	92	19
<b>Total Business Lines</b>	<b>18,189</b>	<b>1,239</b>	<b>57</b>	<b>509</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	32,177	3,646	397	2,001	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	2	0	0	0	26
<b>Total Residential Lines</b>	<b>32,179</b>	<b>3,646</b>	<b>397</b>	<b>2,001</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>50,368</b>	<b>4,885</b>	<b>454</b>	<b>2,510</b>	28
Company Used Lines	1,447	98	10	37	29
<b>Total Lines Used</b>	<b>51,815</b>	<b>4,983</b>	<b>464</b>	<b>2,547</b>	30

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5840	5850	5860	5870	1
<b>Business</b>					2
1 Party	56	250	108	91	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	22	0	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	0	0	8
Key System Trunks	2	123	22	23	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	0	1	12
Pay Telephone	0	9	0	0	13
Coin-Operated Pay Telephone	0	0	3	0	14
Independent Pay Telephone Provider	1	9	8	1	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	0	43	18	0	19
<b>Total Business Lines</b>	<b>59</b>	<b>456</b>	<b>159</b>	<b>116</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	448	998	701	1,113	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>448</b>	<b>998</b>	<b>701</b>	<b>1,113</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>507</b>	<b>1,454</b>	<b>860</b>	<b>1,229</b>	<b>28</b>
Company Used Lines	11	14	20	44	29
<b>Total Lines Used</b>	<b>518</b>	<b>1,468</b>	<b>880</b>	<b>1,273</b>	<b>30</b>

**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5940	5950	5960	5990	1
<b>Business</b>					2
1 Party	157	17	1,294	44	3
2 Party	0	0	0	0	4
4 Party	0	0	0	0	5
PBX Trunks/System Trunks	0	0	369	0	6
Centrex Trunks	0	0	0	0	7
Centrex Lines	0	0	262	0	8
Key System Trunks	18	3	489	2	9
Mobile (utility provided service)	0	0	0	0	10
Paging (utility provided service)	0	0	0	0	11
FX-Out (Switched)	0	0	4	1	12
Pay Telephone	0	0	131	1	13
Coin-Operated Pay Telephone	6	1	0	0	14
Independent Pay Telephone Provider	9	0	162	0	15
Pay Stations - Public	0	0	0	0	16
- Semi-Public	0	0	0	0	17
- Cust. Owned	0	0	0	0	18
Other	24	0	457	0	19
<b>Total Business Lines</b>	<b>214</b>	<b>21</b>	<b>3,168</b>	<b>48</b>	<b>20</b>
<b>Residential (Incl. Emp. Concess.)</b>					<b>21</b>
1 Party	1,070	144	5,457	578	22
2 Party	0	0	0	0	23
4 Party	0	0	0	0	24
FX-Out (Switched)	0	0	0	0	25
Other	0	0	0	0	26
<b>Total Residential Lines</b>	<b>1,070</b>	<b>144</b>	<b>5,457</b>	<b>578</b>	<b>27</b>
<b>Total Bus &amp; Res Lines</b>	<b>1,284</b>	<b>165</b>	<b>8,625</b>	<b>626</b>	<b>28</b>
Company Used Lines	25	14	112	20	29
<b>Total Lines Used</b>	<b>1,309</b>	<b>179</b>	<b>8,737</b>	<b>646</b>	<b>30</b>



**SERVICE DATA - END OF YEAR**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	9999				1
<b>Business</b>					2
1 Party	0				3
2 Party	0				4
4 Party	0				5
PBX Trunks/System Trunks	0				6
Centrex Trunks	0				7
Centrex Lines	0				8
Key System Trunks	0				9
Mobile (utility provided service)	0				10
Paging (utility provided service)	0				11
FX-Out (Switched)	0				12
Pay Telephone	0				13
Coin-Operated Pay Telephone	0				14
Independent Pay Telephone Provider	0				15
Pay Stations - Public	0				16
- Semi-Public	0				17
- Cust. Owned	0				18
Other	0				19
<b>Total Business Lines</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	20
<b>Residential (Incl. Emp. Concess.)</b>					21
1 Party	0				22
2 Party	0				23
4 Party	0				24
FX-Out (Switched)	0				25
Other	0				26
<b>Total Residential Lines</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	27
<b>Total Bus &amp; Res Lines</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	28
Company Used Lines	0				29
<b>Total Lines Used</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0020	0050	0070	0130	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	0	6	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	322	220	35	551	7
Special Access-interLATA					8
(equiv. access lines)	409	366	51	469	9
Feature Group A Lines	0	0	0	8	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	168	0	0	264	12
Feature Group D Trunks	72	0	0	138	13
TSPS - Trunks	13	0	0	12	14
EAS - Trunks	0	0	0	168	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	1	16
Video Distance Learning					17
- discounted (special tariff)	2	0	0	2	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	24,225,752	5,039,763	2,810,787	22,349,396	27
Exchange Square Miles	197	58	110	467	28
Exchange Route Miles	213	70	30	175	29
Footnotes	L				30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0160	0170	0190	0220	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	290	19	51	68	7
Special Access-interLATA					8
(equiv. access lines)	348		27	49	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	5,386,240	1,334,098	1,550,568	3,468,916	27
Exchange Square Miles	172	47	70	148	28
Exchange Route Miles	49	16	41	32	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0240	0280	0300	0310	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	53	63	132	110	7
Special Access-interLATA					8
(equiv. access lines)	146	26	102	2	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	51	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	3,752,864	3,175,876	1,770,741	3,115,573	27
Exchange Square Miles	182	42	16	113	28
Exchange Route Miles	42	14	42	11	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0340	0400	0410	0460	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	3,039	119	115	90	7
Special Access-interLATA					8
(equiv. access lines)	489	55	124	48	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	72	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	4,036,962	1,984,098	2,779,872	850,849	27
Exchange Square Miles	59	30	58	21	28
Exchange Route Miles	64	41	33	17	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	0500	0510	0520	0540	<b>1</b>
<b>Miscellaneous</b>					<b>2</b>
WATS Lines - OutWATS	0	0	2	3	<b>3</b>
WATS Lines - 800 Service	0	0	0	0	<b>4</b>
FX-In-intraLATA	0	0	0	0	<b>5</b>
Special Access-intraLATA					<b>6</b>
(equiv. access lines)	48	73	51	380	<b>7</b>
Special Access-interLATA					<b>8</b>
(equiv. access lines)	24	25	50	1,486	<b>9</b>
Feature Group A Lines	0	0	0	0	<b>10</b>
Feature Group B Trunks	0	0	0	0	<b>11</b>
Feature Group C Trunks	0	0	0	288	<b>12</b>
Feature Group D Trunks	0	0	0	192	<b>13</b>
TSPS - Trunks	0	0	0	24	<b>14</b>
EAS - Trunks	0	0	0	72	<b>15</b>
Cellular Trunks (Pub. Sw. Net.)	0	0	0	24	<b>16</b>
Video Distance Learning					<b>17</b>
- discounted (special tariff)	2	0	0	2	<b>18</b>
<b>Customers</b>					<b>19</b>
Business - 2 Party Customers	0	0	0	0	<b>20</b>
Business - 4 Party Customers	0	0	0	0	<b>21</b>
Residential - 2 Party Customers	0	0	0	0	<b>22</b>
Residential - 4 Party Customers	0	0	0	0	<b>23</b>
<b>Other</b>					<b>24</b>
Exchange C.O., Info. Orig./Term., & Cable					<b>25</b>
Wire Fac. Assets (based on physical					<b>26</b>
location of plant)	4,594,855	3,875,883	1,934,850	14,954,221	<b>27</b>
Exchange Square Miles	142	119	35	309	<b>28</b>
Exchange Route Miles	12	24	29	185	<b>29</b>
Footnotes					<b>30</b>

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0550	0570	0670	0710	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	37	6	40	9	7
Special Access-interLATA					8
(equiv. access lines)	25		3	24	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,717,118	697,086	2,478,908	1,052,949	27
Exchange Square Miles	68	24	50	38	28
Exchange Route Miles	50	8	33	32	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0720	0730	0740	0750	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	1	0	2	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	149	279	225	42	7
Special Access-interLATA					8
(equiv. access lines)	255	483	150	1	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	504	144	0	12
Feature Group D Trunks	0	384	0	0	13
TSPS - Trunks	0	24	7	0	14
EAS - Trunks	0	444	60	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,715,830	10,894,341	2,978,549	1,871,918	27
Exchange Square Miles	38	50	103	45	28
Exchange Route Miles	26	75	23	15	29
Footnotes					30



**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	0830	0880	0900	0930	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	51	150	129	78	7
Special Access-interLATA					8
(equiv. access lines)	48	108	77	25	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	264	0	12
Feature Group D Trunks	0	0	48	0	13
TSPS - Trunks	0	0	14	0	14
EAS - Trunks	0	0	264	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,945,579	3,533,459	6,848,206	3,559,233	27
Exchange Square Miles	102	48	77	62	28
Exchange Route Miles	26	25	50	23	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1010	1020	1030	1070	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	0	1	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	82	45	85	141	7
Special Access-interLATA					8
(equiv. access lines)	54	25		453	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	27	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,960,468	2,656,676	1,557,699	6,769,758	27
Exchange Square Miles	23	63	23	105	28
Exchange Route Miles	32	58	29	46	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1120	1140	1160	1170	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	2	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	23	168	16	51	7
Special Access-interLATA					8
(equiv. access lines)	24	83	2		9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	120	0	0	12
Feature Group D Trunks	0	24	0	0	13
TSPS - Trunks	0	8	0	0	14
EAS - Trunks	0	68	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	1	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,420,171	3,144,088	993,189	2,101,837	27
Exchange Square Miles	61	61	23	75	28
Exchange Route Miles	36	37	21	22	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	1190	1210	1280	1390	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	1	0	0	5	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	237	102	257	64	7
Special Access-interLATA					8
(equiv. access lines)	108	26	109	83	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	154	504	120	12
Feature Group D Trunks	0	48	144	24	13
TSPS - Trunks	0	12	10	8	14
EAS - Trunks	0	332	72	48	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	2	0	0	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	8,007,877	5,159,350	5,805,963	2,024,682	27
Exchange Square Miles	167	99	18	42	28
Exchange Route Miles	102	92	36	10	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1400	1410	1460	1500	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	2	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	146	98	280	8,049	7
Special Access-interLATA					8
(equiv. access lines)	133	224	392	2,504	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	61	11
Feature Group C Trunks	0	0	384	3,353	12
Feature Group D Trunks	0	0	120	2,346	13
TSPS - Trunks	0	0	16	117	14
EAS - Trunks	0	0	720	276	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	300	16
Video Distance Learning					17
- discounted (special tariff)	2	0	0	2	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	5,054,671	4,108,059	10,233,978	15,182,309	27
Exchange Square Miles	151	46	135	137	28
Exchange Route Miles	81	39	87	114	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1590	1610	1650	1660	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	1	0	8	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	519	17	83	92	7
Special Access-interLATA					8
(equiv. access lines)	260	1	30	25	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	336	0	0	0	12
Feature Group D Trunks	216	0	0	0	13
TSPS - Trunks	36	0	0	0	14
EAS - Trunks	48	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	20,626,578	2,026,336	2,318,865	4,012,742	27
Exchange Square Miles	270	81	56	76	28
Exchange Route Miles	277	31	26	37	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1670	1680	1720	1750	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	6	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	207	249	59	29	7
Special Access-interLATA					8
(equiv. access lines)	351	73	124	75	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	696	0	0	0	12
Feature Group D Trunks	48	0	0	0	13
TSPS - Trunks	16	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	1	0	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	9,589,363	4,305,113	2,387,119	2,814,152	27
Exchange Square Miles	94	40	40	51	28
Exchange Route Miles	32	30	39	36	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1770	1800	1830	1840	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	72	39	16	58	7
Special Access-interLATA					8
(equiv. access lines)	48	27		25	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	119	0	0	0	12
Feature Group D Trunks	48	0	0	0	13
TSPS - Trunks	9	0	0	0	14
EAS - Trunks	72	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,449,940	2,514,365	1,384,459	3,029,579	27
Exchange Square Miles	59	84	111	109	28
Exchange Route Miles	52	36	43	31	29
Footnotes					30



**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	1930	1980	2030	2080	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	1	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	67	148	72	147	7
Special Access-interLATA					8
(equiv. access lines)	52	150	27	31	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	144	96	12
Feature Group D Trunks	0	0	24	0	13
TSPS - Trunks	0	0	8	7	14
EAS - Trunks	0	0	72	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	3,199,969	3,241,383	4,549,769	4,695,528	27
Exchange Square Miles	114	72	84	107	28
Exchange Route Miles	54	60	40	29	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2090	2150	2170	2280	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	11	15	82	40	7
Special Access-interLATA					8
(equiv. access lines)	119	24	97		9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,953,514	669,495	1,899,952	6,692,275	27
Exchange Square Miles	229	30	40	135	28
Exchange Route Miles	36	26	40	80	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2310	2360	2380	2400	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	9	1	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	184	44	25	27	7
Special Access-interLATA					8
(equiv. access lines)	425	27			9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	432	0	0	0	12
Feature Group D Trunks	120	0	0	0	13
TSPS - Trunks	38	0	0	0	14
EAS - Trunks	48	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	2	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	14,736,609	1,837,240	1,400,846	1,184,584	27
Exchange Square Miles	270	47	44	53	28
Exchange Route Miles	184	15	28	15	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2410	2490	2530	2550	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	2	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	114	183	17	20	7
Special Access-interLATA					8
(equiv. access lines)	294	53		24	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	288	0	0	0	12
Feature Group D Trunks	216	0	0	0	13
TSPS - Trunks	22	0	0	0	14
EAS - Trunks	1,008	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	1	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	11,126,985	3,019,646	1,402,227	1,570,814	27
Exchange Square Miles	74	32	52	23	28
Exchange Route Miles	53	36	4	9	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2590	2700	2720	2730	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	2	5	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	44	299	178	43	7
Special Access-interLATA					8
(equiv. access lines)	1	150	106	1	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,724,581	5,191,057	6,272,822	2,784,688	27
Exchange Square Miles	38	62	72	97	28
Exchange Route Miles	17	61	28	25	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	2740	2760	2810	2840	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	1	2	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	44	131	313	116	7
Special Access-interLATA					8
(equiv. access lines)		111	486	75	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	240	144	12
Feature Group D Trunks	0	0	96	24	13
TSPS - Trunks	0	0	18	13	14
EAS - Trunks	0	0	96	88	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	1	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,056,727	11,344,536	6,461,194	10,415,031	27
Exchange Square Miles	38	140	64	315	28
Exchange Route Miles	17	40	56	137	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2860	2870	2910	2950	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	50	196	22	34	7
Special Access-interLATA					8
(equiv. access lines)	1	56		24	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	96	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	17	0	0	14
EAS - Trunks	0	64	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	3	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	3,818,488	5,847,101	1,380,395	1,126,521	27
Exchange Square Miles	101	417	28	65	28
Exchange Route Miles	39	132	38	17	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	2990	3000	3010	3020	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	1	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	138	32	97	34	7
Special Access-interLATA					8
(equiv. access lines)	58	2	221	30	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	6,233,204	1,338,881	3,318,097	3,286,155	27
Exchange Square Miles	83	51	31	88	28
Exchange Route Miles	30	34	48	29	29
Footnotes					30



**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	3040	3060	3070	3090	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	1	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	69	172	46	28	7
Special Access-interLATA					8
(equiv. access lines)	49	25	49	1	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,415,509	3,546,602	1,527,226	1,849,643	27
Exchange Square Miles	91	80	56	60	28
Exchange Route Miles	31	22	30	10	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3140	3150	3190	3200	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	1	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	147	122	161	51	7
Special Access-interLATA					8
(equiv. access lines)	27	103	104	53	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	120	0	12
Feature Group D Trunks	0	0	48	0	13
TSPS - Trunks	0	0	9	0	14
EAS - Trunks	0	0	24	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	3	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	5,409,648	3,986,401	5,810,525	3,194,787	27
Exchange Square Miles	68	88	103	47	28
Exchange Route Miles	52	17	40	20	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3210	3230	3240	3270	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	23	0	1	3	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	1,604	18	322	390	7
Special Access-interLATA					8
(equiv. access lines)	1,762	1	353	353	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	528	0	191	288	12
Feature Group D Trunks	480	0	144	96	13
TSPS - Trunks	16	0	20	10	14
EAS - Trunks	504	0	166	216	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	3	0	4	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	28,099,212	1,135,851	10,568,469	6,740,703	27
Exchange Square Miles	162	47	151	29	28
Exchange Route Miles	258	17	158	38	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3290	3300	3340	3350	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	5	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	34	38	461	47	7
Special Access-interLATA					8
(equiv. access lines)	4	25	1,138	72	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	408	0	12
Feature Group D Trunks	0	0	96	0	13
TSPS - Trunks	0	0	30	0	14
EAS - Trunks	0	0	132	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,115,645	2,365,600	21,103,684	2,533,237	27
Exchange Square Miles	391	84	515	96	28
Exchange Route Miles	52	35	120	24	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3360	3430	3440	3450	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	0	4	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	60	19	382	579	7
Special Access-interLATA					8
(equiv. access lines)	169	24	124	366	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	312	12
Feature Group D Trunks	0	0	0	240	13
TSPS - Trunks	0	0	0	24	14
EAS - Trunks	0	0	0	72	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	1	16
Video Distance Learning					17
- discounted (special tariff)	0	0	3	4	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,539,447	1,817,771	4,160,663	23,002,548	27
Exchange Square Miles	27	76	120	251	28
Exchange Route Miles	31	21	27	195	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3470	3500	3510	3520	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	2	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA (equiv. access lines)	96	17	67	98	6
Special Access-interLATA (equiv. access lines)	61	2	178	1	7
Feature Group A Lines	0	0	0	0	8
Feature Group B Trunks	0	0	0	0	9
Feature Group C Trunks	0	0	0	0	10
Feature Group D Trunks	0	0	0	0	11
TSPS - Trunks	0	0	0	0	12
EAS - Trunks	0	0	0	0	13
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	14
Video Distance Learning - discounted (special tariff)	0	0	0	5	15
<b>Customers</b>					16
Business - 2 Party Customers	0	0	0	0	17
Business - 4 Party Customers	0	0	0	0	18
Residential - 2 Party Customers	0	0	0	0	19
Residential - 4 Party Customers	0	0	0	0	20
<b>Other</b>					21
Exchange C.O., Info. Orig./Term., & Cable					22
Wire Fac. Assets (based on physical location of plant)	5,441,060	8,625,685	8,129,890	4,017,367	23
Exchange Square Miles	61	133	110	168	24
Exchange Route Miles	42	21	62	43	25
Footnotes					26

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3550	3610	3710	3750	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	42	121	38	136	7
Special Access-interLATA					8
(equiv. access lines)	1	76	120	100	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	2	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,655,807	2,186,563	2,404,982	4,138,316	27
Exchange Square Miles	23	89	41	59	28
Exchange Route Miles	20	19	16	44	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	3770	3840	3900	3990	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	249	15	133	37	7
Special Access-interLATA					8
(equiv. access lines)	119		175	50	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	168	0	12
Feature Group D Trunks	0	0	48	0	13
TSPS - Trunks	0	0	7	0	14
EAS - Trunks	0	0	504	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	4,033,163	1,341,275	7,080,890	3,368,694	27
Exchange Square Miles	36	36	77	43	28
Exchange Route Miles	23	11	47	41	29
Footnotes					30



**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4000	4010	4040	4050	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	1	1	2	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	285	77	197	91	7
Special Access-interLATA					8
(equiv. access lines)	280	26	251	79	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	480	72	456	0	12
Feature Group D Trunks	144	0	120	0	13
TSPS - Trunks	12	6	23	0	14
EAS - Trunks	384	204	12	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	11,296,536	5,128,853	7,147,036	2,880,597	27
Exchange Square Miles	55	78	114	139	28
Exchange Route Miles	47	28	114	43	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4090	4100	4140	4170	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	3	1	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	70	328	20	56	7
Special Access-interLATA					8
(equiv. access lines)	79	158	2	48	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	240	0	0	12
Feature Group D Trunks	0	144	0	0	13
TSPS - Trunks	0	20	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	0	3	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	4,420,226	9,386,809	2,060,410	3,157,462	27
Exchange Square Miles	95	508	65	187	28
Exchange Route Miles	28	61	43	71	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4190	4200	4230	4270	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	1	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	18	54	115	31	7
Special Access-interLATA					8
(equiv. access lines)	1	31	50	1	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	3,005,851	1,643,411	1,643,590	1,994,867	27
Exchange Square Miles	177	50	61	73	28
Exchange Route Miles	30	14	48	49	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4280	4310	4380	4410	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	3	2	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	833	5,960	362	70	7
Special Access-interLATA					8
(equiv. access lines)	846	1,801	545	103	9
Feature Group A Lines	0	0	0	2	10
Feature Group B Trunks	31	0	0	0	11
Feature Group C Trunks	1,584	468	264	120	12
Feature Group D Trunks	1,742	312	96	72	13
TSPS - Trunks	24	23	39	9	14
EAS - Trunks	335	24	48	168	15
Cellular Trunks (Pub. Sw. Net.)	67	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	5	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	17,005,080	19,894,400	6,711,511	6,441,667	27
Exchange Square Miles	58	157	70	39	28
Exchange Route Miles	167	199	70	39	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4480	4520	4530	4570	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	3	2	0	9	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	123	333	36	1,184	7
Special Access-interLATA					8
(equiv. access lines)	152	242	50	1,378	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	17	11
Feature Group C Trunks	336	360	0	1,968	12
Feature Group D Trunks	120	96	0	2,183	13
TSPS - Trunks	20	13	0	32	14
EAS - Trunks	696	30	0	504	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	88	16
Video Distance Learning					17
- discounted (special tariff)	0	1	0	12	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	8,554,293	10,933,469	1,583,700	25,025,376	27
Exchange Square Miles	73	137	24	197	28
Exchange Route Miles	109	128	21	294	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4580	4610	4670	4710	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	1	0	1	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	227	57	64	20	7
Special Access-interLATA					8
(equiv. access lines)	464	49	78	1	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	360	0	0	0	12
Feature Group D Trunks	72	0	0	0	13
TSPS - Trunks	19	0	0	0	14
EAS - Trunks	156	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	1	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	8,659,110	2,789,436	2,624,973	956,317	27
Exchange Square Miles	165	93	56	21	28
Exchange Route Miles	82	38	39	16	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	4720	4740	4770	4780	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	8	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	216	38	493	44	7
Special Access-interLATA					8
(equiv. access lines)	163	99	360		9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	408	0	12
Feature Group D Trunks	0	0	144	0	13
TSPS - Trunks	0	0	17	0	14
EAS - Trunks	126	0	201	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	6,056,239	2,607,127	11,129,353	4,949,249	27
Exchange Square Miles	74	12	114	104	28
Exchange Route Miles	73	25	113	37	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	4800	4810	4890	4900	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	30	302	27	55	7
Special Access-interLATA					8
(equiv. access lines)	24	197	49	5	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	408	0	0	12
Feature Group D Trunks	0	72	0	0	13
TSPS - Trunks	0	12	0	0	14
EAS - Trunks	0	384	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	0	2	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,956,913	8,369,071	1,614,273	2,403,951	27
Exchange Square Miles	104	117	43	83	28
Exchange Route Miles	43	54	12	11	29
Footnotes					30



**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

<b>Item (a)</b>	<b>Exchange (b)</b>	<b>Exchange (c)</b>	<b>Exchange (d)</b>	<b>Exchange (e)</b>	
PSCW Exchange ID	4910	4930	4940	5010	<b>1</b>
<b>Miscellaneous</b>					<b>2</b>
WATS Lines - OutWATS	0	2	2	0	<b>3</b>
WATS Lines - 800 Service	0	0	0	0	<b>4</b>
FX-In-intraLATA	0	0	0	0	<b>5</b>
Special Access-intraLATA					<b>6</b>
(equiv. access lines)	62	237	433	84	<b>7</b>
Special Access-interLATA					<b>8</b>
(equiv. access lines)	50	155	328	126	<b>9</b>
Feature Group A Lines	0	0	0	0	<b>10</b>
Feature Group B Trunks	0	0	0	0	<b>11</b>
Feature Group C Trunks	0	360	623	0	<b>12</b>
Feature Group D Trunks	0	168	336	0	<b>13</b>
TSPS - Trunks	0	24	20	0	<b>14</b>
EAS - Trunks	0	0	792	0	<b>15</b>
Cellular Trunks (Pub. Sw. Net.)	0	2	0	0	<b>16</b>
Video Distance Learning					<b>17</b>
- discounted (special tariff)	0	0	0	1	<b>18</b>
<b>Customers</b>					<b>19</b>
Business - 2 Party Customers	0	0	0	0	<b>20</b>
Business - 4 Party Customers	0	0	0	0	<b>21</b>
Residential - 2 Party Customers	0	0	0	0	<b>22</b>
Residential - 4 Party Customers	0	0	0	0	<b>23</b>
<b>Other</b>					<b>24</b>
Exchange C.O., Info. Orig./Term., & Cable					<b>25</b>
Wire Fac. Assets (based on physical					<b>26</b>
location of plant)	2,268,309	8,442,102	11,410,821	2,096,802	<b>27</b>
Exchange Square Miles	6	66	42	61	<b>28</b>
Exchange Route Miles	24	48	115	56	<b>29</b>
Footnotes					<b>30</b>

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5020	5050	5060	5180	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	2	0	1	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	73	7	1,651	40	7
Special Access-interLATA					8
(equiv. access lines)			103	4	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	168	0	12
Feature Group D Trunks	0	0	96	0	13
TSPS - Trunks	0	0	13	0	14
EAS - Trunks	0	0	51	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	6,517,601	1,315,209	11,706,800	3,676,200	27
Exchange Square Miles	282	72	98	138	28
Exchange Route Miles	47	21	83	33	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5200	5250	5270	5290	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	2	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	104	2,602	84	22	7
Special Access-interLATA					8
(equiv. access lines)	27	2,095	74		9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	738	0	0	12
Feature Group D Trunks	0	457	0	0	13
TSPS - Trunks	0	138	0	0	14
EAS - Trunks	0	1,584	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	1	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	2,667,857	36,814,204	3,439,199	1,775,001	27
Exchange Square Miles	91	82	136	53	28
Exchange Route Miles	20	152	9	41	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5300	5330	5370	5390	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	1	2	1	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	26	61	468	31	7
Special Access-interLATA					8
(equiv. access lines)	1	74	300	1	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	192	0	12
Feature Group D Trunks	0	0	96	0	13
TSPS - Trunks	0	0	36	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	2	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,474,635	3,904,468	17,623,624	1,542,453	27
Exchange Square Miles	31	180	453	32	28
Exchange Route Miles	21	40	164	10	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5400	5440	5450	5540	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	1	1	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	55	150	309	71	7
Special Access-interLATA					8
(equiv. access lines)	770	80	342	5	9
Feature Group A Lines	0	0	2	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	240	0	12
Feature Group D Trunks	0	0	120	0	13
TSPS - Trunks	0	0	18	0	14
EAS - Trunks	0	0	600	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	0	0	2	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	3,924,332	3,365,360	11,073,017	3,101,893	27
Exchange Square Miles	16	12	26	161	28
Exchange Route Miles	30	12	85	38	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5560	5600	5620	5640	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	1	0	0	1	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	194	25	255	153	7
Special Access-interLATA					8
(equiv. access lines)	384	48	451	76	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	192	0	0	0	12
Feature Group D Trunks	96	0	0	0	13
TSPS - Trunks	12	0	0	0	14
EAS - Trunks	282	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	1	0	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	7,911,973	2,060,106	3,379,428	5,641,594	27
Exchange Square Miles	51	24	68	61	28
Exchange Route Miles	44	1	39	57	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5700	5720	5730	5790	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	36	0	0	1	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	8,764	398	19	117	7
Special Access-interLATA					8
(equiv. access lines)	15,151	312	2	175	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	87	0	0	0	11
Feature Group C Trunks	6,000	168	0	0	12
Feature Group D Trunks	4,008	72	0	0	13
TSPS - Trunks	214	13	0	0	14
EAS - Trunks	720	96	0	0	15
Cellular Trunks (Pub. Sw. Net.)	543	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	5	0	0	1	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	92,050,920	8,523,885	1,363,068	5,421,770	27
Exchange Square Miles	320	133	49	137	28
Exchange Route Miles	631	99	23	83	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5840	5850	5860	5870	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	0	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	20	62	70	55	7
Special Access-interLATA					8
(equiv. access lines)	2	136	27	24	9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	0	0	12
Feature Group D Trunks	0	0	0	0	13
TSPS - Trunks	0	0	0	0	14
EAS - Trunks	0	0	0	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	0	0	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	1,464,535	2,352,150	2,279,990	3,021,855	27
Exchange Square Miles	59	38	91	43	28
Exchange Route Miles	32	49	30	24	29
Footnotes					30



**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	5940	5950	5960	5990	1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0	0	2	0	3
WATS Lines - 800 Service	0	0	0	0	4
FX-In-intraLATA	0	0	0	0	5
Special Access-intraLATA					6
(equiv. access lines)	746	12	532	28	7
Special Access-interLATA					8
(equiv. access lines)	24		375		9
Feature Group A Lines	0	0	0	0	10
Feature Group B Trunks	0	0	0	0	11
Feature Group C Trunks	0	0	336	0	12
Feature Group D Trunks	0	0	216	0	13
TSPS - Trunks	0	0	30	0	14
EAS - Trunks	0	0	48	0	15
Cellular Trunks (Pub. Sw. Net.)	0	0	0	0	16
Video Distance Learning					17
- discounted (special tariff)	1	2	1	0	18
<b>Customers</b>					19
Business - 2 Party Customers	0	0	0	0	20
Business - 4 Party Customers	0	0	0	0	21
Residential - 2 Party Customers	0	0	0	0	22
Residential - 4 Party Customers	0	0	0	0	23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	6,248,461	623,885	17,104,322	1,961,503	27
Exchange Square Miles	366	18	154	86	28
Exchange Route Miles	42	19	124	32	29
Footnotes					30

**SERVICE DATA - END OF YEAR (cont.)**

Access Line--Central office line equipment, or equivalent, and all outside plant facilities, or equivalent, required to connect the serving central office with the customer premises via physical connection, frequency, and/or time slot. From an engineering perspective, a channel connection is at a DS0 level. A DS0 level is a 4 KHz voice or 64 Kilobits/second. Customer--A person who uses a telephone as a subscriber.

Item (a)	Exchange (b)	Exchange (c)	Exchange (d)	Exchange (e)	
PSCW Exchange ID	9999				1
<b>Miscellaneous</b>					2
WATS Lines - OutWATS	0				3
WATS Lines - 800 Service	0				4
FX-In-intraLATA	0				5
Special Access-intraLATA					6
(equiv. access lines)	0				7
Special Access-interLATA					8
(equiv. access lines)					9
Feature Group A Lines	0				10
Feature Group B Trunks	0				11
Feature Group C Trunks	0				12
Feature Group D Trunks	0				13
TSPS - Trunks	0				14
EAS - Trunks	0				15
Cellular Trunks (Pub. Sw. Net.)	0				16
Video Distance Learning					17
- discounted (special tariff)	0				18
<b>Customers</b>					19
Business - 2 Party Customers	0				20
Business - 4 Party Customers	0				21
Residential - 2 Party Customers	0				22
Residential - 4 Party Customers	0				23
<b>Other</b>					24
Exchange C.O., Info. Orig./Term., & Cable					25
Wire Fac. Assets (based on physical					26
location of plant)	5,060,926				27
Exchange Square Miles	1				28
Exchange Route Miles	1				29
Footnotes	J				30

**MANUFACTURER ABBREVIATIONS**

Use these abbreviations when completing the central office data schedule.

<b>Manufacturer Name (a)</b>	<b>Abbreviation (b)</b>	
Alcatel	AL	<b>1</b>
ATTC	ATT	<b>2</b>
GTE	GTE	<b>3</b>
ITT	ITT	<b>4</b>
Lucent	ATT/LUC	<b>5</b>
Nippon Electric	NEC	<b>6</b>
Northern Telecom	NTI	<b>7</b>
Siemens	SI	<b>8</b>
Stromberg-Carlson	SC	<b>9</b>
VIDAR	VI	<b>10</b>
RELTEC	REL	<b>11 R</b>

**EQUIPMENT ABBREVIATIONS**

Use these abbreviations when completing the central office data schedule.

<b>Equipment Type (a)</b>	<b>Abbreviation (b)</b>	
Electromechanical	EM	<b>1</b>
Electronic--Analog	A	<b>2</b>
Electronic--Digital	D	<b>3</b>
Electronic--Video	V	<b>4</b>

**MANUFACTURER ABBREVIATIONS**

Use these abbreviations when completing the central office data schedule.

<b>Manufacturer Name (a)</b>	<b>Abbreviation (b)</b>	
Alcatel	AL	<b>1</b>
ATTC	ATT	<b>2</b>
GTE	GTE	<b>3</b>
ITT	ITT	<b>4</b>
Lucent	ATT/LUC	<b>5</b>
Nippon Electric	NEC	<b>6</b>
Northern Telecom	NTI	<b>7</b>
Siemens	SI	<b>8</b>
Stromberg-Carlson	SC	<b>9</b>
VIDAR	VI	<b>10</b>
RELTEC	REL	<b>11 R</b>

**EQUIPMENT ABBREVIATIONS**

Use these abbreviations when completing the central office data schedule.

<b>Equipment Type (a)</b>	<b>Abbreviation (b)</b>	
Electromechanical	EM	<b>1</b>
Electronic--Analog	A	<b>2</b>
Electronic--Digital	D	<b>3</b>
Electronic--Video	V	<b>4</b>

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	ADAMS	ALLENTON	ALMA CENTER	ANTIGO	<b>1</b>
PSCW Exchange ID	0020	0050	0070	0130	<b>2</b>
Central Office Name	ADAMS	ALLENTON	ALMA CENTER	ANTIGO	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	VI	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1981	1993	1983	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	R	R	H	<b>8</b>
Remote Host PSCW Exchange ID		4940	0540		<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	0	<b>10</b>
COE Generic Software Release No.	8.1	4002	4002	4002	<b>11</b>
SS7?	No	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	No	Yes	<b>13</b>
Access Lines - In Use	5,406	2,429	877	8,885	<b>14</b>
- Equipped	5,926	2,914	1,008	10,099	<b>15</b>
- Wired	7,056	3,456	1,632	10,752	<b>16</b>
Trunks - In Use	76	14	4	78	<b>17</b>
- Equipped	80	24	12	96	<b>18</b>
- Wired	80	24	12	96	<b>19</b>
ISDN Available?	No	No	No	Yes	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	Yes	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	53	31	12	129	<b>25</b>
DS-3 - In Use	3	0	0	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	2	0	0	2	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	60	36	24	132	<b>33</b>
No. of fiber strands working (LIT) in C.O.	18	8	4	26	<b>34</b>
No. of fiber strands for interoffice use	16	12	12	28	<b>35</b>
Miles of fiber sheath in wire center	28	18	9	74	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	DODGEVILLE	MILWAUKEE	EAU CLAIRE	WAUSAU	<b>37</b>
- PSCW C.O. ID	1500-01	3420-01	1630-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	ARCADIA	ARENA	ARGYLE	ATHENS	<b>1</b>
PSCW Exchange ID	0160	0170	0190	0220	<b>2</b>
Central Office Name	ARCADIA	ARENA	ARGYLE	ATHENS	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	VI	GTE	GTE	<b>5</b>
Year COE Installed	1986	1981	1996	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	2410	5060	1500	5700	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	8.1	4002	4002	<b>11</b>
SS7?	Yes	No	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,359	739	854	1,568	<b>14</b>
- Equipped	3,030	822	976	1,768	<b>15</b>
- Wired	3,744	1,008	1,440	2,496	<b>16</b>
Trunks - In Use	15	6	3	10	<b>17</b>
- Equipped	16	6	8	12	<b>18</b>
- Wired	16	6	8	12	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	40	0	1	9	<b>25</b>
DS-3 - In Use	0	0	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	12	24	40	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	4	4	8	<b>34</b>
No. of fiber strands for interoffice use	16	8	4	12	<b>35</b>
Miles of fiber sheath in wire center	11	4	7	29	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	LACROSSE	DODGEVILLE	DODGEVILLE	WAUSAU	<b>37</b>
- PSCW C.O. ID	2770-03	1500-01	1500-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	AUGUSTA	BAILEYS HARBO	BALSAM LAKE	BANGOR	<b>1</b>
PSCW Exchange ID	0240	0280	0300	0310	<b>2</b>
Central Office Name	AUGUSTA	BAILEYS HARBOR	BALSAM LAKE	BANGOR	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1985	1986	1988	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4040	4930	4570	2410	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,693	1,446	1,100	1,659	<b>14</b>
- Equipped	1,868	1,692	1,278	1,830	<b>15</b>
- Wired	2,592	1,824	1,440	1,920	<b>16</b>
Trunks - In Use	10	9	7	6	<b>17</b>
- Equipped	12	16	12	8	<b>18</b>
- Wired	12	16	12	8	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	9	13	17	13	<b>25</b>
DS-3 - In Use	2	0	0	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	52	12	16	28	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	12	4	8	<b>34</b>
No. of fiber strands for interoffice use	8	12	8	8	<b>35</b>
Miles of fiber sheath in wire center	15	14	5	13	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	EAU CLAIRE	GREEN BAY	RICE LAKE	LACROSSE	<b>37</b>
- PSCW C.O. ID	1630-01	2160-01	4570-01	2770-03	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	BARRON	BELGIUM	BELLEVILLE	BENTON	<b>1</b>
PSCW Exchange ID	0340	0400	0410	0460	<b>2</b>
Central Office Name	BARRON	BELGIUM	BELLEVILLE	BENTON	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1988	1987	1995	1989	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4570	4480	4000	1500	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	715	1,406	1,983	626	<b>14</b>
- Equipped	3,006	1,614	2,344	662	<b>15</b>
- Wired	3,072	2,208	2,400	672	<b>16</b>
Trunks - In Use	9	8	8	3	<b>17</b>
- Equipped	12	8	8	4	<b>18</b>
- Wired	12	8	8	4	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	37	13	8	5	<b>25</b>
DS-3 - In Use	1	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	16	24	8	4	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	4	4	4	<b>34</b>
No. of fiber strands for interoffice use	8	8	8	4	<b>35</b>
Miles of fiber sheath in wire center	13	5	5	4	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	PLYMOUTH	MADISON	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	4570-01	4280-01	3080-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.



**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	BIRCHWOOD	BIRNAMWOOD	BLACK CREEK	BLACK RIVER FALLS	<b>1</b>
PSCW Exchange ID	0500	0510	0520	0540	<b>2</b>
Central Office Name	BIRCHWOOD	BIRNAMWOOD	BLACK CREEK	BLACK RIVER FALLS	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1985	1986	1996	1983	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	H	<b>8</b>
Remote Host PSCW Exchange ID	4570	5700	4810		<b>9</b>
Remote Host PSCW Central Office ID	1	3	1	0	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	No	<b>13</b>
Access Lines - In Use	1,873	1,547	1,086	5,510	<b>14</b>
- Equipped	2,288	1,974	1,404	6,439	<b>15</b>
- Wired	2,496	2,304	1,440	6,816	<b>16</b>
Trunks - In Use	12	12	6	91	<b>17</b>
- Equipped	16	12	8	96	<b>18</b>
- Wired	16	12	8	96	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	Yes	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	38	0	7	104	<b>25</b>
DS-3 - In Use	2	0	0	6	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	Yes	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	Yes	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	2	0	0	2	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	56	48	36	80	<b>33</b>
No. of fiber strands working (LIT) in C.O.	24	8	8	20	<b>34</b>
No. of fiber strands for interoffice use	32	8	16	24	<b>35</b>
Miles of fiber sheath in wire center	44	19	7	121	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	WAUSAU	APPLETON	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	4570-01	5700-01	0150-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	BLAIR	BLOOM CITY	BOYCEVILLE	BRIGGSVILLE	<b>1</b>
PSCW Exchange ID	0550	0570	0670	0710	<b>2</b>
Central Office Name	BLAIR	BLOOM CITY	BOYCEVILLE	BRIGGSVILLE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	GTE	<b>5</b>
Year COE Installed	1995	1990	1981	1995	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	2410	4580	1210	5940	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	4002	<b>11</b>
SS7?	Yes	Yes	No	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,023	167	1,260	606	<b>14</b>
- Equipped	1,404	184	1,397	1,404	<b>15</b>
- Wired	1,440	192	1,680	1,440	<b>16</b>
Trunks - In Use	5	2	10	4	<b>17</b>
- Equipped	8	2	10	8	<b>18</b>
- Wired	8	2	10	8	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	1	0	3	0	<b>25</b>
DS-3 - In Use	0	0	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	68	8	40	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	4	24	8	<b>34</b>
No. of fiber strands for interoffice use	60	8	28	20	<b>35</b>
Miles of fiber sheath in wire center	17	5	12	11	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	LACROSSE	DODGEVILLE	EAU CLAIRE	MADISON	<b>37</b>
- PSCW C.O. ID	2770-03	1500-01	1630-01	3080-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	BRILLION	BRISTOL	BRODHEAD	BROOKLYN	<b>1</b>
PSCW Exchange ID	0720	0730	0740	0750	<b>2</b>
Central Office Name	BRILLION	BRISTOL	BRODHEAD	BROOKLYN	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	NTI	GTE	<b>5</b>
Year COE Installed	1990	1986	1995	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4280		4010	4000	<b>9</b>
Remote Host PSCW Central Office ID	1	0	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	BCS410.10	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,011	4,292	2,943	1,239	<b>14</b>
- Equipped	2,274	6,226	3,135	1,536	<b>15</b>
- Wired	2,976	7,680	3,840	1,824	<b>16</b>
Trunks - In Use	7	158	17	11	<b>17</b>
- Equipped	8	184	32	12	<b>18</b>
- Wired	8	184	32	12	<b>19</b>
ISDN Available?	No	Yes	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	21	79	15	0	<b>25</b>
DS-3 - In Use	0	2	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	16	4	4	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	16	4	4	<b>34</b>
No. of fiber strands for interoffice use	20	12	4	4	<b>35</b>
Miles of fiber sheath in wire center	9	18	6	1	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	MILWAUKEE	MADISON	MADISON	<b>37</b>
- PSCW C.O. ID	4280-01	3420-01	3080-01	3080-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	BUTTERNUT	CAMBRIDGE	CAMPBELLSPORT	CASCADE	<b>1</b>
PSCW Exchange ID	0830	0880	0900	0930	<b>2</b>
Central Office Name	BUTTERNUT	CAMBRIDGE	CAMPBELLSPORT	CASCADE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	GTE	<b>5</b>
Year COE Installed	1984	1988	1981	1995	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	R	<b>8</b>
Remote Host PSCW Exchange ID	4100	1280		4280	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	4002	<b>11</b>
SS7?	Yes	Yes	No	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	689	2,728	3,085	1,561	<b>14</b>
- Equipped	720	3,082	3,357	2,440	<b>15</b>
- Wired	1,440	3,744	3,372	2,496	<b>16</b>
Trunks - In Use	3	10	81	11	<b>17</b>
- Equipped	4	20	96	16	<b>18</b>
- Wired	4	20	96	16	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	4	19	7	0	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	Yes	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	Yes	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	72	24	60	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	18	4	8	4	<b>34</b>
No. of fiber strands for interoffice use	16	8	16	16	<b>35</b>
Miles of fiber sheath in wire center	9	3	8	9	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	MADISON	MILWAUKEE	PLYMOUTH	<b>37</b>
- PSCW C.O. ID	4570-01	3080-01	3420-01	4280-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	CEDAR GROVE	CENTERVILLE	CENTURIA	CHILTON	<b>1</b>
PSCW Exchange ID	1010	1020	1030	1070	<b>2</b>
Central Office Name	CEDAR GROVE	CENTERVILLE	CENTURIA	CHILTON	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1995	1986	1993	1985	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4480	2410	4570	4280	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,463	532	792	3,864	<b>14</b>
- Equipped	2,152	590	946	4,072	<b>15</b>
- Wired	2,208	768	1,440	4,704	<b>16</b>
Trunks - In Use	6	6	6	20	<b>17</b>
- Equipped	8	8	16	24	<b>18</b>
- Wired	8	8	16	24	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	Yes	Yes	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	9	0	4	35	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	68	24	28	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	20	10	8	<b>34</b>
No. of fiber strands for interoffice use	16	32	20	8	<b>35</b>
Miles of fiber sheath in wire center	11	13	6	12	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	LACROSSE	RICE LAKE	PLYMOUTH	<b>37</b>
- PSCW C.O. ID	4280-01	2770-03	4570-01	4280-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	CLEGHORN	CLINTON	CLYMAN	COBB	<b>1</b>
PSCW Exchange ID	1120	1140	1160	1170	<b>2</b>
Central Office Name	CLEGHORN	CLINTON	CLYMAN	COBB	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	NTI	ATT	GTE	<b>5</b>
Year COE Installed	1994	1994	1997	1989	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	S	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4040		4940	1500	<b>9</b>
Remote Host PSCW Central Office ID	1	0	1	1	<b>10</b>
COE Generic Software Release No.	4002	BCS410.10	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,153	1,893	445	914	<b>14</b>
- Equipped	1,404	2,102	569	1,024	<b>15</b>
- Wired	1,440	2,560	576	1,056	<b>16</b>
Trunks - In Use	7	17	6	10	<b>17</b>
- Equipped	8	18	6	12	<b>18</b>
- Wired	8	18	6	12	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	3	8	0	0	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	1	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	48	12	24	28	<b>33</b>
No. of fiber strands working (LIT) in C.O.	12	4	8	12	<b>34</b>
No. of fiber strands for interoffice use	28	12	24	24	<b>35</b>
Miles of fiber sheath in wire center	14	6	9	18	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	EAU CLAIRE	MADISON	MILWAUKEE	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	1630-01	3080-01	3420-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	COLBY	COLFAX COTTAGE GROVE		DARIEN	<b>1</b>
PSCW Exchange ID	1190	1210	1280	1390	<b>2</b>
Central Office Name	COLBY	COLFAX COTTAGE GROVE		DARIEN	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	VI	GTE	NTI	<b>5</b>
Year COE Installed	1986	1981	1987	1994	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	H	S	<b>8</b>
Remote Host PSCW Exchange ID	3210				<b>9</b>
Remote Host PSCW Central Office ID	1	0	0	0	<b>10</b>
COE Generic Software Release No.	4002	8.1	4002	BCS 410.10	<b>11</b>
SS7?	Yes	No	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	4,137	1,696	3,399	1,348	<b>14</b>
- Equipped	4,514	1,794	3,928	1,583	<b>15</b>
- Wired	5,376	2,016	4,608	1,920	<b>16</b>
Trunks - In Use	16	69	53	14	<b>17</b>
- Equipped	20	80	64	18	<b>18</b>
- Wired	20	80	64	32	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	44	25	8	7	<b>25</b>
DS-3 - In Use	3	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	No	Yes	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	No	Yes	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	2	0	0	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	88	44	48	36	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	28	10	8	<b>34</b>
No. of fiber strands for interoffice use	24	28	32	24	<b>35</b>
Miles of fiber sheath in wire center	51	24	7	4	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	EAU CLAIRE	MADISON	MILWAUKEE	<b>37</b>
- PSCW C.O. ID	5700-01	1630-01	3080-01	3420-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	DARLINGTON	DEERFIELD	DENMARK	DODGEVILLE	<b>1</b>
PSCW Exchange ID	1400	1410	1460	1500	<b>2</b>
Central Office Name	DARLINGTON	DEERFIELD	DENMARK	DODGEVILLE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1989	1994	1988	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	H	<b>8</b>
Remote Host PSCW Exchange ID	1500	1280			<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	0	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,364	1,897	4,249	4,166	<b>14</b>
- Equipped	2,630	2,134	5,065	4,956	<b>15</b>
- Wired	3,072	2,208	5,472	5,472	<b>16</b>
Trunks - In Use	9	9	131	365	<b>17</b>
- Equipped	12	16	176	376	<b>18</b>
- Wired	12	16	176	376	<b>19</b>
ISDN Available?	No	No	Yes	Yes	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	3	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	17	2	54	30	<b>25</b>
DS-3 - In Use	0	0	4	2	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	Yes	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	Yes	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	2	0	0	2	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	44	60	16	32	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	8	16	24	<b>34</b>
No. of fiber strands for interoffice use	20	24	12	28	<b>35</b>
Miles of fiber sheath in wire center	30	12	14	34	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	DODGEVILLE	MADISON	GREEN BAY	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	1500-01	3080-01	2160-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	Yes	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.



**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	EAGLE RIVER	EASTMAN	EDEN	EDGAR	<b>1</b>
PSCW Exchange ID	1590	1610	1650	1660	<b>2</b>
Central Office Name	EAGLE RIVER	EASTMAN	EDEN	EDGAR	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	GTE	<b>5</b>
Year COE Installed	1984	1988	1982	1989	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		4380	0900	5700	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	3	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	4002	<b>11</b>
SS7?	Yes	Yes	No	Yes	<b>12</b>
9-1-1?	Yes	No	Yes	Yes	<b>13</b>
Access Lines - In Use	9,171	635	1,151	1,454	<b>14</b>
- Equipped	10,817	790	1,272	1,510	<b>15</b>
- Wired	12,672	1,536	1,344	2,208	<b>16</b>
Trunks - In Use	113	4	8	5	<b>17</b>
- Equipped	144	8	8	8	<b>18</b>
- Wired	144	8	8	8	<b>19</b>
ISDN Available?	Yes	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	Yes	<b>23</b>
Switched 56 lines in use	1	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	133	0	12	2	<b>25</b>
DS-3 - In Use	3	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	124	4	36	40	<b>33</b>
No. of fiber strands working (LIT) in C.O.	20	4	4	16	<b>34</b>
No. of fiber strands for interoffice use	40	4	8	20	<b>35</b>
Miles of fiber sheath in wire center	50	8	4	12	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RHINELANDER	BOSCOBEL	MILWAUKEE	WAUSAU	<b>37</b>
- PSCW C.O. ID	4550-01	0640-01	3420-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	EDGERTON	EGG HARBOR	ELKHART LAKE	ELK MOUND	<b>1</b>
PSCW Exchange ID	1670	1680	1720	1750	<b>2</b>
Central Office Name	EDGERTON	EGG HARBOR	ELKHART LAKE	ELK MOUND	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	NTI	GTE	GTE	VI	<b>5</b>
Year COE Installed	1993	1986	1995	1981	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	S	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		4930	4280	1210	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	1	<b>10</b>
COE Generic Software Release No.	BCS411.10	4002	4002	8.1	<b>11</b>
SS7?	Yes	Yes	Yes	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	5,528	2,609	1,788	973	<b>14</b>
- Equipped	5,935	3,401	2,112	1,122	<b>15</b>
- Wired	6,192	4,800	2,208	1,344	<b>16</b>
Trunks - In Use	45	20	6	8	<b>17</b>
- Equipped	76	24	8	8	<b>18</b>
- Wired	76	24	8	8	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	23	104	9	10	<b>25</b>
DS-3 - In Use	0	3	0	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	1	0	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	28	30	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	12	8	20	<b>34</b>
No. of fiber strands for interoffice use	8	4	22	20	<b>35</b>
Miles of fiber sheath in wire center	17	10	17	8	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MADISON	GREEN BAY	PLYMOUTH	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	3080-01	2160-01	4280-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	ELMWOOD	ETTRICK	FAIRCHILD	FALL CREEK	<b>1</b>
PSCW Exchange ID	1770	1800	1830	1840	<b>2</b>
Central Office Name	ELMWOOD	ETTRICK	FAIRCHILD	FALL CREEK	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	VI	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1980	1988	1989	1988	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		2410	4040	4040	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	1	<b>10</b>
COE Generic Software Release No.	8.1	4002	4002	4002	<b>11</b>
SS7?	No	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	888	938	570	1,511	<b>14</b>
- Equipped	1,072	1,024	650	1,590	<b>15</b>
- Wired	1,344	1,536	672	1,632	<b>16</b>
Trunks - In Use	48	5	3	9	<b>17</b>
- Equipped	64	8	4	12	<b>18</b>
- Wired	64	8	4	12	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	1	6	0	9	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	32	36	16	8	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	4	8	4	<b>34</b>
No. of fiber strands for interoffice use	16	20	16	8	<b>35</b>
Miles of fiber sheath in wire center	15	10	10	7	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	EAU CLAIRE	LACROSSE	EAU CLAIRE	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	1630-01	2770-03	1630-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	FOUNTAIN CITY	GALESVILLE	GILLETT	GLENWOOD CITY	<b>1</b>
PSCW Exchange ID	1930	1980	2030	2080	<b>2</b>
Central Office Name	FOUNTAIN CITY	GALESVILLE	GILLETT	GLENWOOD CITY	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	VI	<b>5</b>
Year COE Installed	1985	1985	1988	1994	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	S	<b>8</b>
Remote Host PSCW Exchange ID	2410	2410			<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	0	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	8.1	<b>11</b>
SS7?	Yes	Yes	Yes	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,333	1,754	1,856	1,664	<b>14</b>
- Equipped	1,490	2,072	2,174	1,794	<b>15</b>
- Wired	1,536	2,592	2,592	2,016	<b>16</b>
Trunks - In Use	7	9	24	30	<b>17</b>
- Equipped	8	12	24	32	<b>18</b>
- Wired	8	12	24	32	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	Yes	Yes	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	5	35	7	4	<b>25</b>
DS-3 - In Use	0	0	3	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	44	16	112	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	12	18	4	<b>34</b>
No. of fiber strands for interoffice use	16	16	16	8	<b>35</b>
Miles of fiber sheath in wire center	14	15	25	6	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	LACROSSE	LACROSSE	GREEN BAY	NEW RICHMOND	<b>37</b>
- PSCW C.O. ID	2770-03	2770-03	2160-01	3800-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	GLIDDEN	GRATIOT	GREENBUSH	HATLEY	<b>1</b>
PSCW Exchange ID	2090	2150	2170	2280	<b>2</b>
Central Office Name	GLIDDEN	GRATIOT	GREENBUSH	HATLEY	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	ATT	GTE	GTE	<b>5</b>
Year COE Installed	1984	1994	1991	1985	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4100	1500	4280	5700	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	3	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	692	313	729	1,754	<b>14</b>
- Equipped	792	349	888	1,966	<b>15</b>
- Wired	1,440	384	1,632	2,304	<b>16</b>
Trunks - In Use	4	4	4	12	<b>17</b>
- Equipped	4	4	8	16	<b>18</b>
- Wired	4	4	8	16	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	3	0	12	0	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	82	24	8	48	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	4	4	12	<b>34</b>
No. of fiber strands for interoffice use	16	16	8	12	<b>35</b>
Miles of fiber sheath in wire center	15	4	2	15	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	DODGEVILLE	PLYMOUTH	WAUSAU	<b>37</b>
- PSCW C.O. ID	4570-01	1500-01	4280-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	HAYWARD	HILBERT	HIXTON	HOLLANDALE	<b>1</b>
PSCW Exchange ID	2310	2360	2380	2400	<b>2</b>
Central Office Name	HAYWARD	HILBERT	HIXTON	HOLLANDALE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1986	1996	1984	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	S	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		4280	0540	1500	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	No	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	6,845	1,084	595	401	<b>14</b>
- Equipped	8,464	1,404	796	474	<b>15</b>
- Wired	9,120	1,440	864	672	<b>16</b>
Trunks - In Use	103	5	3	3	<b>17</b>
- Equipped	128	8	4	4	<b>18</b>
- Wired	128	8	4	4	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	Yes	No	<b>23</b>
Switched 56 lines in use	1	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	109	3	0	0	<b>25</b>
DS-3 - In Use	5	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	2	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	52	28	24	8	<b>33</b>
No. of fiber strands working (LIT) in C.O.	20	8	4	0	<b>34</b>
No. of fiber strands for interoffice use	36	8	4	8	<b>35</b>
Miles of fiber sheath in wire center	40	7	5	6	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	PLYMOUTH	EAU CLAIRE	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	4570-01	4280-01	1630-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	HOLMEN	HUSTISFORD	ITHACA	JACKSONPORT	<b>1</b>
PSCW Exchange ID	2410	2490	2530	2550	<b>2</b>
Central Office Name	HOLMEN	HUSTISFORD	ITHACA	JACKSONPORT	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	ATT	<b>5</b>
Year COE Installed	1985	1996	1988	1996	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		4940	4580	4930	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	4,131	1,518	371	605	<b>14</b>
- Equipped	4,911	1,877	438	668	<b>15</b>
- Wired	5,376	2,400	672	672	<b>16</b>
Trunks - In Use	171	6	3	7	<b>17</b>
- Equipped	192	8	8	7	<b>18</b>
- Wired	192	8	8	7	<b>19</b>
ISDN Available?	Yes	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	48	20	0	2	<b>25</b>
DS-3 - In Use	1	1	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	1	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	52	60	0	16	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	8	0	8	<b>34</b>
No. of fiber strands for interoffice use	16	24	0	12	<b>35</b>
Miles of fiber sheath in wire center	23	12	4	8	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	LACROSSE	MILWAUKEE	DODGEVILLE	GREEN BAY	<b>37</b>
- PSCW C.O. ID	2770-03	3420-01	1500-01	2160-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	JOHNSBURG	KEWASKUM	KIEL	KINGSTON	<b>1</b>
PSCW Exchange ID	2590	2700	2720	2730	<b>2</b>
Central Office Name	JOHNSBURG	KEWASKUM	KIEL	KINGSTON	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1988	1994	1985	1988	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4280	4940	4280	3190	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	829	3,032	3,434	1,046	<b>14</b>
- Equipped	918	3,634	3,786	1,336	<b>15</b>
- Wired	1,632	4,224	4,512	1,728	<b>16</b>
Trunks - In Use	7	11	18	4	<b>17</b>
- Equipped	12	16	24	8	<b>18</b>
- Wired	12	16	24	8	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	22	29	0	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	12	48	96	0	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	12	8	0	<b>34</b>
No. of fiber strands for interoffice use	8	24	16	0	<b>35</b>
Miles of fiber sheath in wire center	4	12	9	0	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	MILWAUKEE	PLYMOUTH	MILWAUKEE	<b>37</b>
- PSCW C.O. ID	4280-01	3420-01	4280-01	3420-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.



**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	KNAPP	LAC DU FLAMBE	LAKE MILLS	LAKEWOOD	<b>1</b>
PSCW Exchange ID	2740	2760	2810	2840	<b>2</b>
Central Office Name	KNAPP	LAC DU FLAMBEAU	LAKE MILLS	LAKEWOOD	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	VI	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1982	1985	1989	1985	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	S	<b>8</b>
Remote Host PSCW Exchange ID	1210	3450			<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	0	<b>10</b>
COE Generic Software Release No.	8.1	4002	4002	4002	<b>11</b>
SS7?	No	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	472	2,871	4,600	3,865	<b>14</b>
- Equipped	524	3,628	5,520	5,029	<b>15</b>
- Wired	672	3,792	6,144	5,568	<b>16</b>
Trunks - In Use	4	12	49	60	<b>17</b>
- Equipped	4	12	56	72	<b>18</b>
- Wired	4	12	56	72	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	Yes	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	49	54	118	<b>25</b>
DS-3 - In Use	0	1	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	1	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	72	12	8	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	8	8	4	<b>34</b>
No. of fiber strands for interoffice use	4	8	4	8	<b>35</b>
Miles of fiber sheath in wire center	7	10	6	10	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	EAU CLAIRE	RHINELANDER	PLYMOUTH	WAUSAU	<b>37</b>
- PSCW C.O. ID	1630-01	4550-01	4280-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	LAND O LAKES	LAONA	LEBANON	LIME RIDGE	<b>1</b>
PSCW Exchange ID	2860	2870	2910	2950	<b>2</b>
Central Office Name	LAND O LAKES	LAONA	LEBANON	LIME RIDGE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	VI	ATT	GTE	<b>5</b>
Year COE Installed	1985	1980	1996	1988	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	R	R	<b>8</b>
Remote Host PSCW Exchange ID	1590		4940	4520	<b>9</b>
Remote Host PSCW Central Office ID	1	0	1	1	<b>10</b>
COE Generic Software Release No.	4002	8.1	4002	4002	<b>11</b>
SS7?	Yes	No	Yes	Yes	<b>12</b>
9-1-1?	Yes	No	Yes	Yes	<b>13</b>
Access Lines - In Use	1,499	1,434	441	507	<b>14</b>
- Equipped	1,738	2,016	573	574	<b>15</b>
- Wired	2,304	2,016	576	672	<b>16</b>
Trunks - In Use	10	40	6	3	<b>17</b>
- Equipped	12	64	6	4	<b>18</b>
- Wired	12	64	6	4	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	71	0	0	<b>25</b>
DS-3 - In Use	0	4	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	3	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	16	72	48	4	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	32	8	4	<b>34</b>
No. of fiber strands for interoffice use	8	24	24	4	<b>35</b>
Miles of fiber sheath in wire center	16	23	10	3	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RHINELANDER	RHINELANDER	MILWAUKEE	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	4550-01	4550-01	3420-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	LODI	LOGANVILLE	LOMIRA	LONE ROCK	<b>1</b>
PSCW Exchange ID	2990	3000	3010	3020	<b>2</b>
Central Office Name	LODI	LOGANVILLE	LOMIRA	LONE ROCK	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	VI	<b>5</b>
Year COE Installed	1986	1986	1982	1980	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4770	4520	0900	5060	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	8.1	<b>11</b>
SS7?	Yes	Yes	No	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	4,262	519	1,772	1,367	<b>14</b>
- Equipped	5,064	632	2,016	1,553	<b>15</b>
- Wired	5,664	672	2,016	1,680	<b>16</b>
Trunks - In Use	21	3	12	10	<b>17</b>
- Equipped	24	4	12	10	<b>18</b>
- Wired	24	4	12	10	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	39	0	12	7	<b>25</b>
DS-3 - In Use	0	0	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	88	24	90	0	<b>33</b>
No. of fiber strands working (LIT) in C.O.	12	12	10	0	<b>34</b>
No. of fiber strands for interoffice use	4	20	24	0	<b>35</b>
Miles of fiber sheath in wire center	17	11	10	0	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MADISON	DODGEVILLE	MILWAUKEE	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	3080-01	1500-01	3420-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	LOYAL	LUXEMBURG	LYNDON STATIO	MAIDEN ROCK	<b>1</b>
PSCW Exchange ID	3040	3060	3070	3090	<b>2</b>
Central Office Name	LOYAL	LUXEMBURG	LYNDON STATION	MAIDEN ROCK	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	REL	VI	<b>5</b>
Year COE Installed	1996	1988	1999	1981	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	5700	1460	5960	1770	<b>9</b>
Remote Host PSCW Central Office ID	3	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	8.1	<b>11</b>
SS7?	Yes	Yes	Yes	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,426	2,291	800	499	<b>14</b>
- Equipped	1,660	2,522	1,030	600	<b>15</b>
- Wired	2,304	2,592	1,344	1,008	<b>16</b>
Trunks - In Use	7	13	12	6	<b>17</b>
- Equipped	8	20	12	6	<b>18</b>
- Wired	8	20	12	6	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	1	11	0	0	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	12	4	40	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	4	14	4	<b>34</b>
No. of fiber strands for interoffice use	8	4	20	8	<b>35</b>
Miles of fiber sheath in wire center	8	7	8	7	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	GREEN BAY	MADISON	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	5700-01	2160-01	3080-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	MAPLETON	MARATHON	MARKESAN	MARSHALL	<b>1</b>
PSCW Exchange ID	3140	3150	3190	3200	<b>2</b>
Central Office Name	MAPLETON	MARATHON	MARKESAN	MARSHALL	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	NTI	<b>5</b>
Year COE Installed	1994	1985	1988	1993	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	R	<b>8</b>
Remote Host PSCW Exchange ID	4940	5700		5250	<b>9</b>
Remote Host PSCW Central Office ID	1	3	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	NA010	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,974	1,938	2,175	2,230	<b>14</b>
- Equipped	2,628	2,202	2,470	2,514	<b>15</b>
- Wired	2,688	2,592	2,592	2,560	<b>16</b>
Trunks - In Use	14	11	20	10	<b>17</b>
- Equipped	24	12	24	10	<b>18</b>
- Wired	24	12	24	16	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	Yes	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	15	16	13	1	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	Yes	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	Yes	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	3	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	64	98	24	48	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	12	6	8	<b>34</b>
No. of fiber strands for interoffice use	36	24	12	16	<b>35</b>
Miles of fiber sheath in wire center	29	8	15	6	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MILWAUKEE	WAUSAU	MILWAUKEE	MADISON	<b>37</b>
- PSCW C.O. ID	3420-01	5700-01	3420-01	3080-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	MARSHFIELD	MATTOON	MAUSTON	MCFARLAND	<b>1</b>
PSCW Exchange ID	3210	3230	3240	3270	<b>2</b>
Central Office Name	MARSHFIELD	MATTOON	MAUSTON	MCFARLAND	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	GTE	<b>5</b>
Year COE Installed	1985	1986	1980	1985	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	R	H	S	<b>8</b>
Remote Host PSCW Exchange ID		0130			<b>9</b>
Remote Host PSCW Central Office ID	0	1	0	0	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	4002	<b>11</b>
SS7?	Yes	Yes	No	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	15,414	608	5,075	5,406	<b>14</b>
- Equipped	17,156	652	5,349	5,833	<b>15</b>
- Wired	18,940	1,440	5,376	5,952	<b>16</b>
Trunks - In Use	175	3	66	38	<b>17</b>
- Equipped	208	4	80	40	<b>18</b>
- Wired	208	4	80	40	<b>19</b>
ISDN Available?	Yes	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	3	0	0	0	<b>22</b>
Switched 56 Service?	Yes	Yes	No	No	<b>23</b>
Switched 56 lines in use	1	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	136	0	45	28	<b>25</b>
DS-3 - In Use	5	0	2	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	Yes	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	Yes	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	3	0	4	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	210	24	100	48	<b>33</b>
No. of fiber strands working (LIT) in C.O.	36	4	18	6	<b>34</b>
No. of fiber strands for interoffice use	46	8	36	4	<b>35</b>
Miles of fiber sheath in wire center	70	4	32	11	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	WAUSAU	DODGEVILLE	MADISON	<b>37</b>
- PSCW C.O. ID	5700-01	5700-01	1500-01	3080-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	MELLEN	MELROSE	MERRILL	MERRILLAN	<b>1</b>
PSCW Exchange ID	3290	3300	3340	3350	<b>2</b>
Central Office Name	MELLEN	MELROSE	MERRILL	MERRILLAN	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1984	1988	1985	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	S	R	<b>8</b>
Remote Host PSCW Exchange ID	4100	2410		0540	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	No	Yes	No	<b>13</b>
Access Lines - In Use	969	788	10,368	865	<b>14</b>
- Equipped	1,064	940	11,599	996	<b>15</b>
- Wired	1,440	1,632	12,288	1,536	<b>16</b>
Trunks - In Use	4	5	68	5	<b>17</b>
- Equipped	4	8	96	12	<b>18</b>
- Wired	4	8	96	12	<b>19</b>
ISDN Available?	No	No	Yes	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	Yes	Yes	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	6	105	7	<b>25</b>
DS-3 - In Use	0	1	3	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	Yes	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	Yes	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	32	8	56	52	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	8	8	12	<b>34</b>
No. of fiber strands for interoffice use	8	4	20	28	<b>35</b>
Miles of fiber sheath in wire center	17	10	42	12	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	LACROSSE	WAUSAU	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	4570-01	2770-03	5700-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	MERRIMAC	MINDORO	MINERAL POINT	MINOCQUA	<b>1</b>
PSCW Exchange ID	3360	3430	3440	3450	<b>2</b>
Central Office Name	MERRIMAC	MINDORO	MINERAL POINT	MINOCQUA	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1995	1996	1985	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	H	<b>8</b>
Remote Host PSCW Exchange ID	4770	2410	1500		<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	0	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	971	672	2,196	10,141	<b>14</b>
- Equipped	1,596	752	2,464	12,285	<b>15</b>
- Wired	1,632	1,440	2,976	13,440	<b>16</b>
Trunks - In Use	4	4	8	141	<b>17</b>
- Equipped	8	8	8	192	<b>18</b>
- Wired	8	8	8	192	<b>19</b>
ISDN Available?	No	No	No	Yes	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	Yes	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	4	2	5	184	<b>25</b>
DS-3 - In Use	0	0	0	16	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	3	4	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	36	12	24	92	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	12	16	12	<b>34</b>
No. of fiber strands for interoffice use	16	12	16	32	<b>35</b>
Miles of fiber sheath in wire center	12	16	20	39	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MADISON	LACROSSE	DODGEVILLE	RHINELANDER	<b>37</b>
- PSCW C.O. ID	3080-01	2770-03	1500-01	4550-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.



**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	MISHICOT	MONROE CENTER	MONTELLO	MONTFORT	<b>1</b>
PSCW Exchange ID	3470	3500	3510	3520	<b>2</b>
Central Office Name	MISHICOT	MONROE CENTER	MONTELLO	MONTFORT	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	VI	GTE	GTE	<b>5</b>
Year COE Installed	1988	1981	1985	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	5450	0020	4310	1500	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	8.1	4002	4002	<b>11</b>
SS7?	Yes	No	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,002	1,602	2,766	1,591	<b>14</b>
- Equipped	2,214	1,823	3,454	1,760	<b>15</b>
- Wired	2,400	2,016	3,744	2,208	<b>16</b>
Trunks - In Use	11	12	7	7	<b>17</b>
- Equipped	12	12	8	12	<b>18</b>
- Wired	12	12	8	12	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	11	0	23	2	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	5	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	48	24	28	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	4	10	8	<b>34</b>
No. of fiber strands for interoffice use	16	8	12	16	<b>35</b>
Miles of fiber sheath in wire center	19	6	22	16	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	DODGEVILLE	MADISON	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	4280-01	1500-01	3080-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	MOUNT CALVARY	MUSCODA	NEOSHO	NEW FRANKEN	<b>1</b>
PSCW Exchange ID	3550	3610	3710	3750	<b>2</b>
Central Office Name	MOUNT CALVARY	MUSCODA	NEOSHO	NEW FRANKEN	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1985	1994	1996	1988	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4280	4580	4940	1460	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	635	1,402	1,215	2,650	<b>14</b>
- Equipped	744	1,568	1,692	3,065	<b>15</b>
- Wired	1,440	2,208	1,728	3,744	<b>16</b>
Trunks - In Use	4	6	6	19	<b>17</b>
- Equipped	8	8	8	24	<b>18</b>
- Wired	8	8	8	24	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	1	4	0	43	<b>25</b>
DS-3 - In Use	0	0	0	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	2	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	12	36	8	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	12	4	8	<b>34</b>
No. of fiber strands for interoffice use	16	12	12	4	<b>35</b>
Miles of fiber sheath in wire center	6	11	3	10	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	DODGEVILLE	MILWAUKEE	GREEN BAY	<b>37</b>
- PSCW C.O. ID	4280-01	1500-01	3420-01	2160-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	NEW HOLSTEIN	NICHOLS	OAKFIELD	OOSTBURG	<b>1</b>
PSCW Exchange ID	3770	3840	3900	3990	<b>2</b>
Central Office Name	NEW HOLSTEIN	NICHOLS	OAKFIELD	OOSTBURG	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1992	1988	1985	1995	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	R	<b>8</b>
Remote Host PSCW Exchange ID	4280	4810		4480	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,471	517	1,901	2,658	<b>14</b>
- Equipped	2,676	578	2,535	3,590	<b>15</b>
- Wired	2,976	768	2,688	3,744	<b>16</b>
Trunks - In Use	8	4	62	17	<b>17</b>
- Equipped	8	8	80	24	<b>18</b>
- Wired	8	8	80	24	<b>19</b>
ISDN Available?	No	No	Yes	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	10	6	13	16	<b>25</b>
DS-3 - In Use	0	0	1	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	80	0	40	28	<b>33</b>
No. of fiber strands working (LIT) in C.O.	14	0	16	4	<b>34</b>
No. of fiber strands for interoffice use	22	0	20	16	<b>35</b>
Miles of fiber sheath in wire center	9	0	18	4	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	APPLETON	MILWAUKEE	PLYMOUTH	<b>37</b>
- PSCW C.O. ID	4280-01	0150-01	3420-01	4280-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	OREGON	ORFORDVILLE	OSSEO	OWEN	<b>1</b>
PSCW Exchange ID	4000	4010	4040	4050	<b>2</b>
Central Office Name	OREGON	ORFORDVILLE	OSSEO	OWEN	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	NTI	GTE	GTE	<b>5</b>
Year COE Installed	1985	1995	1985	1996	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	H	H	R	<b>8</b>
Remote Host PSCW Exchange ID				5700	<b>9</b>
Remote Host PSCW Central Office ID	0	0	0	3	<b>10</b>
COE Generic Software Release No.	4002	BCS410.10	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	6,398	1,612	2,072	1,769	<b>14</b>
- Equipped	6,826	1,884	2,508	2,248	<b>15</b>
- Wired	7,296	2,560	2,688	2,304	<b>16</b>
Trunks - In Use	72	19	58	6	<b>17</b>
- Equipped	80	21	64	8	<b>18</b>
- Wired	80	24	64	8	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	29	3	26	5	<b>25</b>
DS-3 - In Use	0	0	6	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	48	24	136	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	22	8	24	6	<b>34</b>
No. of fiber strands for interoffice use	22	12	48	8	<b>35</b>
Miles of fiber sheath in wire center	18	11	40	17	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MADISON	MADISON	EAU CLAIRE	WAUSAU	<b>37</b>
- PSCW C.O. ID	3080-01	3080-01	1630-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	PARDEEVILLE	PARK FALLS	PEPIN	PHELPS	<b>1</b>
PSCW Exchange ID	4090	4100	4140	4170	<b>2</b>
Central Office Name	PARDEEVILLE	PARK FALLS	PEPIN	PHELPS	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	GTE	<b>5</b>
Year COE Installed	1992	1982	1981	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4310		1770	1590	<b>9</b>
Remote Host PSCW Central Office ID	1	0	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	4002	<b>11</b>
SS7?	Yes	Yes	No	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,805	3,665	987	1,258	<b>14</b>
- Equipped	3,446	4,136	1,128	1,758	<b>15</b>
- Wired	3,648	4,992	1,344	2,400	<b>16</b>
Trunks - In Use	14	54	8	8	<b>17</b>
- Equipped	20	64	8	16	<b>18</b>
- Wired	20	64	8	16	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	12	60	7	20	<b>25</b>
DS-3 - In Use	0	0	0	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	0	3	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	36	44	24	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	32	12	4	6	<b>34</b>
No. of fiber strands for interoffice use	32	20	8	8	<b>35</b>
Miles of fiber sheath in wire center	11	35	7	4	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MADISON	RICE LAKE	EAU CLAIRE	RHINELANDER	<b>37</b>
- PSCW C.O. ID	3080-01	4570-01	1630-01	4550-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	PICKEREL	PICKETT	PLAIN	PLUM CITY	<b>1</b>
PSCW Exchange ID	4190	4200	4230	4270	<b>2</b>
Central Office Name	PICKEREL	PICKETT	PLAIN	PLUM CITY	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	VI	<b>5</b>
Year COE Installed	1986	1985	1981	1981	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	0130	3900	5060	1770	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	8.1	<b>11</b>
SS7?	Yes	Yes	No	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,189	762	863	737	<b>14</b>
- Equipped	1,386	900	984	832	<b>15</b>
- Wired	2,208	1,536	1,008	1,008	<b>16</b>
Trunks - In Use	8	4	6	6	<b>17</b>
- Equipped	12	8	6	6	<b>18</b>
- Wired	12	8	6	6	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	4	2	4	<b>25</b>
DS-3 - In Use	0	0	0	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	4	4	28	44	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	4	8	8	<b>34</b>
No. of fiber strands for interoffice use	4	4	20	16	<b>35</b>
Miles of fiber sheath in wire center	6	3	9	10	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	MILWAUKEE	DODGEVILLE	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	5700-01	3420-01	1500-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	PLYMOUTH	PORTAGE	PRAIRIE DU CHIEN	PRESCOTT	<b>1</b>
PSCW Exchange ID	4280	4310	4380	4410	<b>2</b>
Central Office Name	PLYMOUTH	PORTAGE	PRAIRIE DU CHIEN	PRESCOTT	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1985	1984	1986	1983	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	H	H	S	<b>8</b>
Remote Host PSCW Exchange ID					<b>9</b>
Remote Host PSCW Central Office ID	0	0	0	0	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	No	Yes	<b>13</b>
Access Lines - In Use	7,324	9,054	4,847	2,758	<b>14</b>
- Equipped	9,089	10,844	5,448	3,156	<b>15</b>
- Wired	9,792	11,904	5,664	3,744	<b>16</b>
Trunks - In Use	312	133	54	24	<b>17</b>
- Equipped	344	144	56	32	<b>18</b>
- Wired	344	144	56	32	<b>19</b>
ISDN Available?	Yes	Yes	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	109	123	69	19	<b>25</b>
DS-3 - In Use	2	5	1	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	5	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	68	128	24	36	<b>33</b>
No. of fiber strands working (LIT) in C.O.	26	32	6	28	<b>34</b>
No. of fiber strands for interoffice use	42	40	16	8	<b>35</b>
Miles of fiber sheath in wire center	30	40	15	4	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	MADISON	BOSCOBEL	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	4280-01	3080-01	0640-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	Yes	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	RANDOM LAKE	REEDSBURG	REEDSVILLE	RICE LAKE	<b>1</b>
PSCW Exchange ID	4480	4520	4530	4570	<b>2</b>
Central Office Name	RANDOM LAKE	REEDSBURG	REEDSVILLE	RICE LAKE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1987	1986	1996	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	H	R	H	<b>8</b>
Remote Host PSCW Exchange ID			5450		<b>9</b>
Remote Host PSCW Central Office ID	0	0	1	0	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,766	6,494	821	6,881	<b>14</b>
- Equipped	3,278	7,556	1,116	11,318	<b>15</b>
- Wired	3,456	7,680	1,440	13,056	<b>16</b>
Trunks - In Use	115	55	4	303	<b>17</b>
- Equipped	120	64	8	328	<b>18</b>
- Wired	120	64	8	328	<b>19</b>
ISDN Available?	Yes	No	No	Yes	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	2	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	28	55	4	166	<b>25</b>
DS-3 - In Use	0	2	0	12	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	1	0	12	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	46	84	40	188	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	18	12	48	<b>34</b>
No. of fiber strands for interoffice use	34	32	32	64	<b>35</b>
Miles of fiber sheath in wire center	23	24	8	96	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	PLYMOUTH	DODGEVILLE	PLYMOUTH	RICE LAKE	<b>37</b>
- PSCW C.O. ID	4280-01	1500-01	4280-01	4570-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	Yes	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.



**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	RICHLAND CENT	RIDGEWAY	ROSENDALE	SAINT CLOUD	<b>1</b>
PSCW Exchange ID	4580	4610	4670	4710	<b>2</b>
Central Office Name	RICHLAND CENTER	RIDGEWAY	ROSENDALE	SAINT CLOUD	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1988	1986	1995	1985	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		1500	3900	4280	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	5,579	1,454	1,121	452	<b>14</b>
- Equipped	6,770	1,768	1,324	528	<b>15</b>
- Wired	6,912	2,400	1,440	672	<b>16</b>
Trunks - In Use	52	14	5	3	<b>17</b>
- Equipped	56	16	8	4	<b>18</b>
- Wired	56	16	8	4	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	39	19	3	0	<b>25</b>
DS-3 - In Use	1	2	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	1	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	20	16	8	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	12	8	4	<b>34</b>
No. of fiber strands for interoffice use	12	16	8	16	<b>35</b>
Miles of fiber sheath in wire center	25	11	13	2	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	DODGEVILLE	DODGEVILLE	MILWAUKEE	PLYMOUTH	<b>37</b>
- PSCW C.O. ID	1500-01	1500-01	3420-01	4280-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	SAINT CROIX FALLS	SALEM	SAUK CITY	SAYNER	<b>1</b>
PSCW Exchange ID	4720	4740	4770	4780	<b>2</b>
Central Office Name	SAINT CROIX FALLS	SALEM	SAUK CITY	SAYNER	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1986	1992	1986	1986	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	R	<b>8</b>
Remote Host PSCW Exchange ID	4570	0730		3450	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,994	3,039	6,245	1,951	<b>14</b>
- Equipped	3,422	3,308	7,402	2,207	<b>15</b>
- Wired	3,552	3,744	7,776	2,304	<b>16</b>
Trunks - In Use	24	15	104	12	<b>17</b>
- Equipped	32	16	120	12	<b>18</b>
- Wired	32	16	120	12	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	44	8	74	0	<b>25</b>
DS-3 - In Use	1	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	Yes	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	Yes	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	60	16	48	48	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	16	8	8	<b>34</b>
No. of fiber strands for interoffice use	16	16	16	8	<b>35</b>
Miles of fiber sheath in wire center	60	6	14	8	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	MILWAUKEE	MADISON	RHINELANDER	<b>37</b>
- PSCW C.O. ID	4570-01	3420-01	3080-01	4550-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	SENECA	SEYMOUR	SHIOCTON	SHULLSBURG	<b>1</b>
PSCW Exchange ID	4800	4810	4890	4900	<b>2</b>
Central Office Name	SENECA	SEYMOUR	SHIOCTON	SHULLSBURG	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1988	1986	1996	1993	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4380		4810	1500	<b>9</b>
Remote Host PSCW Central Office ID	1	0	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	No	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	915	3,526	931	1,038	<b>14</b>
- Equipped	1,092	4,065	1,404	1,272	<b>15</b>
- Wired	1,344	4,512	1,440	1,440	<b>16</b>
Trunks - In Use	11	60	6	5	<b>17</b>
- Equipped	12	120	8	8	<b>18</b>
- Wired	12	120	8	8	<b>19</b>
ISDN Available?	No	Yes	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	20	32	2	1	<b>25</b>
DS-3 - In Use	0	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	2	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	4	28	24	12	<b>33</b>
No. of fiber strands working (LIT) in C.O.	4	12	4	8	<b>34</b>
No. of fiber strands for interoffice use	4	12	8	12	<b>35</b>
Miles of fiber sheath in wire center	9	11	3	12	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	BOSCOBEL	APPLETON	APPLETON	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	0640-01	0150-01	0150-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	SILVER LAKE	SISTER BAY	SLINGER	SPENCER	<b>1</b>
PSCW Exchange ID	4910	4930	4940	5010	<b>2</b>
Central Office Name	SILVER LAKE	SISTER BAY	SLINGER	SPENCER	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1992	1986	1986	1994	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	H	R	<b>8</b>
Remote Host PSCW Exchange ID	0730			3210	<b>9</b>
Remote Host PSCW Central Office ID	1	0	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	1,744	4,408	5,351	1,618	<b>14</b>
- Equipped	1,980	5,400	6,001	1,729	<b>15</b>
- Wired	2,400	6,432	6,720	2,208	<b>16</b>
Trunks - In Use	10	87	176	7	<b>17</b>
- Equipped	12	96	192	8	<b>18</b>
- Wired	12	96	192	8	<b>19</b>
ISDN Available?	No	No	Yes	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	5	61	50	8	<b>25</b>
DS-3 - In Use	1	4	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	Yes	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	Yes	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	0	1	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	64	80	44	<b>33</b>
No. of fiber strands working (LIT) in C.O.	16	20	16	12	<b>34</b>
No. of fiber strands for interoffice use	20	12	28	28	<b>35</b>
Miles of fiber sheath in wire center	8	14	19	13	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MILWAUKEE	GREEN BAY	MILWAUKEE	WAUSAU	<b>37</b>
- PSCW C.O. ID	3420-01	2160-01	3420-01	5700-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	SPIDER LAKE	SPRINGBROOK	SPRING GREEN	STONE LAKE	<b>1</b>
PSCW Exchange ID	5020	5050	5060	5180	<b>2</b>
Central Office Name	SPIDER LAKE	SPRINGBROOK	SPRING GREEN	STONE LAKE	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	VI	VI	VI	VI	<b>5</b>
Year COE Installed	1982	1981	1980	1981	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	R	<b>8</b>
Remote Host PSCW Exchange ID	2310	2310		2310	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	8.1	8.1	8.1	8.1	<b>11</b>
SS7?	No	No	No	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	2,123	442	2,302	1,679	<b>14</b>
- Equipped	2,430	471	2,686	1,895	<b>15</b>
- Wired	3,696	672	2,688	2,016	<b>16</b>
Trunks - In Use	22	4	66	12	<b>17</b>
- Equipped	24	4	80	12	<b>18</b>
- Wired	24	4	80	12	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	0	24	0	<b>25</b>
DS-3 - In Use	0	0	2	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	8	12	84	48	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	4	18	8	<b>34</b>
No. of fiber strands for interoffice use	8	8	36	8	<b>35</b>
Miles of fiber sheath in wire center	10	3	18	15	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	RICE LAKE	RICE LAKE	DODGEVILLE	RICE LAKE	<b>37</b>
- PSCW C.O. ID	4570-01	4570-01	1500-01	4570-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	STRATFORD	SUN PRAIRIE	SURING	TAYLOR	<b>1</b>
PSCW Exchange ID	5200	5250	5270	5290	<b>2</b>
Central Office Name	STRATFORD	SUN PRAIRIE	SURING	TAYLOR	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	NTI	GTE	GTE	<b>5</b>
Year COE Installed	1993	1991	1988	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	H	R	R	<b>8</b>
Remote Host PSCW Exchange ID	3210		2030	0540	<b>9</b>
Remote Host PSCW Central Office ID	1	0	1	1	<b>10</b>
COE Generic Software Release No.	4002	NA010	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	No	No	<b>13</b>
Access Lines - In Use	1,839	15,679	1,689	456	<b>14</b>
- Equipped	2,048	20,658	1,902	548	<b>15</b>
- Wired	2,208	21,534	2,592	672	<b>16</b>
Trunks - In Use	7	322	9	3	<b>17</b>
- Equipped	8	390	12	4	<b>18</b>
- Wired	8	390	12	4	<b>19</b>
ISDN Available?	No	Yes	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	16	0	0	<b>21</b>
- In Use (PRI)	0	1	0	0	<b>22</b>
Switched 56 Service?	Yes	Yes	Yes	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	1	147	25	0	<b>25</b>
DS-3 - In Use	0	13	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	Yes	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	Yes	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	1	1	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	16	128	60	12	<b>33</b>
No. of fiber strands working (LIT) in C.O.	12	40	6	4	<b>34</b>
No. of fiber strands for interoffice use	16	24	4	8	<b>35</b>
Miles of fiber sheath in wire center	11	71	5	12	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	MADISON	GREEN BAY	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	5700-01	3080-01	2160-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	THERESA	THREE LAKES	TOMAHAWK	TREMPEALEAU	<b>1</b>
PSCW Exchange ID	5300	5330	5370	5390	<b>2</b>
Central Office Name	THERESA	THREE LAKES	TOMAHAWK	TREMPEALEAU	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	VI	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1981	1986	1987	1987	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	S	R	<b>8</b>
Remote Host PSCW Exchange ID	0900	1590		2410	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	8.1	4002	4002	4002	<b>11</b>
SS7?	No	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	No	Yes	Yes	<b>13</b>
Access Lines - In Use	950	2,302	7,163	1,154	<b>14</b>
- Equipped	1,128	2,714	9,184	1,270	<b>15</b>
- Wired	1,344	3,264	9,984	1,536	<b>16</b>
Trunks - In Use	8	13	65	6	<b>17</b>
- Equipped	8	16	80	12	<b>18</b>
- Wired	8	16	80	12	<b>19</b>
ISDN Available?	No	No	Yes	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	Yes	Yes	Yes	<b>23</b>
Switched 56 lines in use	0	0	8	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	28	125	0	<b>25</b>
DS-3 - In Use	0	0	1	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	Yes	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	Yes	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	0	2	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	36	48	48	8	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	4	12	4	<b>34</b>
No. of fiber strands for interoffice use	16	16	24	4	<b>35</b>
Miles of fiber sheath in wire center	6	5	20	4	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MILWAUKEE	RHINELANDER	WAUSAU	LACROSSE	<b>37</b>
- PSCW C.O. ID	3420-01	4550-01	5700-01	2770-03	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	TREVOR	TWIN LAKES	TWO RIVERS	WABENO	<b>1</b>
PSCW Exchange ID	5400	5440	5450	5540	<b>2</b>
Central Office Name	TREVOR	TWIN LAKES	TWO RIVERS	WABENO	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	VI	<b>5</b>
Year COE Installed	1992	1988	1987	1980	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	H	R	<b>8</b>
Remote Host PSCW Exchange ID	0730	0730		2870	<b>9</b>
Remote Host PSCW Central Office ID	1	1	0	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	8.1	<b>11</b>
SS7?	Yes	Yes	Yes	No	<b>12</b>
9-1-1?	Yes	Yes	Yes	No	<b>13</b>
Access Lines - In Use	3,073	3,791	7,299	1,074	<b>14</b>
- Equipped	3,652	4,208	8,270	1,343	<b>15</b>
- Wired	4,128	4,512	9,216	1,344	<b>16</b>
Trunks - In Use	15	21	79	8	<b>17</b>
- Equipped	16	24	88	8	<b>18</b>
- Wired	16	24	88	8	<b>19</b>
ISDN Available?	No	No	Yes	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	31	19	25	2	<b>25</b>
DS-3 - In Use	3	0	1	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	0	2	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	32	24	76	44	<b>33</b>
No. of fiber strands working (LIT) in C.O.	14	4	16	8	<b>34</b>
No. of fiber strands for interoffice use	8	8	20	8	<b>35</b>
Miles of fiber sheath in wire center	10	3	9	7	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MILWAUKEE	MILWAUKEE	PLYMOUTH	RHINELANDER	<b>37</b>
- PSCW C.O. ID	3420-01	3420-01	4280-01	4550-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.



**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	WALWORTH	WASHINGTON IS	WATERLOO	WAUBEKA	<b>1</b>
PSCW Exchange ID	5560	5600	5620	5640	<b>2</b>
Central Office Name	WALWORTH	WASHINGTON ISLAND	WATERLOO	WAUBEKA	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	GTE	<b>5</b>
Year COE Installed	1990	1995	1989	1992	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	S	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID		4930	2810	4480	<b>9</b>
Remote Host PSCW Central Office ID	0	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	No	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	5,533	858	2,487	2,821	<b>14</b>
- Equipped	5,946	1,494	2,850	3,508	<b>15</b>
- Wired	6,336	1,536	2,976	4,032	<b>16</b>
Trunks - In Use	28	5	9	21	<b>17</b>
- Equipped	48	12	12	24	<b>18</b>
- Wired	48	12	12	24	<b>19</b>
ISDN Available?	Yes	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	17	7	18	20	<b>25</b>
DS-3 - In Use	1	0	0	2	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	1	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	48	0	36	32	<b>33</b>
No. of fiber strands working (LIT) in C.O.	6	0	12	16	<b>34</b>
No. of fiber strands for interoffice use	12	0	12	20	<b>35</b>
Miles of fiber sheath in wire center	8	0	18	16	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	MILWAUKEE	GREEN BAY	MILWAUKEE	PLYMOUTH	<b>37</b>
- PSCW C.O. ID	3420-01	2160-01	3420-01	4280-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	WAUSAU	WAUSAU	WAUSAU	WAUTOMA	<b>1</b>
PSCW Exchange ID	5700	5700	5700	5720	<b>2</b>
Central Office Name	WAUSAU	WAUSAU	WAUSAU	WAUTOMA	<b>3</b>
PSCW Central Office ID	1	2	3	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	NTI	GTE	<b>5</b>
Year COE Installed	1985	1985	1991	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	H	S	S	S	<b>8</b>
Remote Host PSCW Exchange ID					<b>9</b>
Remote Host PSCW Central Office ID	0	0	0	0	<b>10</b>
COE Generic Software Release No.	4002	4002	NA010	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	26,266	5,982	15,858	4,742	<b>14</b>
- Equipped	33,174	7,636	18,233	5,878	<b>15</b>
- Wired	36,192	8,064	20,208	6,432	<b>16</b>
Trunks - In Use	584	57	255	53	<b>17</b>
- Equipped	640	72	308	56	<b>18</b>
- Wired	640	72	360	56	<b>19</b>
ISDN Available?	Yes	Yes	Yes	No	<b>20</b>
ISDN Lines - In Use (BRI)	16	0	123	0	<b>21</b>
- In Use (PRI)	7	0	2	0	<b>22</b>
Switched 56 Service?	Yes	Yes	Yes	No	<b>23</b>
Switched 56 lines in use	3	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	114	462	804	79	<b>25</b>
DS-3 - In Use	7	5	38	1	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	Yes	Yes	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	Yes	Yes	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	5	5	5	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	276	84	156	12	<b>33</b>
No. of fiber strands working (LIT) in C.O.	84	44	60	8	<b>34</b>
No. of fiber strands for interoffice use	192	32	78	16	<b>35</b>
Miles of fiber sheath in wire center	49	26	28	8	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	WAUSAU	WAUSAU	APPLETON	<b>37</b>
- PSCW C.O. ID	5700-01	5700-01	5700-01	0150-01	<b>38</b>
Does this C.O. do access tandem switching?	Yes	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	WAUZEKA	WESTFIELD	WHEELER	WHITEHALL	<b>1</b>
PSCW Exchange ID	5730	5790	5840	5850	<b>2</b>
Central Office Name	WAUZEKA	WESTFIELD	WHEELER	WHITEHALL	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	VI	GTE	<b>5</b>
Year COE Installed	1986	1985	1982	1984	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	4380	4310	1210	0540	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	8.1	4002	<b>11</b>
SS7?	Yes	Yes	No	Yes	<b>12</b>
9-1-1?	No	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	462	2,448	521	1,430	<b>14</b>
- Equipped	548	3,354	552	1,564	<b>15</b>
- Wired	672	3,456	672	2,208	<b>16</b>
Trunks - In Use	3	14	4	7	<b>17</b>
- Equipped	4	16	4	8	<b>18</b>
- Wired	4	16	4	8	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	No	No	No	Yes	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	0	58	0	6	<b>25</b>
DS-3 - In Use	0	1	0	2	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	No	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	No	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	0	1	0	0	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	16	36	20	104	<b>33</b>
No. of fiber strands working (LIT) in C.O.	8	4	8	12	<b>34</b>
No. of fiber strands for interoffice use	16	8	8	24	<b>35</b>
Miles of fiber sheath in wire center	12	20	4	14	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	BOSCOBEL	MADISON	EAU CLAIRE	EAU CLAIRE	<b>37</b>
- PSCW C.O. ID	0640-01	3080-01	1630-01	1630-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	WHITE LAKE	WHITELAW	WINTER	WIOTA	<b>1</b>
PSCW Exchange ID	5860	5870	5940	5950	<b>2</b>
Central Office Name	WHITE LAKE	WHITELAW	WINTER	WIOTA	<b>3</b>
PSCW Central Office ID	1	1	1	1	<b>4</b>
Manufacturer of COE (Page 54)	GTE	GTE	GTE	ATT	<b>5</b>
Year COE Installed	1986	1994	1984	1994	<b>6</b>
Type of Equipment (Page 54)	D	D	D	D	<b>7</b>
(S)tandalone, (H)ost, (R)emote	R	R	R	R	<b>8</b>
Remote Host PSCW Exchange ID	0130	5450	4100	1500	<b>9</b>
Remote Host PSCW Central Office ID	1	1	1	1	<b>10</b>
COE Generic Software Release No.	4002	4002	4002	4002	<b>11</b>
SS7?	Yes	Yes	Yes	Yes	<b>12</b>
9-1-1?	Yes	Yes	Yes	Yes	<b>13</b>
Access Lines - In Use	847	1,261	1,286	170	<b>14</b>
- Equipped	1,012	1,692	1,652	190	<b>15</b>
- Wired	1,632	1,728	2,112	192	<b>16</b>
Trunks - In Use	3	10	11	2	<b>17</b>
- Equipped	4	16	12	2	<b>18</b>
- Wired	4	16	12	2	<b>19</b>
ISDN Available?	No	No	No	No	<b>20</b>
ISDN Lines - In Use (BRI)	0	0	0	0	<b>21</b>
- In Use (PRI)	0	0	0	0	<b>22</b>
Switched 56 Service?	Yes	No	Yes	No	<b>23</b>
Switched 56 lines in use	0	0	0	0	<b>24</b>
Digital Transmission Facilities: DS-1 - In Use	7	0	0	0	<b>25</b>
DS-3 - In Use	1	0	0	0	<b>26</b>
Advanced Data Service Available:					
Packet Switching?	No	No	No	No	<b>27</b>
SMDS?	No	No	No	No	<b>28</b>
Frame Relay?	Yes	No	No	No	<b>29</b>
ATM (Asynchronous Trans. Mode)?	Yes	No	No	No	<b>30</b>
Video Information - Service Available?	No	No	No	No	<b>31</b>
- In Use (# lines) <sup>1</sup>	1	0	1	2	<b>32</b>
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	24	36	44	24	<b>33</b>
No. of fiber strands working (LIT) in C.O.	10	12	10	16	<b>34</b>
No. of fiber strands for interoffice use	12	24	20	24	<b>35</b>
Miles of fiber sheath in wire center	18	16	22	12	<b>36</b>
Access Tandem Serving this C.O.:					
- C.O. Name	WAUSAU	PLYMOUTH	RICE LAKE	DODGEVILLE	<b>37</b>
- PSCW C.O. ID	5700-01	4280-01	4570-01	1500-01	<b>38</b>
Does this C.O. do access tandem switching?	No	No	No	No	<b>39</b>
Equal Access: InterLATA (1+)?	Yes	Yes	Yes	Yes	<b>40</b>
Equal Access: IntraLATA (1+)?	Yes	Yes	Yes	Yes	<b>41</b>
Footnotes					<b>42</b>

<sup>1</sup> Teleco provided end-to-end facility.

**CENTRAL OFFICE DATA - END OF YEAR**

When an exchange has more than one central office, data must be reported for each central office.

<b>Description (a)</b>	<b>Central Off. (b)</b>	<b>Central Off. (c)</b>	<b>Central Off. (d)</b>	<b>Central Off. (e)</b>	
Exchange Name	WISCONSIN DEL	WITWEN			1
PSCW Exchange ID	5960	5990			2
Central Office Name	WISCONSIN DELLS	WITWEN			3
PSCW Central Office ID	1	1			4
Manufacturer of COE (Page 54)	GTE	GTE			5
Year COE Installed	1984	1988			6
Type of Equipment (Page 54)	D	D			7
(S)tandalone, (H)ost, (R)emote	H	R			8
Remote Host PSCW Exchange ID		4770			9
Remote Host PSCW Central Office ID	0	1			10
COE Generic Software Release No.	4002	4002			11
SS7?	Yes	Yes			12
9-1-1?	Yes	Yes			13
Access Lines - In Use	8,398	656			14
- Equipped	11,140	910			15
- Wired	12,480	960			16
Trunks - In Use	104	8			17
- Equipped	128	8			18
- Wired	128	8			19
ISDN Available?	Yes	No			20
ISDN Lines - In Use (BRI)	0	0			21
- In Use (PRI)	0	0			22
Switched 56 Service?	No	No			23
Switched 56 lines in use	0	0			24
Digital Transmission Facilities: DS-1 - In Use	118	0			25
DS-3 - In Use	7	0			26
Advanced Data Service Available:					
Packet Switching?	No	No			27
SMDS?	No	No			28
Frame Relay?	No	No			29
ATM (Asynchronous Trans. Mode)?	No	No			30
Video Information - Service Available?	No	No			31
- In Use (# lines) <sup>1</sup>	1	0			32
Fiber Transmission Facilities:					
No. of fiber strands entering C.O.	120	0			33
No. of fiber strands working (LIT) in C.O.	32	0			34
No. of fiber strands for interoffice use	36	0			35
Miles of fiber sheath in wire center	32	0			36
Access Tandem Serving this C.O.:					
- C.O. Name	MADISON	MADISON			37
- PSCW C.O. ID	3080-01	3080-01			38
Does this C.O. do access tandem switching?	No	No			39
Equal Access: InterLATA (1+)?	Yes	Yes			40
Equal Access: IntraLATA (1+)?	Yes	Yes			41
Footnotes					42

<sup>1</sup> Teleco provided end-to-end facility.

**GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES****General Footnote****Schedule Footnotes****Balance Sheet - Assets (Class B Use Accounts Designated By \*) Footnote. Page 10**

Accounts with zero balances are reported on a consolidated basis only.  
Refer to the GTE North Inc., FCC Form M.

**Balance Sheet - Liabilities (Class B Use Accounts Designated By \*) Footnote. Page 11**

Accounts with zero balances are reported on a consolidated basis only.  
Refer to the GTE North Inc., FCC Form M.

**Affiliated Interest Transactions Footnote. Page 15**

The Revenues for Affiliate Interest Transactions page 15 are not maintained on a state level. Please refer to the GTE North Inc., FCC Form M.

Pursuant to the agreement between PSCW Staff, revenue, expense and other detail amounts are not required for the 1999 annual report. The total amount of each column is included on the all "All Other" line in order to facilitate the summation function in the program.

**Retained Earnings (Acct. 4550) Footnote. Page 37**

This information is not maintained on a state basis.  
Therefore, the "Balance Transferred from Income" is being offset against "Miscellaneous Debits to Retained Earnings" to zero out the "Balance - End of Year".  
Refer to the GTE North Inc., FCC Form M.

**Schedule Line Footnotes**

- 1) The following is a list of dockets related to AG Communications Systems (AGCS):

2180-AT-169	2180-AT-168	2180-AT-126
2180-AT-125	2180-AT-151	2180-AT-171
2180-AT-134	2180-AT-136	2180-AT-157
2180-AT-170	2180-AT-133	2180-AT-122
2180-AT-135	2180-AT-145	

The following is a list of dockets related to GTE Long Distance (GTE LD):

2180-AT-127	2180-AT-154	2180-AT-128
2180-AT-129	2180-AT-142	2180-AT-146
2180-AT-147		

The following is a list of dockets related to GTE Data Services (GTEDS):

2180-AT-103	2180-AT-149	2180-AT-139
2180-AT-140		

- 2) The Docket Number for GTE Service Corporation is 2-U-5989.
- 3) The affiliates with zeros reported either had no activity during the year or insignificant amounts. The records were imported from last years data and were left in to avoid any software problems.

**GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES****A) Explanations for Revenue Variances (page 40) that are greater than 20% and \$100,000 of previous years amount are as follows:**

(5083) Special Access Revenue: The increase is being driven by an increase in billings for Cyberpop, DS1 Services, and a one-time adjustment to Advanced Network Services due to financial conversion.

(5084.3) Special Access Revenue: The increase is due to addition to customer base, DS1 Services, and Video connection.

(5111) Long Distance Inward-Only Revenue: Decrease in activity due to long distance competition.

(5240) Rent Revenue: Decrease in 1999 Rent revenue is due to approximately \$70,000 decrease in Shared Asset Activity in every month throughout the year.

(5262) Customer Operations Revenue: The increase is due to an adjustment in the accrual process, accounts 5006X were added in 1999.

**GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES**

**B)** The account variance explanations for page 41, the Expense Matrix - Class A & B are as follows:

- 1.) The decrease in Regulated Central Office Switching Expense (6210) is due to the recording of an accrual for Un-invoiced Receipts.
- 2.) The increase in Non-Regulated General Support Expense (6120) is due to an increase in allocations.
- 3.) The increase in Regulated Information Orig./Term Expense (6310) is due to an increase in allocations.
- 4.) The increase in Non-Regulated Information Orig./Term Expense (6310) is due to an overall decrease in allocations.
- 5.) The decrease in Non-Regulated Central Office Switching Expense (6210) is due to the recording of an accrual for Local Number Portability.
- 6.) The decrease in Non-Regulated Cable & Wire Facilities Expense (6410) is due to a decrease in A/P payments to various utilities companies for pole rental expense.
- 7.) The increase in Non-Regulated Depreciation and Amortization Expense (6560) is due to an overall increase in depreciation and amortization expense.
- 8.) The decrease in Non-Regulated Marketing Expense (6610) is due to a decrease in Advertising Costs.
- 9.) The decrease in Regulated Corporate Operating Expense (6710) is due to a decrease in allocations and recording of miscellaneous adjustments.
- 10.) The decrease in Regulated General & Administrative Expense (6720) is due to the recording of Incremental Pension Settlement Gains.
- 11.) The decrease in Non-Regulated General & Administrative Expense (6720) is due to the recording of Incremental Pension Settlement Gains.



**GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES**

- C) The balances in the "Transfers/Adjustments" column for the Telecommunications Plant in Service Class A & B and Telecommunications Plant in Service A & B (Sub-Class Accounts) schedules(pages 22-29) are due to prior year corrections or transfers between accounts.

The balances in the "Other" column for the Accumulated Depreciation Class A & B and Accumulated Depreciation Class A & B (Sub - Class Accounts) schedules are due to plant movement of prior year adjustments or reclass of plant investment.

There are several accumulated depreciation accounts with balances that exceed their corresponding plant in service account balances. Here is an explanation:

The 2426.2 higher reserve account balance is primarily due to future net salvage valuess of 110% to cover the cost of removal.

The 2431 higher reserve account balance is primarily due to future net salvage valuess of 110% to cover the cost of removal.

- D) Revenues are no longer available at the state basis for Affiliate Transactions on the schedule of Affiliated Interest Transactions (Page 15 Line 4). Please refer to the GTE North Inc., FCC Form M.
- G) For an explanation of amounts in the "Other" column on pages 28 & 29, Accumulated Depreciation Class A&B (Sub-Class Accounts) see footnote C above.
- H) For an explanation of the amounts in the "Transfers/Adjustments Column" on the schedule of Telecommunications Plant in Service Class A & B (Sub-Class Accounts)(Pages 24-25), please see above footnote C.
- J) The exchange 9999 on the Service Data End of Year Schedule (pages 50-53) was created to reconcile the sum of the Central Office assets. The balance reported in Exchange CO, Info Orig/Term, & Cable Wire Fac Assets in exchange 9999 is made up of high level investment, that cannot be attributable to a specific exchange.
- The balances of 1 in Exchange Square Miles and Exchange Route Miles in exchange 9999 were input in order to perform a file save command.
- K) Per request of PSCW staff, the amount in line 8 of the Calculation of Assessable Revenues for Remainder, Department of Justice and Telephone Relay Assessment Purposes (page 43) reflects the amount of non-regulated net write-off. This adjustment is to properly calculate assessable revenues for 1998
- L) The Total Company Route Miles reflect the numbers that were reported in 1998, this is due to the migration of data to a new system within GTE, updated numbers will be available for the 2000 annual report.

**GENERAL, SCHEDULE LEVEL AND SCHEDULE LINE FOOTNOTES**

- O)** Total Long Distance Network Services Revenue, (Page 43, Line 3) in the Calculation of Assessable Revenues for Universal Service Fund Assessment Purposes, is lower than the previous year due to increased competition in the long distance market.

Intrastate Payphone Revenues were included in the Calculation of Assessable Revenues for Universal Service Fund Assessment Purposes (Page 43, Line 5), in order to comply with PSCW Staffs memo dated November 19, 1998. Since Payphone revenues were deregulated in 1997, they have to be reclassified from nonregulated revenues for the calculation of Assessable Revenues for Universal Service Fund Assessment Purposes.

- P)** The data for 64 kbps(DSO) on the Special Access Circuits in Use at End of Year (Page 49, line 3) is unavailable.
- Q)** Retained Earnings (page 37): Retained Earnings is not maintained on a state basis. The Balance Transferred from Income amount is offset by the amount in the Miscellaneous Debits line in order to zero the total of this report.
- R)** Manufacturer Abbreviations (page 54) : The Vidar RSS hosted on Vidar Base at Mauston was replaced with a RELTEC DISC\*S hosted on the GTD-5 Base at Wisonsin Dells.
- S)** Affiliate Abbreviations (page 14) : GTE Government Systems Corporation, which develops, install and maintains communications and electronic equipment and systems and is a major systems integrator of customized systems for defense, government and industry was sold in 1999. General Dynamics Corporation purchased three business units on September 1, 1999 and DynCorp purchased the remaining unit on December 10, 1999.
- T)** Affiliate Abbreviations (page 14) : GTE Consolidated Services Incorporated (CSI) began operations in 1999. GTE CSI was established to perform certain operational functions on an enterprise basis, as follows:
- Management of billing capabilities
  - Management of inbound and outbound teleservice programs
  - Management of Carrier connectivity
  - Management of Local Area Network/Wide Area Network (LAN/WAN)
  - Management of Desk-top server
  - Provision of service delivery capabilities to provide end-to-end telecommunications solutions to customers.